



# International Journal of Research Publication and Reviews

Journal homepage: [www.ijrpr.com](http://www.ijrpr.com) ISSN 2582-7421

---

## ON THE NEGATIVE PELL EQUATION

$$y^2 = 10x^2 - 9$$

**K.Meena<sup>1</sup>, S.Vidhyalakshmi<sup>2</sup>, M.A.Gopalan<sup>3</sup>**

<sup>1</sup>Former VC, Bharathidasan University, Trichy-620 024, Tamil Nadu, India.

[Email: drkmeena@gmail.com](mailto:drkmeena@gmail.com)

<sup>2</sup>Assistant Professor, Department of Mathematics, Shrimati Indira Gandhi College, Affiliated to Bharathidasan University, Trichy-620 002, Tamil Nadu, India.

[Email: vidhyasigc@gmail.com](mailto:vidhyasigc@gmail.com)

<sup>3</sup>Professor, Department of Mathematics, Shrimati Indira Gandhi College, Affiliated to Bharathidasan University, Trichy-620 002, Tamil Nadu, India.

[Email: mayilgopalan@gmail.com](mailto:mayilgopalan@gmail.com)

---

### ABSTRACT:

---

The binary quadratic equation represented by the negative Pellian  $y^2 = 10x^2 - 9$  is analyzed for its distinct integer solutions. A few interesting relations among the solutions are given. Further, employing the solutions of the above hyperbola. We have obtained solutions of other choices of hyperbolas and special Pythagorean triangle.

---

**KEYWORDS:** Binary quadratic, hyperbola, parabola, integral solutions, Pell equation.

**2010 mathematics subject classification:** 11D09.

## INTRODUCTION

Diophantine equation of the form  $y^2 = Dx^2 + 1$ , where  $D$  is a given positive square-free integer is known as Pell equation and is one of the oldest Diophantine that has interesting mathematicians all over the world, since antiquity, J.L. Lagrange proved that the positive Pell equation  $y^2 = Dx^2 + 1$  has infinitely many distinct integer solutions whereas the negative Pell equation  $y^2 = Dx^2 - 1$  does not always have a solution. In [1], an elementary proof of a criterion for the solvability of the Pell equation  $x^2 - Dy^2 = -1$  where  $D$  is any positive non-square integer has been presented. For examples the equations,  $y^2 = 3x^2 - 1$ ,  $y^2 = 7x^2 - 4$  have no integer solution whereas  $y^2 = 65x^2 - 1$ ,  $y^2 = 202x^2 - 1$  have integer solutions. In this context, one may refer [2-20]. More specifically, one may refer "The On-line Encyclopedia of integer sequences" (A031396, A130226, A031398) for values of  $D$  for which the negative Pell equation  $y^2 = Dx^2 - 1$  is solvable or not. In this communication, the negative Pell equation given by  $y^2 = 10x^2 - 9$  is considered and infinitely many integer solutions are obtained. A few interesting relations among the solutions are presented.

## METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 10x^2 - 9 \quad (1)$$

whose smallest positive integer solution is  $x_0 = 1, y_0 = 1$ . To obtain the other solutions of (1), consider the Pell equation  $y^2 = 10x^2 + 1$  whose solution is given by

$$\tilde{y}_n = \frac{1}{2} f_n, \tilde{x}_n = \frac{1}{2\sqrt{10}} g_n$$

where,

$$f_n = (19 + 6\sqrt{10})^{n+1} + (19 - 6\sqrt{10})^{n+1}$$

$$g_n = (19 + 6\sqrt{10})^{n+1} - (19 - 6\sqrt{10})^{n+1}$$

Applying Brahamagupta Lemma between  $(x_0, y_0)$  and  $(\tilde{x}_n, \tilde{y}_n)$ , the other integer solutions of (1) are given by

$$2\sqrt{10}x_{n+1} = \sqrt{10}f_n + g_n$$

$$2y_{n+1} = f_n + \sqrt{10}g_n$$

The recurrence relations satisfied by the solutions  $x$  &  $y$  are given by

$$x_{n+3} - 38x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 38y_{n+2} + y_{n+1} = 0$$

Some numerical examples of  $x$  &  $y$  satisfying (1) are given in the table 1 below

TABLE I:EXAMPLES

$n$	$x_n$	$y_n$
0	1	1
1	25	79
2	949	3001
3	36037	113959
4	1368457	4327441

From the above table, we observe some interesting relations among the solutions which are presented below

1. Both  $x_n$  &  $y_n$  values are odd.
2. Each of the following expressions is a nasty number.

$$\diamond \frac{158x_{2n+2} - 2x_{2n+3} + 108}{9}$$

$$\diamond \frac{3001x_{2n+2} - x_{2n+4} + 2052}{171}$$

$$\diamond \frac{1000x_{2n+2} - 4y_{2n+3} + 684}{57}$$

$$\diamond \frac{37960x_{2n+2} - 4y_{2n+5} + 25956}{2163}$$

$$\diamond \frac{6002x_{2n+4} - 158x_{2n+5} + 2916}{243}$$

$$\diamond \frac{1000x_{2n+3} - 316y_{2n+3} + 36}{3}$$

$$\diamond \frac{40x_{2n+3} - 316y_{2n+2} + 684}{57}$$

$$\diamond \frac{37960x_{2n+3} - 316y_{2n+4} + 684}{57}$$

$$\diamond \frac{40x_{2n+4} - 12004y_{2n+3} + 25956}{2163}$$

$$\diamond \frac{1000x_{2n+4} - 12004y_{2n+3} + 684}{57}$$

$$\diamond \frac{37960x_{2n+4} - 12004y_{2n+4} + 36}{3}$$

$$\diamond \frac{2y_{2n+3} - 50y_{2n+2} + 108}{9}$$

$$\diamond \frac{y_{2n+4} - 949y_{2n+2} + 2052}{171}$$

$$\diamond \frac{50y_{2n+4} - 1898y_{2n+3} + 108}{9}$$

3. Each of the following expressions is a cubical integer

$$\diamond 79x_{3n+3} - x_{3n+4} + 237x_{n+1} - 3x_{n+2}$$

$$\diamond 1052676(3001x_{3n+3} - x_{3n+5} + 9003x_{n+1} - 3x_{n+3})$$

$$\diamond 29241(500x_{3n+3} - 2y_{3n+4} + 1500x_{n+1} - 6y_{n+2})$$

$$\diamond 42107121(18980x_{3n+3} - 2y_{3n+5} + 56940x_{n+1} - 6y_{n+3})$$

$$\diamond 3001x_{3n+4} - 79x_{3n+5} + 9003x_{n+2} - 237x_{n+3}$$

$$\diamond 1500x_{3n+4} - 474y_{3n+4} + 4500x_{n+2} - 1422y_{n+2}$$

$$\diamond 29241(20x_{3n+4} - 158y_{3n+3} + 60x_{n+2} - 474y_{n+1})$$

$$\diamond 29241(18980x_{3n+4} - 158y_{3n+5} + 56940x_{n+2} - 474y_{n+3})$$

$$\diamond 42107121(20x_{3n+5} - 6002y_{3n+3} + 60x_{n+3} - 18006y_{n+1})$$

$$\diamond 29241(500x_{3n+5} - 6002y_{3n+4} + 1500x_{n+3} - 18006y_{n+2})$$

$$\diamond 56940x_{3n+5} - 18006y_{3n+5} + 170820x_{n+3} - 54018y_{n+3}$$

$$\diamond y_{3n+4} - 25y_{3n+3} + 3y_{n+2} - 75y_{n+1}$$

$$\diamond 1052676(y_{3n+5} - 949y_{3n+3} + 3y_{n+3} - 2847y_{n+1})$$

$$\diamond 25y_{3n+5} - 949y_{3n+4} + 75y_{n+3} - 2847y_{n+2}$$

## 4. Relations among the solutions

- ❖  $2052x_{n+2} = 54x_{n+1} + 54x_{n+3}$
- ❖  $2052y_{n+1} = 9x_{n+3} - 6489x_{n+1}$
- ❖  $2052y_{n+2} = 171x_{n+3} - 171x_{n+1}$
- ❖  $2052y_{n+3} = 9x_{n+1} - 6489x_{n+3}$
- ❖  $171x_{n+2} = 9x_{n+1} + 54y_{n+2}$
- ❖  $171x_{n+3} = 171x_{n+1} + 2052y_{n+2}$
- ❖  $171y_{n+3} = 540x_{n+1} + 6489y_{n+2}$
- ❖  $6489x_{n+2} = 171x_{n+1} + 54y_{n+3}$
- ❖  $6489x_{n+3} = 9x_{n+1} + 2052y_{n+3}$
- ❖  $6489y_{n+1} = 9y_{n+3} - 20520x_{n+1}$
- ❖  $9x_{n+3} = 171x_{n+2} + 54y_{n+2}$
- ❖  $9y_{n+1} = 171y_{n+2} - 540x_{n+2}$
- ❖  $9y_{n+3} = 540x_{n+2} + 171y_{n+2}$
- ❖  $171x_{n+1} = 9x_{n+2} - 54y_{n+1}$
- ❖  $171x_{n+3} = 6489x_{n+2} + 54y_{n+1}$
- ❖  $171y_{n+2} = 540x_{n+2} + 9y_{n+1}$
- ❖  $171y_{n+3} = 20520x_{n+2} + 171y_{n+1}$
- ❖  $171x_{n+3} = 9x_{n+2} + 54y_{n+3}$
- ❖  $171y_{n+1} = 171y_{n+3} - 20520x_{n+2}$
- ❖  $6489y_{n+2} = 540x_{n+3} + 171y_{n+1}$

- ❖  $6489y_{n+3} = 20520x_{n+3} + 9y_{n+1}$
- ❖  $171y_{n+3} = 540x_{n+3} + 9y_{n+2}$
- ❖  $540x_{n+1} = 9y_{n+2} - 171y_{n+1}$
- ❖  $2052y_{n+2} = 54y_{n+3} + 54y_{n+1}$

## REMARKABLE OBSERVATIONS

I. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the table II below.

TABLE II :HYPERBOLAS

S.NO	$(X, Y)$	Hyperbola
1	$(x_{n+2} - 25x_{n+1}, 79x_{n+1} - x_{n+2})$	$Y^2 - 10X^2 = 2916$
2	$(x_{n+3} - 949x_{n+1}, 3001x_{n+1} - x_{n+3})$	$Y^2 - 10X^2 = 4210704$
3	$(y_{n+2} - 79x_{n+1}, 250x_{n+1} - y_{n+2})$	$Y^2 - 10X^2 = 29241$
4	$(y_{n+3} - 3001x_{n+1}, 9490x_{n+1} - y_{n+3})$	$Y^2 - 10X^2 = 42107121$
5	$(25x_{n+3} - 949x_{n+2}, 3001x_{n+2} - 79x_{n+3})$	$Y^2 - 10X^2 = 2916$
6	$(25y_{n+2} - 79x_{n+2}, 250x_{n+2} - 79y_{n+2})$	$Y^2 - 10X^2 = 81$
7	$(25y_{n+1} - x_{n+2}, 10x_{n+2} - 79y_{n+1})$	$Y^2 - 10X^2 = 29241$
8	$(25y_{n+3} - 3001x_{n+2}, 9490x_{n+2} - 79y_{n+3})$	$Y^2 - 10X^2 = 29241$
9	$(949y_{n+1} - x_{n+3}, 10x_{n+3} - 3001y_{n+1})$	$Y^2 - 10X^2 = 42107121$
10	$(949y_{n+2} - 79x_{n+3}, 250x_{n+3} - 3001y_{n+2})$	$Y^2 - 10X^2 = 29241$

11	$(949y_{n+3} - 3001x_{n+3}, 9490x_{n+3} - 3001y_{n+3})$	$Y^2 - 10X^2 = 81$
12	$(79y_{n+1} - y_{n+2}, y_{n+2} - 25y_{n+1})$	$10Y^2 - X^2 = 29160$
13	$(3001y_{n+1} - y_{n+3}, y_{n+3} - 949y_{n+1})$	$10Y^2 - X^2 = 42107040$
14	$(3001y_{n+2} - 79y_{n+3}, 25y_{n+3} - 949y_{n+2})$	$10Y^2 - X^2 = 29160$

II. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the table III below.

TABLE III: PARABOLAS

S.NO	(X,Y)	Parabola
1	$(x_{n+2} - 25x_{n+1}, 79x_{2n+2} - x_{2n+3})$	$10X^2 = 27Y - 1458$
2	$(x_{n+3} - 949x_{n+1}, 3001x_{2n+2} - x_{2n+4})$	$10X^2 = 1026Y - 2105352$
3	$(y_{n+2} - 79x_{n+1}, 250x_{2n+2} - y_{2n+3})$	$40X^2 = 342Y - 58482$
4	$(y_{n+3} - 3001x_{n+1}, 9490x_{2n+2} - y_{2n+5})$	$40X^2 = 12978Y - 84214242$
5	$(25x_{n+3} - 949x_{n+2}, 3001x_{2n+4} - 79x_{2n+5})$	$10X^2 = 27Y - 1458$
6	$(25y_{n+2} - 79x_{n+2}, 250x_{2n+3} - 79y_{2n+3})$	$40X^2 = 18Y - 162$
7	$(25y_{n+1} - x_{n+2}, 10x_{2n+3} - 79y_{2n+2})$	$40X^2 = 342Y - 58482$
8	$(25y_{n+3} - 3001x_{n+2}, 9490x_{2n+3} - 79y_{2n+4})$	$40X^2 = 342Y - 58482$



9	$(949y_{n+1} - x_{n+3}, 10x_{2n+4} - 3001y_{2n+3})$	$40X^2 = 12978Y - 84214242$
10	$(949y_{n+1} - x_{n+3}, 250x_{2n+4} - 3001y_{2n+3})$	$40X^2 = 342Y - 116964$
11	$(949y_{n+3} - 3001x_{n+3}, 9490x_{2n+4} - 3001y_{2n+4})$	$40X^2 = 18Y - 162$
12	$(79y_{n+1} - y_{n+2}, y_{2n+3} - 25y_{2n+2})$	$X^2 = 270Y - 14580$
13	$(3001y_{n+1} - y_{n+3}, y_{2n+4} - 949y_{2n+2})$	$X^2 = 10260Y - 21053520$
14	$(3001y_{n+2} - 79y_{n+3}, 25y_{2n+4} - 949y_{2n+3})$	$X^2 = 270Y - 14580$

**III.** Consider  $m = x_{n+1} + y_{n+1}, n = x_{n+1}$ . Observe that  $m > n > 0$ . Treat  $m, n$  as the generators of the Pythagorean triangle  $T(\alpha, \beta, \gamma)$ , where

$$\alpha = 2mn, \beta = m^2 - n^2, \gamma = m^2 + n^2$$

Then the following interesting relations are observed.

a)  $\alpha - 5\beta + 4\gamma = 9$

b)  $6\alpha - \gamma - \frac{20A}{P} = 9$

c)  $\frac{2A}{P} = x_{n+1}y_{n+1}$

d)  $3\gamma + 7\alpha - 5\beta + \frac{20A}{p} = 18$

**CONCLUSION:**

In this paper, we have presented infinitely many integer solutions for the hyperbolas represented by the negative Pell equation  $y^2 = 10x^2 - 9$ . As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative Pell equations and determine their integer solutions along with suitable properties.

**REFERENCES:**

- 
- [1]. Mollin RA, Anitha Srinivasan, A note on the Negative Pell Equation, International Journal of Algebra. 2010; 4(19): 919-922.
- [2]. Whitford EE, Some Solutions of the Pellian Equations  $x^2 - Ay^2 = \pm 4$  JSTOR: Annals of Mathematics, Second Series 1913-1914; volume-15, Issue(1/4):157-160.
- [3]. S.Ahmet Tekcan, Betw Gezer and Osman Bizim, "On the Integer Solutions of the Pell Equation  $x^2 - dy^2 = 2^t$ ", World Academy of Science, Engineering and Technology 2007; 1: 522-526.
- [4]. Ahmet Tekcan, The Pell Equation  $x^2 - (k^2 - k)y^2 = 2^t$ . World Academy of Science, Engineering and Technology 2008; 19: 697-701.
- [5]. Merve Guney, Solutions of the Pell Equation  $x^2 - (a^2b^2 + 2b)y^2 = 2^t$ , when  $N \in (\pm 1, \pm 4)$ , Mathematics Aterna, 2012; 2(7): 629-638.
- [6]. V.Sangeetha, M.A.Gopalan, Manju Somanath, "On the Integral Solutions of the Pell Equation  $x^2 = 13y^2 - 3^t$ ", International Journal of Applied Mathematics Research, 2014; 3(1): 58-61.
- [7]. M.A.Gopalan, G.Sumathi, S.Vidhayalakshmi, "Observations on the Hyperbola  $x^2 = 19y^2 - 3^t$ ", Scholars Journal of the Engineering and Technology, 2014;

- 2(2A): 152-155.
- [8]. M.A.Gopalan, S.Vidhyalakshmi, A.Kavitha, "On the Integral Solution of the Binary Quadratic Equation  $x^2 = 15y^2 - 11$ ", Scholars Journal of the Engineering and Technology, 2014; 2(2A): 156-158.
- [9]. S.Vidhyalakshmi, V.Karthiga, K.Agalya, "On the Negative Pell Equation  $y^2 = 80x^2 - 31$ ", Proceedings of the National Conference on MATAM, Dindugal, 2015, 4-9.
- [10]. K.Meena, M.A.Gopalan, R.Karthika, "On the Negative Pell Equation  $y^2 = 10x^2 - 6$ ", International Journal of Multidisciplinary Research and Development, volume 2; Issue(12) ; December 2015: 390-392.
- [11]. M.A.Gopalan, S.Vidhyalakshmi, V.Pandichelvi, P.Sivakamasundari, C.Priyadharsini, "On the Negative Pell Equation  $y^2 = 45x^2 - 11$ ", International Journal of Pure Mathematical Science, 2016; volume-16: 30-36.
- [12]. K.Meena, S.Vidhyalakshmi, A.Rukmani, "On the Negative Pell Equation  $y^2 = 31x^2 - 6$ ", Universe of Emerging Technologies and Science, December 2015; volume II, Issue XII: 1-4.
- [13]. K.Meena, M.A.Gopalan, E.Bhuvaneshwari, "On the Negative Pell Equation  $y^2 = 60x^2 - 15$ ", Scholars Bulletin, December 2015; volume-1, Issue-11: 310-316.
- [14]. M.A.Gopalan, S.Vidhyalakshmi, R.Presenna, M.Vanitha, "Observations on the Negative Pell Equation  $y^2 = 180x^2 - 11$ ", Universal Journal of Mathematics, volume-2, Number 1: 41-45.
- [15]. S.Vidhyalakshmi, M.A.Gopalan, E.Premalatha, S.Sofiya christinal, "On the Negative Pell Equation  $y^2 = 72x^2 - 8$ ", International Journal of Emerging Technologies in Engineering Research (IJETER), volume 4, Issue 2, February 2016, 25-28.

- [16]. M. Devi, T.R. Usharani, “On the Binary Quadratic Diophantine Equation  $y^2 = 80x^2 - 16$ ”, Journal of Mathematics and Informatics ,vol.10,2017,75-81.
- [17]. R. Suganya, D. Maheswari, “ On the Negative pellian Equation  $y^2 = 110x^2 - 29$ ”, Journal of Mathematics and Informatics, vol.11,2017,63-71.
- [18]. P. Abinaya, S. Mallika, “ On the Negative pellian Equation  $y^2 = 40x^2 - 15$ ”, Journal of Mathematics and Informatics, vol.11,2017,95-102.
- [19]. S. Vidhyalakshmi, M.A. Gopalan, T. Mahalakshmi, “ On the Negative pell Equation  $y^2 = 40x^2 - 15$ ”, IJESRT, vol.7, Issue11,November 2018, 50-55.
- [20]. S. Vidhyalakshmi, T. Mahalakshmi, “On the Negative pell Equation  $y^2 = 15x^2 - 14$ ”, IJRASET, vol.7, Issue III, March 2019, 891-897.