



Comparing Design, Analysis and Estimation of a Residential Building with and Without Shear Wall in Zone 4

Mohd Sarmad Khan¹, Ravi Rawat², Shubham Singh³, Suryakant Tripathi⁴ and Mr. Faheemul Islam Kirmani⁵

^{1,2,3,4}Under-Graduate Student, Dept. of Civil Engineering, Galgotia College of Engineering and Technology, Greater Noida, India, ⁵Professor, Dept. of Civil Engineering, Galgotia College of Engineering and Technology, Greater Noida, India

ABSTRACT

In the seismic design of buildings, reinforced concrete structure walls, or shear walls, act as a major earthquake resisting members. Structural walls provide a resistance against the lateral loads system. The properties of these seismic shear walls dominate the response of the building, it is important to evaluate the seismic response of the walls appropriately. Shear walls are generally used in high-rise buildings subject to lateral wind and seismic forces. In reinforced concrete framed structures the effects of wind forces increase in significance as the structure increases in height. Codes of practice impose limits on horizontal movement or sway. As we know that in the present scenario buildings with shear walls are gaining more popularity than buildings without shear wall in earthquake prone areas due to its capability to the resistance during earthquake. In this paper 2 storey RCC building is considered for the seismic analysis which is located in zone IV is considered for the analysis. Two models are considered for the analysis out of which one is bare frame model and the other structure with shear wall at various positions is considered. The purpose of standards is to ensure and enhance the safety, keeping careful balance between economy and safety. In the present study G+2 building of 37'6"×33',4" Is designed using STAAD PRO software. In order to design them, it is important to first obtain the plan of the particular building that is, positioning of the particular rooms (Drawing room, bed room, kitchen toilet etc.) such that they serve their respective purpose and also suiting to the requirement and comfort of the inhabitants. Thereby depending on the suitability; plan layout of beams and the position of columns are fixed.

Keywords: Shear Wall, Base Shear, Staad Pro, storey displacement, seismic zones

1. INTRODUCTION

Comparative study of a building is to check and compare the strength of the building with and without shear wall. The major criteria now-a-days in designing RCC Structures in seismic zones are control of lateral displacement resulting from lateral forces. In this thesis effort has been made to investigate the effect of Shear Wall position on lateral displacement and Storey Drift in RCC Frames. The major criteria now-a-days in designing RCC structures in seismic zones is control of lateral displacement resulting from lateral forces. In this thesis effort has been made to investigate the effect of Shear Wall position on lateral displacement and Storey Drift in RCC Frames. Looking at the past records of Earthquake, there is increase in the demand of Earthquake resisting Building. It was observed that Multi storeyed R.C.C. Buildings with shear wall is economical as compared to without shear wall. Due to major earthquakes in the recent pasts the codal provisions are revised and implementing more weight age on earthquake design of structure.

2. OBJECTIVES

To study the storey displacement, bending moment, shear forces of structure with and without shear wall


To calculate and Compare the cost of G+2 Residential Building with and without Shear wall.

3. LITERATURE REVIEW

P.P.Chandurkar, Dr.P.S.Pajgade. (2013):- In this paper studied the seismic analysis of the RCC building with and without shear wall for 10 storey building. The main focus of this paper will be solution the shear wall location in multi storey building. Four different models should be considered in zone II zone III zone IV zone V. These four seismic zones and four models should be calculated the parameters like storey displacement, storey drift. Also calculate the total cost for the ground floor with the both cases replacing column with shear wall. The whole analysis is carried out by using ETAB v.9.5.0 software. For ten storeys or below ten storey building the shear wall will not effective. But in high rise building it is effective and also economical. Providing of shear wall at adequate locations substantially reduces the displacements due to earthquake.

Varsha R.Harneanalysed:- A six storey building subjected to earthquake loading in zone II using STAAD Pro and calculated earthquake load using seismic coefficient method (IS 1893 Part II). Four different cases were analysed comprising of a structure without shear wall, structure with L type shear wall, structure with shear wall along periphery, structure with cross type shear wall. The lateral deflection of column for building with shear wall along periphery is reduced as compared to other types of shear walls .It was found that shear wall along periphery is most efficient among all the shear walls considered.

M. S. Aainawala et. al. (2014): Comparative study of multi- storeyed R.C.C. Buildings with and without Shear Walls: He did the comparative study of multi-storeyed R.C.C. Buildings with and without Shear Walls. They applied the earthquake load to a building for G+12, G+25, G+38 located in zone II, zone III, zone IV and zone V for different cases of shear wall position. They calculated the lateral displacement and story drift in all the cases. It was observed that Multistoreyed R.C.C. Buildings with shear wall is economical as compared to without shear wall. As per analysis, it was concluded that displacement at different level in multistoreyed building with shear wall is comparatively lesser as compared to R.C.C. building without shear wall. This is important for building design and use of shear walls.



4. COLLECTION OF DATA:-

We collected the information about the Zone IV, Area of the building, desired plans for G+2 building with and without shear wall and the data of loads.

MODEL:-

1. G+2 BUILDING WITHOUT SHEAR WALL IN ZONE -IV
2. G+2 BUILDING WITH SHEAR WALL IN ZONE -IV

5. ANALYSIS DATA

Table 5.1.0 Data for Analysis

| | |
|-------------------------|-----------------|
| PLAN SIZE | 11.43M X 10.16M |
| NO.OF STOREYS | 2 |
| STOREY HEIGHT | 3.2004M |
| WALL THICKNESS | 0.23M |
| SLAB THICKNESS | 0.1524M |
| COLUMN SIZE | 0.3048MX0.3048M |
| BEAM SIZE | 0.3048MX0.3048M |
| GRADE OF STEEL | FE 415 |
| GRADE OF CONCRETE | M20 |
| DEAD LOAD | 14KN / M |
| LIVE LOAD | 3.81KN / M |
| SOIL CONDITION | MEDIUM |
| THICKNESS OF SHEAR WALL | 0.1524M |

PLANNING

Data Required for Modelling:-

Table 5.1.1 Building Dimensions

| | |
|-----------------------------|---------|
| Length of the bay | 11.43m |
| Height of the bay | 9.6012m |
| Width of the bay | 10.16m |
| No of bays along the length | 3 |
| No of bays along the height | 3 |
| No of bays along the width | 2 |




Fig. 5.1 2 BHK Plan




Fig. 5.2 Front view of the building




Fig. 5.3 Isometric view

DESIGNING:-




Fig. 5.4 3D Rendered Model without Shear Wall



Fig. 5.5 3D Rendered Model with Shear Wall




Fig. 5.6 Dead Load




Fig. 5.7 Live Load




Fig. 5.8 The wind load acting on building in W+X Direction




Fig. 5.9 The wind load acting on building in W+Z Direction




Fig. 5.10 Seismic Load Acting on Building EQ+X




Fig. 5.11 Seismic Load Acting on Building EQ+Z

6. SHEAR WALL

1. While columns and load-bearing walls keep buildings standing up, carrying the compression load of the structure down to its foundation, the shear wall is what keeps structures from blowing over, resisting the lateral forces of wind and seismic activity.
2. Shear walls are especially important in high rise buildings. In residential buildings, shear walls provide all of the lateral supports for the building and reduce lateral sway of the building.
3. Almost all houses have external shear walls, but internal shear walls are typically found only in larger houses and high-rise buildings subject to lateral winds and seismic forces. The taller the building, the greater the need for internal shear walls and a lateral force resisting system.
4. Shear wall behavior depends upon Material used, wall thickness, wall length, wall positioning in building frame also.

6.1 ADVANTAGES OF SHEAR WALLS:-

1. Easy to Construct.
2. Easily Implemented at the Site.
3. Minimum Earthquake Damage.

7. STAAD. PRO

STAAD Pro is a Structural Analysis and Design Program Software.

It includes a state-of-the-art user interface, visualization tools and international design codes.

It is used for 3D model generation, analysis and design

The commercial version of STAAD Pro supports several steel, concrete and timber design codes.

It is one of the software applications created to help Structural Engineers to automate their tasks and to remove the tedious and long procedures of the manual methods.

8. ESTIMATION:

Rate Analysis without Shear wall

| SNO. | DESCRIPTION | REQ. QUANTITY | RATE(IN RS.) | PER | AMOUNT(IN RS.) |
|------|---------------------------|---------------|--------------|--------------------|----------------|
| 1 | EARTHWORK | 21.675 | 150 | CUBIC METRE | 3251.25 |
| 2 | SAND LAYER | 33.839 | 1480 | CUBIC METRE | 50081.72 |
| 3 | PCC | 11.81 | 3450 | CUBIC METRE | 40744.5 |
| 4 | DPC | 0.762 | 330 | SMT | 251.46 |
| 5 | RCC | 111.495 | 3800 | CUBIC METRE | 423681 |
| 6 | BRICK MASONARY (16) | 131.62 | 4800 | CUBIC METRE | 631776 |
| 7 | FLOORING (100mm, 12.4) | 102.54 | 700 | SQUARE METRE | 71778 |
| 8 | PLASTERING(14) | 1723.9 | 300 | SQUARE METRE | 517170 |
| 9 | WHITE CEMENT | 1723.9 | 110 | SQUARE METRE | 189629 |
| 10 | DISTEMBER | 1723.9 | 125 | SQUARE METRE | 215487.5 |
| 11 | PAINT(non texture) | 1723.9 | 200 | SQUARE METRE | 344780 |
| 12 | MARBLE FLOOR | 298.502 | 1000 | SQUARE METRE | 298502 |
| 13 | DOORS | 25 | 6500 | NUMBER | 162500 |
| 14 | WINDOWS | 9 | 3500 | NUMBER | 31500 |
| | | | | | |
| | | | | TOTAL | 2981132.43 |
| | CONTINGENCIES | | 4% | | 119245.297 |
| | WORK CHARGE | | 2.50% | | 74528.311 |
| | ESTABLISHMENT | | | | |
| | CONTRACTOR | | 10% | | 298113.243 |
| | | | | GRAND TOTAL | 3473019.281 |

Rate Analysis with Shear wall


| SNO. | DESCRIPTION | REQ. QUANTITY | RATE(IN RS.) | PER | AMOUNT(IN RS.) |
|------|-----------------------------|---------------|--------------|--------------------|----------------|
| 1 | EARTHWORK | 21.675 | 150 | CUBIC METRE | 3251.25 |
| 2 | SAND LAYER | 33.839 | 1480 | CUBIC METRE | 50081.72 |
| 3 | PCC | 11.81 | 3450 | CUBIC METRE | 40744.5 |
| 4 | DPC | 0.762 | 330 | SMT | 251.46 |
| 5 | RCC | 111.495 | 3800 | CUBIC METRE | 423681 |
| 6 | SHEAR WALL | 18.66 | 3500 | CUBIC METRE | 65310 |
| 7 | BRICK MASONARY (1:6) | 106.521 | 4800 | CUBIC METRE | 511300.8 |
| 8 | FLOORING (100mm, 1:2:4) | 102.54 | 700 | SQUARE METRE | 71778 |
| 9 | PLASTERING(1:4) | 1723.9 | 300 | SQUARE METRE | 517170 |
| 10 | WHITE CEMENT | 1723.9 | 110 | SQUARE METRE | 189629 |
| 11 | DISTEMBER | 1723.9 | 125 | SQUARE METRE | 215487.5 |
| 12 | PAINT(non texture) | 1723.9 | 200 | SQUARE METRE | 344780 |
| 13 | MARBLE FLOOR | 298.502 | 1000 | SQUARE METRE | 298502 |
| 14 | DOORS | 25 | 6500 | NUMBER | 162500 |
| 15 | WINDOWS | 9 | 3500 | NUMBER | 31500 |
| | | | | TOTAL | 2925967.23 |
| | CONTIGENCIES | | 4% | | 117038.68 |
| | WORK CHARGE | | 2.50% | | 73149.181 |
| | ESTABLISHMENT CONTRACTOR | | 10% | | 292596.72 |
| | | | | GRAND TOTAL | 3408751.811 |

9. RESULTS AND DISCUSSIONS

MAXIMUM DISPLACEMENT:-

Table 9.1 Maximum Displacement values

| Model Name | Maximum displacement(in) |
|--------------------|--------------------------|
| Seismic Zone | Zone IV |
| Without Shear Wall | 0.023 |
| With Shear Wall | 0.015 |




Graph 9.1 Comparison of Maximum Displacement

BENDING MOMENT:-

Table 9.2 Bending Moment values

| Model Name | Bending Moment (kN/m) |
|--------------------|-----------------------|
| Seismic Zone | Zone-4 |
| Without Shear Wall | 38.66 |
| With Shear Wall | 18.29 |




Graph 9.2 Comparison of Bending Moments

BASE SHEAR:-

Table 9.3 Base Shear values

| Model Name | Base Shear (kN/n) |
|--------------------|-------------------|
| Seismic Zone | Zone - 4 |
| Without Shear Wall | 25.138 |
| With Shear Wall | 14.074 |



Graph 9.3 Comparison of Base Shear

10. CONCLUSIONS

In zone-4 the maximum displacement is 34.7% less in building with shear wall when compared to building without shear wall.

In zone-4 the Bending moment is 52.6% less in building with shear wall when compared to building without shear wall.

In zone-4 the base shear is 44.01% less in building with shear wall when compared to building without shear wall.

The Cost of building is 1.85% less in building with shear wall when compared to building without shear wall.

Hence we can conclude that shear wall in building reduces maximum displacement, bending moment, combination stresses and cost of the building. So building with shear wall is better when compared to building without shear wall.

11. REFERENCES

- [1] Harne R. V., "Comparative Study of Strength of RC Shear Wall at Different Location on Multi-storied Residential Building"(IJCER)Volume 5, Number 4,
- [2] Chandurpur P.P, Dr.Pajgade P.S (2013) "Seismic Analysis Of RCC Building with and without shear wall." International Journal of Modern Engineering Research (IJMER) (2249-6645).
- [3] A.B. Karnale and Dr. D. N. Shinde, Comparative Seismic Analysis of High Rise and Low Rise RCC Building with Shear Wall, International Journal of Innovative Research in Science, Engineering and Technology, September 2015.
- [4] Chowdary, P.V.S.and Pandian, S.M. (2014),"A Comparative Study on RCC Structure with and without Shear Wall", International Journal for Scientific Research & Development, IJSRD, Vol. 2, No.2.
- [5] P.P Chandurkar, DR. P.S. Pajgade, "Seismic analysis of RCC building with and without shear wall" IJMER, Vol.3, Issue 3, may- June 2013,pp- 1805 - 1810,2013
- [6] Himalee Rahangdale, et al, "Design and Analysis of Multi storied Building with Effect of Shear Wall", Vol. 3, Issue 3, May- Jun 2013, pp.223-232.2.
- [7] Romy M and Prabha C (2011), "Dynamic Analysis of RCC Buildings with Shear Wall", International Journal of Earth Sciences and Engineering, ISSN 0974- 5904, Vol. 04, 659-662.