



A STUDY OF VARIOUS ASPECTS OF SUSCEPTIBILITY IN VIEW OF HOMOEOPATHY

DR. SONALI SAMBHAJIRAO JADHAV

M.D. (Homoeopathy), Assistant Professor, Department of Organon of Medicine & Homoeopathic Philosophy, Mauli Homeopathic Medical College and Research Institute, Tondar, Udagir, Dist.: Latur - 413517(M.S.) INDIA

E-mail: sonajadhav1985@gmail.com

ABSTRACT:

A substance, which is unknown to the medical doctor, has been selected. The identification of the substance has been stored a transient mystery from the medical doctor and the volunteer for clinical reasons; we do no longer wish to prejudice the minds of both via producing a systematic bias. This technique is known as 'double blind technique' when you consider that each the experimenter in addition to the volunteer is unaware of the identity of the substance. This may be revealed after the look at is over. Male and female volunteers in identical numbers between the a while 18-45 could be decided on for the task. They have to be exceptionally healthful in that they must no longer be stricken by any chronic ailment for Example Asthma, eczema, diabetes, blood pressure and so on. They might be tested in detail via the health practitioner and if vital positive blood, urine investigations will be done. In case of doubt, an x-ray can be ordered. My interest came up after studying approximately drug proving in homoeopathy that the way it occurs, what consequences arise after giving pills. Hahnemann did not begin to feed those drugs to others; he took the Peruvian bark himself, and felt its outcomes upon himself. He allowed it to show up its signs and symptoms, and when he had for this reason proved Peruvian bark (which we name China) it might be then said that the primary treatment regarded to guy changed into discovered, and that the first drug effect turned into recognised and that China changed into born! Hahnemann searched the literature of the day to discover what different results of China have been observed accidentally, and well-known which include had been in harmony with what he had discovered. We have already referred to the fact that Hahnemann became capable, after proving China, to see that in its action it intently resembled the intermittent fevers that has existed through all times; that there was the maximum abundant relation of similitude among China and intermittent fever. Do we surprise, then, that Hahnemann stated to himself, "can it be feasible that the regulation of cure is the law of similars? Can it be feasible that similars are cured by way of tablets that produce signs and symptoms like unto the illness?" Every drug he proved thereafter set up the regulation an increasing number of, made it seem extra sure, and every drug that he proved delivered one greater remedy to the instrument that we name materia medica, till it came to be what we now recognize as Hahnemann's materia medica pura and materia medica of the continual illnesses.

Keywords: Homoeopathic aggravation, Medicinal Aggravation, unfavourable drug reaction.

INTRODUCTION:

Homoeopathic Drug Proving has been in practice seeing that greater than two hundred years ever given that Homoeopathy changed into located within the 18th century via the remarkable German Physician Dr. Samuel Hahnemann. In reality, the very lifestyles of the technology and the significant gain that it has added about we owe to an unintended 'Drug Proving' made by using the top notch Dr. Hahnemann on himself. Since then, innumerable physicians and interested humans all around the global had been collaborating in this challenge. So what's a Drug Proving?

Briefly, Drug Proving approach scientifically investigating the houses of a substance for its possible medicinal use in homoeopathy. It includes administering very minute dosages of the chosen substance to a healthful volunteer and punctiliously recording his/her studies of what follows. These are achieved over a duration of six months with varying strengths (potencies) of the substance till a whole file is obtained. The facts from the distinct volunteers is compiled and this constitutes the whole Drug Proving. First of all, homoeopathy is not a theoretical but scientific technological know-how, as it's miles set forth with monumental terseness within the first paragraph of the Organon: "The first and most effective obligation of the medical doctor is to cure." Therefore, proving completed for this cause by myself, and medical observations of drug results at the bedside, will continually represent the fundamentals of research in homoeopathy.

1. Provings of Drugs:

Although the homoeopathic materia medica is richer than another materia medica in existence, the introduction of latest proved drugs will always be welcome and important. We frequently need to battle with pathological conditions which do now not seem to suit any given drug image altogether, and, consequently, demand a chain of treatments, which now and again nonetheless does not deliver absolutely quality effects. There are many effective retailers inside the various kingdoms of nature which could grant remedies capable of masking disorders which includes the ones stated above. Besides, it's miles safe to mention that every era has now not only its personal feature intellectual, low-budget and cultural physiognomy, but additionally its very own feature illnesses. For this motive too, it can be important to find out new drugs, fitting the specific developments that disease take on in a

positive generation, or becoming even completely new pathological condition. The polycrests will constantly be beneficial. Their usefulness is as unchangeable as human nature basically is, however, at the identical time, there's within the frame of human nature a regular float and trade of conditions. There are positive extra currently discovered sellers that are specifically inviting for homoeopathic provings, which include the outstanding institution of bacterial pollution, used as vaccines, and institution of vitamins. Apart from the provings of recent remedies, a re-proving of the old, particularly of the minor treatments, that have now not as yet been proved as thoroughly as they sincerely deserve, is highly recommendable. If possible, modern-day way of psychological observation and laboratory checks ought to be utilized to deliver provings updated. Formation of smaller or large mixed organizations of provers, including docs and laymen, would make possible the accomplishment of this paintings. The various current homoeopathic laymen's businesses will be of the greatest provider to the purpose of homoeopathy via lending their help. The setting up of a valuable council which, year after 12 months, could choose the medicine with the intention to be proved and would supervise the paintings to be achieved within the various provings devices - each under the course of a homoeopathic physician-might guarantee deliberate, prepared paintings. The formation of similar councils in different nations, operating beneath the equal plan, and coordination of these kind of results on a international-wide scale might absolutely produce the best sensible effects.

2. Observations of occupational diseases in mining districts and in factories:

Additional assets of knowledge of the effect of chemical and different poisons are the factories. Homoeopathic physicians dwelling inside the region of mining districts, in particular if in price of fitness supervision of employees, are in a role to acquire to treasured toxicological fabric which may be used, supplementing provings.

3. Observation and affirmation of latest clinical symptoms:

No new clinical symptoms of any importance were brought to a drug photo for a long term. These drug snap shots have end up a more or less fixed pattern in our minds, with no impetus toward enrichment by way of new medical symptoms. There is not any doubt that a closer remark of the constitutional installation of our sufferers, their person traits and their physiological and pathological reactions might furnish new scientific symptoms, making the selection of a remedy simpler for the destiny. Before Hahnemann could examine the materia medica you could say he had to make one, for there was none to take a look at, there had been no provings as yet; we've the devices earlier than us to examine, we've got the proved remedies. When the fallacy of antique college medication completely entered Hahnemann's thoughts; when he became disgusted with its method on the time his children were ill; while he located himself within the circulation of providence and affirmed his trust that the Lord had now not made these children to suffer, after which to be made worse from violent drug treatments; then his thoughts became in a mind-set for discovery.

REVIEW OF LITERATURE:

Concept of Susceptibility:

Drug were used as the standard method of therapy for disorder considering antiquity and their derivations numerous from simple herbs and materials to fearsome mixture from a possible asset.

According to H. A. Roberts – Everything that has life is more or much less motivated with the aid of occasions and surroundings. This is actual in the natural boom and improvement of the vegetable country. Certain vegetation increases fully handiest in positive altitudes and while swept by the steady moisture of the ocean; they will tackle an entirely special form under different occasions and environment.

We can also outline susceptibility more often than not as the reactions of the organism to external and inner affects. While we may additionally factor out hanging illustrations of susceptibility in the vegetable kingdom, the nice illustrations are to be found amongst those humans with whom we come in contact. We see very frequently the susceptibility to climatic situations, in addition to all different stages of environment.

The power of assimilation and vitamins is one of the stages of the susceptibility. Certain people are able to creating an exceptional proving of a drug, while others will show no response anything. All those reactions have to do with susceptibility. In analyzing susceptibility, we discover it is very in large part an expression of a vacuum within the man or woman. This is illustrated by the choice for food. The vacuum attracts and pulls for the things most wished, which are on the identical plane of vibration because the need within the body. Contagious sicknesses thrive in early life due to the acute susceptibility of the miasmatic impacts. This susceptibility has an appealing force which draws to itself the disorder that is on the identical aircraft of vibration and which has a tendency to accurate this miasmatic deficiency. Susceptibility varies in diploma in specific sufferers, and at one-of-a-kind times in the identical patient. Homoeopathic software of a remedy is an example of assembly the susceptibility and filling the vacuum this is present inside the sick individual. The proving of the treatment on a healthy person offers us the premise of similarity of treatments to unwell individuals due to the fact in a proving the treatment produces a synthetic susceptibility similar to the susceptibility of the sick individual. The susceptibility is significantly accentuated in sickness.

Susceptibility may be multiplied, diminished or destroyed. It consequently will become a country of lowered resistance or appeal.

* Any drug which in its herbal kingdom affects the crucial energy however little will develop a proving handiest in high efficiency.

*Any drug which in its natural country disturbs the essential energy to functional manifestations most effective may be confirmed in a crude shape.

*Any drug which in its herbal country disturbs the crucial electricity to negative manifestation have to be established best in a potentized shape.

The susceptibility of the affected person or prover have to be taken into consideration; this regulates and gives us path as to the quantity of the drug to be taken. The extra the susceptibility, the less the amount required to react upon the vital force, for if the organism is overwhelmed before everything, we may also get best common signs and so fail to acquire the function signs and for that reason fail in our object. On the other hand, if he's only fairly susceptible, we can also acquire valuable effects from large doses.

Hahnemann says that disease reasons are constrained in their ability to effect adjustments in fitness, to certain situations and states i.e. To susceptibility. It isn't always real that guy will go out of 1 state of susceptibility to a disease, and in a few days goes into another kingdom of

susceptibility to that identical disorder. Sensitivity apart from the susceptibility of the prover to the remedy the primary aspect dictating the excellent of response is sensitivity. This will vary from extreme sensitivity to general lack of response. There are sorts of sensitive provers in this case.

Those who're sensitive to the remedy specifically and people touchy in widespread. The latter will prove every remedy, as Kent mentions in his treatment reaction number 8. These humans are extraordinarily beneficial provers however often hard to treatment as any near but no longer actual treatment will produce a proving. One sensitive prover can "make" a whole proving, bringing to mild the most profound factors of the treatment in a maximum stunning manner. According to Kent – When susceptibility is happy, there may be a cessation of reason, and whilst purpose ceases to circulate ultimate, now not best do the ultimate quit however cause itself has already ceased. We see that when a natural disease is taken it runs its period, and tends to decline, and patient will now not be inclined till any other exchange of state has arrived. It is not genuine that guy will exit of one state of susceptibility to illnesses, and in a few days is going into another nation of susceptibility to those equal illnesses. There need to be a trade, a cycle, because of this a positive duration of time. Now if we talk about treatment in preference to contagion, it would seem that a sure dose of medicine administered had lasted a sure time. Whenever a medicine ceases to be homoeopathic it's far of no use to manage that medicinal drug longer, because it will act on the affected person handiest upon an synthetic susceptibility. By this we imply that certain sensitive sufferers usually have a susceptibility to high potencies. We have therefore matters to deal with, the extreme nation, created by using the sicknesses it, and the continual nation, that is the herbal kingdom of the affected person born below miasm. Now, whilst in the acute country the affected person has glad the susceptibility to contagion, there is a period wherein the sickness motive can no longer function upon him. Susceptibility is the general pleasant or functionality of the living organism of receiving impressions; the power to react to the stimuli. The observe of the idiosyncrasies is carefully related to homoeopathy. The common clarification of the term is an over sensitiveness to one issue or a few things. It dose not apply to the overall susceptibility in feeble constitutions where patients are prone to all things, over inclined and over-inspired by using simple annoyances. If an idiosyncrasy to the remedy isn't present, the affected person will not be susceptible enough to be cured. The country in which he becomes touchy sufficient to a drug to treatment him may be very analogous to those idiosyncrasies above stated. Think what susceptibility man have to must the remedy that remedies him, while it treatments in the very excessive attenuations that we use. According to M. L. Dhawale in Principle and Practice of Homoeopathy-The susceptibility is an inherent ability in all living things to react to stimuli in the surroundings and represents a fundamental first-rate that distinguishes the residing from the non-living. The susceptibility plays critical function in the following steps inclusive of:

- 1) Maintenance of health.
- 2) Evolution of the charter and drug image.
- 3) Development of the diathesis and sicknesses.
- 4) Manifestations of diseases and remedy.
- 5) Process of recuperation and therapy.
- 6) Determination of the dose and repletion.

Susceptibility is made recognised to us through the response that consequences when the host meets the environment factors. The sign and symptoms represent the handiest perceptible shape of evidence which indicates to us the response that takes vicinity with in the organism. Any exchange inside the regular susceptibility will interfere with the capacity of pre-decided response and this interference will be meditated in a sequence-reaction which in the long run leads to a loss of balance as evidence by the improvement of illnesses. As everyday susceptibility is vital for the maintenance of fitness, and disorder effects from abnormal susceptibility, all rational therapeutics will intention at the restoration of normal susceptibility. Increased susceptibility promotes development of disease and atypical response to stimuli within the surroundings which, often, are innocuous. This capability for extraordinary and exaggerated response is seen within the clinical kingdom of Atopy and Allergy, Collagen Disorders, Nephritis, Certain Hematological Disorders and plenty of a extensive style of ailments on account of variegated reasons. Decreased susceptibility is denoted through the bad reaction of an organism to stimuli in the surroundings. It may be apparent that the techniques of assimilation might be affected profoundly and this will be reflected in a poor preferred circumstance. Susceptibility and Constitution-We have seen that the tactics of anabolism and catabolism are determined through susceptibility. Thus, assimilation is determined with the aid of susceptibility which also governs all the reactions to the environment. The concept of regular susceptibility is at pleasant vague: it cannot be extra specific than our idea of fitness that is negative, no sicknesses is fitness. Individuals in fitness vary with in huge limits because of the differing styles of genes. Thus, the constitutional kind is a good degree of the susceptibility inside. The diathesis represents positive deviations in susceptibility which isn't sufficiently marked to advantage the label disorder and in which the responses to environmental stimuli have a tendency to be exaggerated. Normal susceptibility results in a kingdom of right health characterized by using right nutrients and a wholesome outlook on life. Abnormal susceptibility, on the other hand, impacts them inside the first instance and interferes with the tactics of adaptation and thereby ends in improvement of sickness. Susceptibility and Drugs- Drugs are capable of influencing the organism due to its susceptibility. Example of a complete loss of susceptibility in animals to certain poisons is widely recognized. The acquired lessening of susceptibility visible in drug – tolerance as well as brilliant instances in which previous touch with the drug has promoted intense susceptibility manifested via idiosyncrasy are also widely known. What is not widely known is the reality that positive substances, inert in crude state, collect tremendous powers to persuade susceptibility when they may be organized as in keeping with directions within the homoeopathic pharmacopoeia and administered in line with a exact aircraft as has been executed in well –performed provings. The declare that homoeopathic capsules have a capability to steer intellectual procedures changed into laughed at till very recently while the psychotropic tablets had been introduced with a beat of drums. Once we accept that capsules can have an effect on susceptibility and thereby lead to a teach of signs, to limit those to the bodily sphere on my own might we rather illogical; they may additionally appear inside the different two spheres. The unique potential of the drug to have an effect on health acts at the susceptibility in a prover to offer upward thrust to the very last photo in a drug – proving. As susceptibility is reflected in the constitutional kind of a prover, a properly performed drug-proving has to ensure that the provers are drawn from the diverse constitutional sorts. In a proving, a drug is administered until it meets the susceptibility and conjures up the reaction. Further stimulation is then suspended; in any other case, the readability of reaction has a tendency to get blurred. Now all provers happen susceptibility to decrease potencies. Some of the finer indicators were acquired by way of provings performed with the 30th potency and past. Experience shows that with the increasing efficiency, the capacity of a drug to have an effect on susceptibility step by step widens to operate increasingly more in the mental sphere. General revel in suggests that a sensitive and

gracile problem is extraordinarily prone; whereas, the coarse type requires repeated stimulations thru the decrease potencies. Inert substances require sizeable release of electricity through 30th potency and beyond before they have an effect on susceptibility. An acute and explosive onset of sickness suggests a sturdy charter with excessive susceptibility and, therefore, responds high-quality to the treatment administered within the better potencies. On the opposite hand, an insidious onset indicates negative susceptibility so frequently seen in individuals in bad condition. This may additionally name for deep-appearing remedies or nosodes.

The image that develops in a drug-proving can be taken into consideration underneath the following steps such as:

Common signs in a large majority of provers: They suggest a trendy response to the unique capability of a drug, but is of little use from the viewpoint of identification of the drug.

1) Characteristic signs and symptoms in a big majority of provers: They suggest the unique ability of a drug and set up its identification and therefore are all-crucial.

2) Characteristic signs in some provers handiest:

a) Characteristic signs and symptoms experienced for the primary time by way of the provers. These signs constitute a noticeably susceptible prover and, if showed, grant reliable evidence of the particular potential of the drug. If they can't be showed through their incidence in other provers, they are rated low provided the man or woman in charge of the proving is sure in their veracity.

B) Characteristic signs experienced formerly by the provers both while diseased or in different proving: These signs and symptoms do no longer suggest the precise capability of a drug, however the odd susceptibility in the provers themselves. So they must be excluded from the final record.

Three) Characteristic symptoms in isolated times only. When we attempt to institution and classify the provers who have answered exceptional to a drug, we're struck by way of the similarities in somato-sorts and we conclude that individuals with the one's traits are extra prone to the shape of power released by way of the drug. And we strive to discover this kind with the report of the drug proving. Susceptibility and Diathesis- The predisposition of certain somato-types to the improvement of positive sicknesses attracted the eye even of the ancients. They were also substantially impressed via the affiliation of certain temperaments with certain kinds of contamination. From those observations sprung the doctrine of inclined constitutions or diathesis. This unique concept is extremely essential from the perspective of preventive medication. It might be obvious that diathesis represents positive deviations in susceptibility which are not sufficiently marked to merit the lable disorder and in which the reaction to environmental stimuli has a tendency to be exaggerated or erratic. Susceptibility and Health- An organism in perfect balance represents health. This nice balance, even within the presence of destructive environmental elements, is a resultant of different techniques which might be occurring within and which keep the most useful situations. In the better forms of existence, the neuro-endocrine machine represents the homoeopathic control which regulates the various strategies of anabolism and katabolism. This high-quality law is possible simplest so long as a predetermined reaction follows a given stimulus. This is possible most effective whilst a cell-the unit of lifestyles-reveals what we call everyday susceptibility. Any alternate within the regular susceptibility will interfere with the capacity of pre-determined response and this interference will be contemplated in a chain reaction which in the long run ends in a loss of stability as evidenced with the aid of the improvement of ailment. All allergic provers or sufferers especially those with skin allergic reaction, have excessive susceptibility. This must caution a prescribe in opposition to indiscriminate management in higher potencies and injudicious repetitions which could precipitate quite a excessive shape of aggravation.

Conclusion:

We have taken into consideration the guidelines governing drug-administration and tried to understand their foundation. A thorough information of susceptibility permits a comprehensive information of the styles of drug reaction. A greater consciousness of placebo-consequences will permit a homoeopathic health practitioner to appoint this effective medium to maximum benefit and will also permit him to evaluate drug proving and treatment response in a higher way. I have seen all through proving of placebo that extra than 50% provers have thrown up signs and symptoms on mind and body level. From which we are able to say that provers can deliver signs and symptoms psychologically without any potency because of prover's susceptibility, sensitivity and reactivity. Prover's thinks that I am taking a drug substance for proving so some thing has to appear because of one-of-a-kind degree of sensitivity of the provers and additionally fear of medication, fear of difficulty of medicine. So provers might deliver signs and symptoms fast. But after completing first round of potency, slowly the sensitivity of provers can be hold because of loss of fear of drugs. After this, provers will give signs slowly in assessment to first round of taking the drug substance. We have seen that during the management of mother tincture of medication, provers deliver symptoms quickly. The provers, who had excessive susceptibility, gave symptoms quickly and who had low or slight susceptibility, gave symptoms slowly with every efficiency. Hypersensitive provers have a tendency to show practically every drug administered to them. Hypersensitive provers show a bent to return down with medicinal aggravation. The cases with predominantly intellectual symptomatology will not reply to the lower potencies. If the first dose of drug produces no effect, and enough time has been allowed to make sure that the prover is not touchy to it, the subsequent great things to do is to create a sensitivity to it. We have got experience that typically prover has given general, mind, sleep signs. In a proving, a drug is administered until it meets the susceptibility and inspires the response. Further stimulation is then suspended; in any other case, the clarity of reaction has a tendency to get blurred. Not all provers take place susceptibility to decrease potencies. Some of the finer indicators have been acquired by provings carried out with the 30th potency and past. Experience shows that with the increasing potency, the capacity of a drug to have an effect on susceptibility gradually widens to perform more and more within the mental symptoms. We had 1-2 provers who have not given any signs and symptoms on mind level or frame degree in the placebo, 30, 2 hundred and mother tincture due to extra her/his bodily work, one changed into peon in health center and other changed into peon in degree university. They were now not extra touchy to those tablets due to low susceptibility. The polycrest action of the drug is seen. Symptoms on the bodily and intellectual ranges have arise concurrently. General signs and symptoms of increased appetite, Laziness, aversion to work, Marked sleepy feeling are visible. I even have were given end result that in pre-trial examination, maximum of provers has high susceptibility but during proving maximum of provers has low susceptibility on thoughts and tissue level.

Summary:

Homoeopathic Drug Proving Project become an element-fulfillment for the M.D. (Hom.) became performed on the Dr. M. L. Dhawale Memorial Homoeopathic Institute, Palghar as in keeping with the pointers given beneath the Rules and Regulation of Central Council of Research in Homoeopathy, New Delhi, in Homoeopathic Drug Proving phase. This undertaking changed into taken to observe and decide the intensity and volume of movement of medication and the accurate assessment of susceptibility of provers and to adapt an undistorted, feature Conceptual Image from the maze of signs gathered from the proving of Rhus aromatica. This task turned into performed from the period of August 2004 to March 2001. Proving was conducted on 15 highly wholesome provers of age institution among 18 – 45 years, of both sexes. Rhus Aromatica was proved in one-of-a-kind potencies, 2 hundred, 30 and mother tincture. “Double Blind Method”, as a way for the examine became decided on and was observed all through complete course of proving. This takes a look at has helped inside the systematic observe of a partially proved remedy Rhus aromatica in two hundred and 30 efficiencies, and additionally within the mother tincture. To take a look at became capable of derive the susceptibility of the provers at specific potencies and placebo in extraordinary rounds. The prepared conceptual picture changed into derived from the maze of signs. The symptoms had been also visible in view of the time size. This proving has helped the homoeopathic technological know-how in exploring the unproved hidden pathogenesis homes of the drug which should be put for clinical verification by the studies branch so that the outcomes obtained from this take a look at will be relevant in the remedy of ill person for the speedy, gentle and permanent restoration of fitness.

REFERENCES/BIBLIOGRAPHY:

1. Close Stuart, (1993), ‘Susceptibility, Reactions and Immunity’, Chapter VII, in the Genius of Homoeopathy, Lectures and Essays on Homoeopathic Philosophy, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
2. Dey S. P., ‘Drug induced Disease (by proving) and its Role in Homoeopathic Practice’ and Susceptibility, Allergy and Idiosyncrasy in Essentials of Principles and Practice of Homeopathy’ 2nd ed. Calcutta; Dr. Mrs. Sabita Dey
3. Dhawale, M. L. (1994, a), ‘Susceptibility’ Chapter – XIV, in Principles and Practice of Homoeopathy, Part 1, Rep 2nd ed; Bombay; ICR, Girgaon
4. Dhawale, M. L. (1994, b), ‘Conceptual Image in Homoeopathic Practice’, Chapter – XI, in Principles and Practice of Homoeopathy, Part 1, Rep 2nd ed; Bombay; ICR, Girgaon.
5. Diwan Harish Chand, (1990), ‘Proving – Human Experimentation’ in Quarterly Bulletin by Central Council for Research in Homoeopathy, Vol. 12 (1and 2), 1, New Delhi; CCRH.
6. Dudgeon R. E., (1996), Organon of Medicine 5th and 6th edition, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
7. Dudgeon R. E., (2002), ‘On the Proving of Medicines’, Lecture VII, in Lectures On Theory and Practice of Homoeopathy, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
8. Dunham Carroll, (2003, a) ‘Dose in Drug Proving’, in Homeopathy the science of Therapeutics, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
9. Dunham Carroll, (2003, b) ‘Direction For Drug - Provers’, in Homeopathy the science of Therapeutics, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
10. Haehl Richard, (1995, a), ‘A New Principle’, Chapter VIII, in Samuel Hahnemann His Life and Work, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
11. Haehl Richard, (1995, b), ‘Cinchona, The Crucial Experiment’, Chapter V, in Samuel Hahnemann His Life and Work, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
12. Haehl Richard, (1995, e), ‘First Band of Provers’, Chapter X, in Samuel Hahnemann His Life and Work, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
13. Kent J. T., (2003), ‘The Study of Provings’, Chapter XXVIII, in Lectures on Homoeopathic Philosophy, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
14. Kent J. T., (2003), ‘Susceptibility’, Chapter XIV, in Lectures on Homoeopathic Philosophy, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
15. Muzumdar K. P., (1994), ‘Drug Proving: Historical Aspects, Methodology and New Provings’, Area - E1, in ICR Symposium Volume on Hahnemannian Totality, Part IV, 2nd ed. Bombay; ICR Bombay Symposium Council.
16. Robert H. A., (1997, a), ‘Drug Proving’, Chapter XV, in The Principles and Art of Cure by Homoeopathy, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
17. Robert H. A., (1997, b), ‘Susceptibility’, Chapter XVII, in The Principles and Art of Cure by Homoeopathy, Rep ed. New Delhi; B. Jain Publishers (P) Ltd.
18. Sarkar B. K., (1987, a), Organon of Medicine, 8th ed. Calcutta; M. Bhattacharyya and Co. (P) Ltd.
19. Sarkar B. K., Majumdar J.N., Dudgeon R.E.: Hahnemann Organon of Medicine, Chapter VII, in The Practical Part of Organon, Reprint ed. 2003- 2004. Pub: Birla Publications Delhi – 110032.
20. Sarkar B. K., Majumdar J.N., Dudgeon R.E.: Hahnemann Organon of Medicine, in Hahnemann Commentator’s Notes (Susceptibility), Reprint ed. 2003-2004. Pub: Birla Publications Delhi – 110032.
21. Singh S. P., (2002), ‘Editorial Notes’ in Quarterly Bulletin by Central Council for Research in Homoeopathy, Vol. 24 (3and 4), 1, New Delhi; CCRH
22. Singh Mahendra and Subhash Singh, (2004), Organon of Medicine, 1st ed. Calcutta;