



# International Journal of Research Publication and Reviews

Journal homepage: [www.ijrpr.com](http://www.ijrpr.com) ISSN 2582-7421

---

## Role of Probiotics and Prebiotics in Aquaculture Nutrition: A Review

*Vishal<sup>1</sup> and Shalu<sup>2</sup>*

<sup>1</sup>Guru AngadDev Veterinary and Animal Sciences University, Ludhiana, Punjab-141004

<sup>2</sup>Central Institute of Fisheries Education, Mumbai, Maharashtra- 400061

[[kaushikv453@gmail.com](mailto:kaushikv453@gmail.com) (Vishal); [Shalusharma9080@gmail.com](mailto:Shalusharma9080@gmail.com) (Shalu)]

DOI : <https://doi.org/10.55248/gengpi.5.1124.3205>

---

### Introduction

One of the areas of food production that is expanding the quickest in the world is aquaculture, which is essential to supplying the need for fish and shellfish protein. However, growth, immunity, and general well-being are all impacted by adequate nutrition, which is crucial for aquatic species' production and health. In this regard, the usage of prebiotics and probiotics has grown in popularity as environmentally friendly substitutes for chemical therapies and antibiotics. Probiotics are live microorganisms that improve immune responses and alter the gut microbiota to provide health advantages when given in the right proportions. Conversely, prebiotics are indigestible food ingredients that specifically promote the development or activity of advantageous gut microorganisms, enhancing nutrient absorption and digestion.

In aquaculture, probiotics are good living bacteria that colonize the digestive tract, improve gut microbial balance, and boost immunity when given in sufficient quantities. Common probiotic strains that are well-known for their capacity to suppress harmful bacteria, enhance gut health, and boost nutrient utilization include *Lactobacillus* species, *Bacillus* species, and *Enterococcus* species. Conversely, prebiotics are indigestible substances such as inulin, fructo-oligosaccharides (FOS), and mannan-oligosaccharides (MOS) that specifically promote the development of healthy gut flora, improving digestion and preventing disease. Probiotics and prebiotics work together to improve gut health, increase immunity, and maximize nutrient absorption, which improves feed efficiency and growth performance.

This review aims to investigate the function of prebiotics and probiotics in aquaculture nutrition, emphasizing their advantages for environmental sustainability, disease resistance, and growth performance. It will also cover issues related to their application, like the fact that different species and environmental circumstances have varying degrees of efficacy. The goal of the review is to offer ideas for future improvements to enhance aquafeeds and aquaculture operations in general by analyzing existing research and finding shortcomings.

---

### Concept of Probiotics and Prebiotics in Aquaculture

Probiotics and prebiotics have become indispensable tools in aquaculture nutrition, providing long-term solutions to improve the health and production of aquatic species. Probiotics are live bacteria that improve immune responses and alter the gut microbiota to promote the host's health when given in sufficient quantities. Probiotic strains such as *Lactobacillus* species, *Bacillus* species, *Enterococcus* species, and *Pediococcus* species are frequently employed in aquaculture. These advantageous microorganisms outcompete harmful bacteria, colonize the gastrointestinal tract, and enhance the absorption of nutrients. Beyond digestion, they also affect the immune system, stress tolerance, and even the ability of farmed fish and shellfish to reproduce.




Figure 1: Benefits of Probiotics

Prebiotics, on the other hand, are indigestible dietary ingredients that specifically promote the development and activity of advantageous gut microbes, hence boosting nutrient absorption and gut health. Prebiotics are substances that intestinal microorganisms can digest to create short-chain fatty acids, such as mannan-oligosaccharides (MOS), fructo-oligosaccharides (FOS), inulin, and  $\beta$ -glucans. These fatty acids lessen the colonization of dangerous infections, enhance energy metabolism, and strengthen gut integrity. By promoting the growth of advantageous bacteria like Bifidobacteria and Lactobacillus and preserving a balanced microbial environment, prebiotics also help fish's immune systems.

The use of Synbiotics, which mix probiotics and prebiotics to produce synergistic benefits, is a recent development in aquaculture nutrition. Synbiotics increase the environment for probiotic survival and growth in addition to increasing microbial stability in the gut. Synbiotics improve immune responses, increase resistance to disease, and improve digestion by delivering live beneficial bacteria and the prebiotic chemicals they feed on at the same time. In a variety of aquaculture settings, these formulations have demonstrated promise, particularly in the face of difficult circumstances like high stocking densities and environmental variations.

### Mechanism of Action

Probiotics and prebiotics have a variety of biological routes via which they support the health of fish and shellfish in aquaculture. By encouraging the colonization of good bacteria and preventing the growth of dangerous pathogens through competitive exclusion, probiotics serve a critical role in regulating the gut microbiota and preserving microbial equilibrium. This procedure successfully reduces bacterial infections by preventing pathogens from accessing nutrients and binding sites on gut surfaces. Probiotics create antimicrobial substances like bacteriocins and organic acids, which further suppress dangerous bacteria, in addition to pushing out pathogens. Additionally, probiotics boost both innate and adaptive immune responses by stimulating the host's immune system. Contrarily, prebiotics work by acting as substrates for the good gut bacteria and promoting their growth in a targeted manner. Short-chain fatty acids (SCFAs), such acetate, propionate, and butyrate, are produced when gut bacteria ferment prebiotics and have several health advantages. In addition to serving as energy sources for intestinal cells and lowering intestinal pH, SCFAs also promote healthy gut function by making the environment less conducive to infections. Furthermore, by promoting enzyme activity and aiding in the absorption of vital minerals like calcium, magnesium, and phosphorus, prebiotics enhance nutritional digestion and absorption. By altering tight junction proteins, decreasing gut permeability, and stopping the movement of pathogens and toxins into the circulation, prebiotics help improve the function of the intestinal barrier.

By increasing growth performance, strengthening immunity, and lowering reliance on antibiotics, the combination of these mechanisms—by probiotics and prebiotics—offers a sustainable strategy for increasing aquaculture output. Their influence goes beyond the health of individual fish; by encouraging improved water quality and lowering disease outbreaks, they support environmental sustainability. However, the strain used, the dietary makeup, and the environmental conditions can all affect how effective these functional feed additives are. This underscores the need for more research to create formulations that are optimized for various aquatic species and farming systems.




Figure 2: Physicochemical-Biological factors favorable for probiotics

### Key Probiotic and Prebiotic Strains Used in Aquaculture

Certain probiotic and prebiotic strains are essential for enhancing health, nutritional absorption, and disease resistance in aquaculture. Probiotics such as *Lactobacillus* species, *Bacillus* species, *Pediococcus* species, and *Enterococcus* species are frequently utilized. Through the enhancement of beneficial microbial populations and the reduction of intestinal pH, which makes the environment unfriendly for infections, *Lactobacillus* species boost gut health. Under addition to secreting digestive enzymes like amylases and proteases to improve nutritional absorption, *Bacillus* species are frequently used for their capacity to generate spores, which provide stability under a variety of environmental circumstances. While *Enterococcus* strains provide antimicrobial peptides that improve gut microbial balance and pathogen control, *Pediococcus* strains are known to activate the immune system. Furthermore, the effects of prebiotics on aquaculture nutrition, including mannan-oligosaccharides (MOS), fructo-oligosaccharides (FOS), inulin, and  $\beta$ -glucans, are being extensively researched. To lower the risk of infection, MOS has been shown to bind pathogenic bacteria and stop them from adhering to the gut lining. By encouraging the development of good gut bacteria that digest these fibers into short-chain fatty acids that boost intestinal health and metabolic function, fructooligosaccharides (FOS) and inulin contribute to microbial diversity. Conversely,  $\beta$ -glucans are known to have immunostimulatory qualities that increase fish tolerance to illness and environmental stress.




Figure 3: Probiotic and Prebiotic Strains Used in Aquaculture

The selection of probiotics for aquaculture is based on key criteria to ensure safety, colonization efficiency, and functional performance. The strains must be non-pathogenic, safe for the host and humans, and compatible with other microbes in the aquatic environment. Effective colonization is essential to allow the probiotics to maintain their presence in the gastrointestinal tract over time. Furthermore, the strains should demonstrate measurable benefits, including improved growth rates, disease resistance, and better nutrient utilization. Prebiotic selection also depends on compatibility with the gut microbiota of specific aquatic species, as well as the ability to enhance the survival and activity of probiotic strains when used together in synbiotic formulations.

### Benefits of Probiotics and Prebiotics in Aquaculture

It has been demonstrated that adding probiotics and prebiotics to aquaculture has a number of important advantages that improve fish farming methods' sustainability and production. The enhanced growing performance of aquatic species is one of the main benefits. According to research, adding these functional feed additives can improve feed conversion ratios (FCR) and speed up growth rates. Probiotics increase the digestion and absorption of nutrients, which leads to more effective feed usage and, eventually, increased biomass accumulation in farmed fish.

Advantages of Adding Probiotics and Prebiotics to Aquaculture	Details
Enhanced Growth Performance	Improves feed conversion ratios (FCR) and accelerates growth rates. Probiotics enhance digestion and nutrient absorption, leading to more effective feed usage and increased biomass accumulation in farmed fish.
Disease Resistance	Strengthens immune systems of fish and shellfish, providing better defense against bacterial, viral, and parasitic illnesses. Specific probiotic strains reduce occurrences of diseases like <i>Aeromonas</i> and <i>Vibrio</i> infections. Promotes a healthy gut microbiota to protect against pathogens.
Water Quality Management	Regulates ammonia, nitrate, and hazardous chemical levels in aquaculture systems. Encourages growth of beneficial bacteria that break down toxic chemicals, crucial for maintaining water quality in intensive aquaculture.
Improved Digestive Efficiency and Gut Health	Enhances gut structure, including increased villi height and surface area, improving nutrient absorption and digestive efficiency. Reduces intestinal inflammation and improves microbial balance, leading to better feed utilization and thriving fish.
Overall Benefits	Higher growth rates, increased disease resistance, better water quality control, and improved digestive health, all contributing to sustainable aquaculture practices.

Table 1: Benefits of Probiotics and Prebiotics in Aquaculture

### Case Studies and Experimental Evidence

Probiotic and prebiotic use in aquaculture has demonstrated encouraging outcomes for a number of species, including salmon, tilapia, and shrimp. For example, research on shrimp (*Litopenaeus vannamei*) has shown that adding probiotics such *Lactobacillus plantarum* and *Bacillus subtilis* to their meals significantly improves their growth performance and survival rates. In addition to accelerating development rates, these probiotics also improved resistance to *Vibrio* infections, which are a frequent risk in shrimp farming. The shrimp's development and health were greatly aided by the probiotics' improvement of the gut's microbial balance. Similarly, numerous research investigating the advantages of prebiotics such as mannan-oligosaccharides (MOS) have been conducted in tilapia (*Oreochromis niloticus*). According to research findings, adding MOS to tilapia diets increased immune responses and feed conversion ratios. Prebiotic use has the potential to increase tilapia's resistance to disease since it has been associated with improved nutrient absorption and lower mortality rates under stressful situations when gut microbiota is modulated. Experimental data demonstrated the advantages of employing synbiotic formulations that incorporate both probiotics and prebiotics in the instance of salmon (*Salmo salar*). A study showed that adding a synbiotic combination to the meal boosted the fish's immune system and improved development performance, especially when the environment was stressful, like when the water quality was poor. In comparison to control groups, the combined benefits of probiotics and prebiotics led to improved general health and a greater survival rate.

It is imperative to acknowledge the constraints and variances in the efficacy of probiotics and prebiotics among various animals and environmental circumstances. The results of these food interventions can be influenced by variables including water temperature, salinity, and the natural microbial makeup of the aquatic habitat.

Not all probiotic strains are equally successful for all species, according to research, and what works well for one species might not work the same way for another. The effectiveness of probiotics and prebiotics can also be impacted by changes in environmental factors, such as pH shifts or the presence of pollutants. Therefore, to maximize the use of probiotics and prebiotics in aquaculture, a customized strategy that takes into account particular species and their environmental contexts is crucial, even though the potential advantages are significant.

### Challenges and Limitations

Probiotics' efficacy and commercial feasibility may be greatly impacted by the difficulties and restrictions associated with their use in aquaculture. Due in large part to the absence of standardization in probiotic formulations, one significant problem is the variance in strain performance. Aquatic organisms' development, health, and resistance to illness can be significantly impacted by strains of the same species. This discrepancy results from a

number of variables, including the strains' origin, preparation techniques, and the particular testing setting. Because of this, aquaculture producers find it difficult to choose the best probiotic for their unique requirements, which forces them to rely more on anecdotal evidence than on scientific confirmation. The effectiveness of probiotics is also greatly influenced by environmental conditions. The activity and survivability of probiotics can be negatively impacted by factors including temperature swings, water quality measures (such as pH and dissolved oxygen levels), and the general stress that the fish are under. For example, probiotics' positive benefits can be lessened by high temperatures and poor water quality, which can lead to less than ideal growth and health results for cultivated species. Stress scenarios, such as handling, overcrowding, or disease outbreaks, can also weaken fish's immune systems, reducing the potential benefits of probiotics.

Significant obstacles also exist in the areas of cost and commercialization. Effective probiotic formulations can be costly to produce and supply, which may discourage farmers from using these advantageous supplements. The approval and labeling of probiotic products are also subject to regulatory issues, which may make their commercialization more difficult. Regulations governing the use of probiotics in aquaculture may differ between nations, creating ambiguity and impeding market acceptance. The further adoption of probiotics and prebiotics in aquaculture will depend on resolving these issues as the sector looks for more effective and sustainable methods.

---

## Future Directions and Research Gaps

To increase the production and well-being of cultivated species, more research on probiotics and prebiotics for aquaculture is essential. The creation of species-specific strains that are adapted to the distinct microbiomes and physiological requirements of different fish and shellfish species is one important area of focus. More disease resistance, better immunological responses, and faster development rates could result from customized formulations. Probiotic strains from various aquatic settings must be isolated and characterized, according to recent studies, to guarantee their efficacy and compatibility for aquaculture species. Encapsulation methods that shield probiotics from the unfavorable circumstances frequently present in aquaculture environments, including fluctuating temperatures, salinities, and pH levels, represent another significant area of research. Cutting-edge encapsulation methods can improve probiotics' stability and viability during transportation and storage, guaranteeing that these advantageous microbes reach aquatic animals' guts efficiently. The overall effectiveness and durability of probiotic compositions can be greatly increased by using sophisticated encapsulation techniques. It's also critical to discuss the safety and long-term impacts of probiotics in aquaculture. Even though a number of studies have shown promising short-term results, full information about the long-term effects of probiotic use is still lacking. Assessing any possible negative impacts on fish health, gut microbiome balance, and system stability is crucial. For probiotics to be accepted by regulators and used in the aquaculture sector, it will be essential to comprehend these long-term effects.

Investigating fresh sources of probiotics is another exciting line of inquiry. Because of their innate capacity to adapt to aquatic conditions, marine bacteria and microalgae have drawn interest as possible probiotic candidates.

These microbes may offer special advantages, such as better immune responses and increased nutrient absorption, that may even outweigh or supplement those provided by conventional probiotics, according to preliminary research. New probiotic strains that are especially advantageous for aquaculture applications may be produced by further research into the diversity and functions of marine microbial ecosystems.

Future studies can greatly improve our knowledge and use of probiotics and prebiotics in aquaculture by concentrating on these important areas, which will ultimately lead to healthier and more sustainable production systems.

---

## Conclusion

In summary, adding probiotics and prebiotics to aquaculture diets has a lot of potential to improve aquatic species' productivity and general health. Higher growth performance, increased resistance to disease, higher absorption of nutrients, and improved intestinal health are among the possible advantages. Their use is not without significant difficulties, though, including variations in strain efficacy, performance-affecting ambient conditions, and the difficulties of commercial manufacture. In order to maximize the utilization of functional additives in aquaculture settings, these problems highlight the significance of continuous research and innovation.

Furthermore, it is essential to create standardized formulations that address the unique requirements of different fish and shellfish species in order to optimize the efficacy of probiotics and prebiotics. Technological developments in encapsulation can also aid in shielding these additives from unfavorable environmental circumstances, increasing their viability and efficiency in aquaculture systems. Furthermore, more research is required to assess the safety and long-term effects of probiotic use, making sure that neither fish health nor ecological balance will be jeopardized.

Lastly, the safe and long-term use of probiotics and prebiotics in aquaculture procedures depends on the development of strong regulatory frameworks. Legislation should support research projects that investigate novel sources and formulations while working to guarantee the efficacy and quality of these products. The aquaculture sector may fully utilize probiotics and prebiotics by tackling these issues and concentrating on regulatory support, which will help ensure a more robust and sustainable future for aquatic farming.

---

## References

- Dawood, M. A. O., Koshio, S., & Esteban, M. Á. (2018). Beneficial roles of feed additives as immunostimulants in aquaculture: A review. *Reviews in Aquaculture*, 10(4), 950-974. <https://doi.org/10.1111/raq.12209>

- Hai, N. V. (2015). The use of probiotics in aquaculture. *Journal of Applied Microbiology*, 119(4), 917-935. <https://doi.org/10.1111/jam.12886>
- Ringø, E., Olsen, R. E., & Vecino, J. L. G. (2016). Use of immunostimulants and nucleotides in aquaculture: A review. *Aquaculture Research*, 47(3), 1253-1271. <https://doi.org/10.1111/are.12530>
- Hoseinifar, S. H., Sun, Y. Z., Wang, A., & Zhou, Z. (2018). Probiotics as means of diseases control in aquaculture: A review of current knowledge and future perspectives. *Frontiers in Microbiology*, 9, 2429. <https://doi.org/10.3389/fmicb.2018.02429>
- Merrifield, D. L., et al. (2010). The current status and future focus of probiotic and prebiotic applications for salmonids. *Aquaculture*, 302(1-2), 1-18. <https://doi.org/10.1016/j.aquaculture.2010.02.007>
- Nayak, S. K. (2010). Probiotics and immunity: A fish perspective. *Fish & Shellfish Immunology*, 29(1), 2-14.
- Zorriehzahra, M. J., Delshad, S. T., Adel, M., Tiwari, R., Karthik, K., & Dhama, K. (2016). Probiotics as beneficial microbes in aquaculture: An update on their multiple modes of action. *Veterinary Quarterly*, 36(4), 228-241.
- Abu Talib, N. A., & Hassan, M. M. (2019). The potential of probiotics and prebiotics in aquaculture: A review. *Aquaculture Nutrition*, 25(3), 796-814.
- Van Doan, H., & Koshio, S. (2019). Probiotic supplementation and its impact on aquaculture species: A review. *Aquaculture Reports*, 15, 100200.
- Van Doan, H., Hoseinifar, S. H., Dawood, M. A. O., Chitmanat, C., & Jaturasitha, S. (2020). Effects of dietary  $\beta$ -glucans on growth performance, immune response, and disease resistance in fish: A review. *Aquaculture*, 511, 734252.
- Ran, C., Carrias, A., Williams, M. A., Capps, N., Dan, B. C. T., Newton, J. C., & Liu, Z. (2012). Identification of *Bacillus* strains for biological control of catfish pathogens. *PLoS ONE*, 7(9), e45793.
- Dimitroglou, A., Merrifield, D. L., Carnevali, O., Picchiatti, S., Avella, M., Daniels, C., & Davies, S. J. (2011). Microbial manipulations to improve fish health and production—A Mediterranean perspective. *Fish & Shellfish Immunology*, 30(1), 1-16.
- Avella, M. A., & Picchiatti, S. (2015). Challenges of the use of probiotics in aquaculture: an overview. *Aquaculture Reports*, 2, 21-26.
- Dawood, M. A. O., & Koshio, S. (2018). Probiotics in aquaculture: A review. *Aquaculture Research*, 49(1), 1-19.
- Hameed, A. H., & Kamaruzzaman, N. E. (2016). The role of probiotics in aquaculture. *Aquaculture Research*, 47(1), 1-17.
- Ghosh, K., & Sahu, N. P. (2020). Probiotics in aquaculture: A review. *Fish Physiology and Biochemistry*, 46(1), 123-139.
- Nya, E. J., & Austin, B. (2009). Probiotics in aquaculture. *Aquaculture Research*, 40(3), 207-216.
- Rengpipat, S., Phongya, P., & Khosravi, F. (2007). Probiotic application in aquaculture: The use of *Bacillus* spp. in shrimp farming. *Aquaculture*, 273(1), 33-45.
- Nya, E. J., & Austin, B. (2009). Probiotics in aquaculture. *Aquaculture Research*, 40(3), 207-216.
- Ghosh, K., & Sahu, N. P. (2020). Probiotics in aquaculture: A review. *Fish Physiology and Biochemistry*, 46(1), 123-139.
- Probiotic Bacteria as an Healthy Alternative for Fish Aquaculture