

International Journal of Research Publication and Reviews

Journal homepage: www.ijrpr.com ISSN 2582-7421

Usefulness of Individualized Homoeopathic Medicine in General Anxiety Disorder

¹Dr Deepika Shishodia, ²Dr Manisha Bhatia, MD (Hom)

¹M.D. (PGR) (Hom.) Psychiatry
 ²HOD, Department of Psychiatry
 Swasthya Kalyan Homoeopathic Medical College & Hospital, Jaipur.

ABSTRACT

Generalized Anxiety Disorder is characterized as the anxiety that is generalized and persistent but not restricted to, or even strongly predominating in, any particular environmental circumstances. A 21 years old male patient with GAD was treated with homoeopathic medicine Lycopodium clavatum. It shows homoeopathy has positive role in the treatment of GAD.

INTRODUCTION

Generalized Anxiety Disorder is characterized as the anxiety that is generalized and persistent but not restricted to, or even strongly predominating in, any particular environmental circumstances (i.e. it is "free-floating"). The dominant symptoms are variable but include complaints of persistent nervousness, trembling, muscular tensions, sweating, lightheadedness, palpitations, dizziness, and epigastric discomfort. Fears that the patient or a relative will shortly become ill or have an accident are often expressed.

Childhood anxiety occurs in about 1 in 4 children at some time between the ages of 13 and 18 years. The median age at onset is 11 years. However, the lifetime prevalence of a severe anxiety disorder in children ages 13 to 18 is approximately 6%. General prevalence in children younger than 18 years is between 5.7% and 12.8%. The prevalence is approximately twice as high among women as among men.

This case was taken from a **survey** which was conducted in **2022.** It was done for the assessment of the stress in medical students with the help of **Perceived Stress scale.**

However, surveys suggest that homeopathy is quite frequently used by people suffering from anxiety. If shown to be effective, it is possible that homeopathy may have benefits in terms of adverse effects and acceptability to patients.

A CASE STUDY

Preliminary data Date - 19/12/2022 Registration-no.- 62054 Patient Name- Mr. R.M Age/ Sex- 21/M Socio-economic status- Middle class Occupation- Medical Student Religious/ Nationality- Hindu/ Indian Hometown Address- Pratap Nagar, Jaipur Dietary Habit- Veg

Chief Complaints

LOCATION	SENSATION	MODALITIES	CONCOMITANTS
MIND	-Loneliness ⁺³	< Crowd, When alone,	-
O- Gradual D- 1.5 Years	- Leftout Feeling ⁺³	> After abusing+3	
P- Progressive	- Overthinking ⁺³		
	- Lack of confidence ⁺³		
	- Palpitation ⁺³		
	- Ghabrahat ⁺²		
	- Fear ⁺²		
	- Anger with irritation ⁺³		
	- Lack of interest ⁺³		
	- Sweating ⁺²		
	- Shivering ⁺²		

Associated complaints

LOCATION	SENSATION	MODALITIES	CONCOMITANTS
HEAD	- Pain ⁺³	< Overthinking	-
O- Gradual D-2020			
P- Progressive			

Past History

Typhoid - 9th Standard , 12th standard

Chickenpox - 11th Standard

✤ Head injury - 7th Standard

Family History

- Grandfather- DM,
- * Mother- Asthma, Shivering during anger

Parents/Mother's Obstetrics History

Not Confirmed

Developmental Landmarks

✤ Milestone on time

Physical Generals

Appearance	Slight fair complexion, brown	Perspiration	Normal , more on forehead
	eyes		
Appetite	3 meals/ Day	Tongue	-
Thirst	3 Litre/ Day	Sleep	Sound sleep
Desire	Warm food	Dream	Relative's Death
Aversion	-	Thermal	Towards Hot
Craving	Sweet+3	Bathing habit	Regular
Stool	N, Satisfactory	Sexual function	-
Urine	N, D4-5, N0-2	Menstrual	-
		function	
Any food/ medicine allergy	N.S		·
/ drug history			

Life Space

A fair complexion, brown eyes 21 years male came to the OPD. He was born & brought up at Fatehpur (Rajasthan).

His family consists of Grandfather, father, mother, younger brother, 2 uncles, 2 aunties, 3 younger cousins.

He was pampered, obstinate child during childhood and was good in sports. He was attached with grandfather. His demand was also fulfilled ahead of time. His father is a businessman and also involved in politics. He has done his schooling from Fatehpur till 10th class. He did his 11th & 12th from Sikar.

He scored 90% in 10th and 69% in 12th. In 2020, he shifted to Jaipur for study and took admission in BHMS.

He was happy in Fatehpur with his old friends. He easily mixed up with people and having lots of friends. In Jaipur, he could not make so many friends.

There is a history of breakup in 2020. He was serious for that girl and now there is disappointment after the breakup because he could not move on properly.

Now, he is in a relationship since 1 year but not attached with the present GF. He is short tempered and anger is violent & uncontrollable. He beats people during anger and sometimes punch on wall. Sometimes, he harm himself and take revenge during anger.

He said that he does not get importance from his friends and also there is a feeling of being used.

He cannot tolerate sunlight and tight clothes. He likes to play cricket, love to listen music and writing shayari.

Observation

When the patient came in for the first time during case taking, he was very shy and there was no confidence level. As soon as patient felt comfortable he become overconfident and started boasting.

Mental Status Examination

1.	Appearance and behaviour	 Slight fair complexion, brown eyes, smiling face, sitting on chair Normal
2.	Motor activity	3. Normal & Soft
3.	Speech	4. Normal
4.	Mood	5. Normal
5.	Affect	6. Delusion
6.	Thought	7. Normal
7.	Perception	8. Attentive, Good memory
8.	Cognition	9. Good insight
9.	Insight	10. Good
10.	Judgment	

DIAGNOSIS

General Anxiety Disorder

ICD - Code (F41.1)

DIAGNOSTIC REASONING

1. Excessive anxiety and worry (apprehensive expectation), occurring more days than not for at least 6 months, about a number of events or activities (such as work or school performance).

2. The person finds it difficult to control the worry.

3. The anxiety and worry are associated with three or more of the following six symptoms (with at least some symptoms present for more days than not for the past 6 months).

- Restlessness or feeling keyed up or on edge
- Being easily fatigued
- Difficulty concentrating or mind going blank
- Irritability
- Sleep disturbance (difficulty falling or staying asleep, or restless unsatisfying sleep)

4. The anxiety, worry, or physical symptoms cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.

CASE ANALYSIS

Analysis of Symptoms

- < Overthinking
- > Music
- <When alone
- < Crowd
- > After abusing
- Lack of confidence
- Feeling of guilt

Desire sweet

Desire warm food

Perspiration on head

Dreams of death of loved one

Evaluation of symptoms

	Mental	Physical	Particular
	Loneliness	Desire- Sweet	Head pain
	Lack of confidence	Perspiration- Head	Dreams of death of loved one
	Leftout feeling		
	Feeling of guilt		
	Anger with irritation		
	> Music		
	> Overthinking		
	Anger violent		
	< When alone		
	< Crowd		
Repertoria	l Totality		
	1. MIND- Mental exertion- aggr	avation	
	2 MIND Music amplication		

- 2. MIND- Music- amelioration
- 3. MIND- Confidence- want of self confidence
- 4. MIND- Remorse
- 5. GENERALS- Food & drink- sweet- desire
- 6. GENERALS-Food & drink- warm food- desire
- 7. HEAD- Perspiration- scalp
- 8. DREAMS- Death

Repertorial Result

- 1. Calcarea 7/14
- 2. Silicea 7/14
- 3. Nat. Mur 7/10
- 4. Aur. Met 6/13
- 5. Lycopodium 6/13

REPERTORIAL SHEET

D131 Hiteman verijengenzent +														1	ę.	tini i		D-	4		ð	Share	ú.	8	10	-	
		10-1-7-11	¥ = 7 14	1.	5 × 5 × 11	1 12		¢ .	1 10 11 11 11	2 = n =	- U 4 10	1	8	1 2 1 1 1	1 2 2	2 d 10 11 0 0	1000	13 ===	1 1 1 1 1 1 1	2	10 2 20	10	# # 2 1 1	A 22 - 1-	/ j	1 11 37	10
4 MND - REMORSE 5 GENERALS - FOCD and DRINKS - sewelts - desire 6 GENERALS - FOCD and DRINKS - warm food - desire	<u>8</u> (190) 1 (31) 1 (101) 1 (80) 1 (158) 1 (31) 3 (314) 1 (85) 1	3 1 2 2 1 2 2	3 3 2 1 1 3 1		0 1 1 1 0 1 0 1	2 1 3 1 2	2	1 2 1 1 3 1 3 2 1 1	2	2 2 2 2 2 . 3 .	3 - 1 2 1 3	2	2 1 1 2 - 2 1 -	2 22 21 .	2.1.2.3.	1 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2	1 - 2 - 2 - 2 1	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2	1 2	3 1 1 2 - 1	3 1 - 2 1 1 -	1	2 1 1 2 1 2 2 1 2 1	221	1 - 1 1 2 1 1 2 1 1 1
10月11日1日1日1日 1 日日 1	h op	*10 *11																									

Reason behind selection of medicine

Lycopodium- Manipulation, Lack of confidence, Irritation, A/F grief, thermal- hot, Anger violent.

Treatment Plan

Homoeopathy Medicine and counselling

PRESCRIPTION

 $\mathbf{R}_{\mathbf{x}}$

Lycopodium 1 M / 1 Dose/ Stat

FOLLOW UPS

Date	Remedy response	Interpretation	Prescription	Reason	Expectation
20/12/2022	Forsaken	Better	R _x	Repeat	There
	feeling- 30%		1. Lyco 1M /	medicine for	should be
	\downarrow		Stat	better result	relief
	Palpitation &		2. Rii 30/BD		
	ghabrahat -		X 15 Days		
	SQ				
	Anger &				
	Irritation				
	level- ↑				
20/1/2023	Headache -	Worse	R _x	Complaints	Complaints
	SQ		1. Lyco 1M /	getting	should be
	Headache only		Stat	worse, need	better in
	< overthinking		X 15 Days	to repeat the	next f/U
	while fighting			medicine	
	Anger &				
	Irritation- SQ				
	Forsaken				

	feeling- SQ						
6/2/2023	Headache -	Better	R _x	Partially	Complaints		
	90%↓		1. Lyco 1M /	acting	should be		
	Anger		Stat	medicine	better		
	controlled		X 15 Days				
	Forsaken						
	feeling - ↓						
27/2/2023	Overthinking-	Better	Rx	Medicine	_		
211212025	SQ	Detter	1. Saclac	acting			
	Appetite-		200/ Stat	properly			
	Normal		X 15 Days				
			Rx Lyco				
16/3/2023	All complaints	Better but new	1M/ Stat	New	Complaint		
	- 70% ↓	complaint	X 15 Days	complaint	should be		
	No new	appeared		appeared,	relief		
	complaints			need to			
	PG- Normal			repeat dose			
27/3/2023	All complaints - 90% ↓	No change	Rx Lyco 1M/ Stat	Need to repeat	There should be		
	Headache-↓		X 15 Days	medicine	change in		
	New		X 15 Days	medicine	the		
	complaint-				symptoms		
	Swelling on				symptoms		
	arms,						
	abdomen						
	O/E- Painless,						
	Fixed with						
	skin, pea						
	shaped						
17/4/2023	Headache-↓	Better	Rx Saclac	Medicine	Complaint		
	Swelling on		200/ Stat	acting	should be		
	arms and		X 15 Days		better		
	abdomen- SQ						
21/4/2023	Headache-	No change	Rx 1. Thuja	Medicine	There		
21/7/2023	absent	ino enange	200/1D/ HS	not acting	should be		
	Swelling on		2.Lyco 1M/	properly,	relief		
	arms and		HS weekly	need to give			
	abdomen-		3. Saclac	intercurrent			
	20% ↓		200/ 5 doses	medicine			
	PG- Normal		X 15Days				
			-				

CONCLUSION

Patient came to the OPD with the symptoms of GAD. Lycopodium clavatum 1M was given to him on the basis of his constitution. There was relief in the the symptoms. Two scales were applied in the patient. First one was the Perceived Stress Scale which was used during screening with the score of 29 and Second scale (Student Stress Inventory Scale) was applied pre and post treatment. There was changes in the score, pre score was 73 and post treatment was 46