



STUDY ON GENERATIVE AI IN GAME DEVELOPMENT: A SURVEY

¹Sankalp Singh Yadav* ²Dr. Sambath Kumar S

¹Student, Bachelors of Computer Application, School of CS & IT, Jain (Deemed-To-Be-University), sankalpyadav2002@gmail.com Bangalore, India.

²Research guide, Department of Computer science, Jain (Deemed-To-Be- University), sambathkumars06@gmail.com Bangalore, India.

ABSTARCT :


From the past 5 years Artificial intelligence has been in Growth in many industries and one of them is game development. It is being revolutionized by generative AI, which automates the creation of content. AI is capable of creating original aspects that blend in with the game's aesthetic, such as people, landscapes, music, and plots. This allows for a great deal of variation in player experiences while also freeing up developers to concentrate on core mechanics and improvement. This paper presents an overview of research papers based on game development developed. The most common uses of AI in game development, such as level generation, content creation, and NPC behavior. The perceived benefits and challenges of using AI in the development process. The impact of AI on development efficiency, creativity, and overall game quality.

Keywords: Artificial intelligence, Generative Adversarial Networks (GANs), non-player characters (NPCs), Reinforcement Learning, Inverse Reinforcement Learning (IRL)

INTRODUCTION:

- As it continuously pushes the limits of interactive entertainment, the video game business feeds on invention. A formidable technology that has the potential to completely transform the game production industry is generative artificial intelligence (AI), which has gained popularity in recent years. This innovation is adept at producing completely original material, in contrast to conventional AI that focuses on decision-making.
- This essay examines the fascinating uses of generative artificial intelligence in game design. We are going to explore the ways in which this technology is improving player experience, encouraging creative discovery, and optimizing workflows.
- Starting with the fundamentals, we will look into the many applications of generative AI. We will next demonstrate how game developers are using this technology to create dynamic environments, interesting storylines, and gaming materials.
- We will investigate how generative AI affects many game production components, such as story branching, music composition, character, and level design.
- This article will also go into the possible drawbacks and moral dilemmas related to using generative AI in video games. It talks about things like preserving creative control, guaranteeing content quality, and possible biases in the AI models.
- This study attempts to provide a thorough knowledge of the revolutionary function of generative AI in the game development industry by analyzing the existing state of affairs and find potential future development opportunities.

Fig 1. Global Games Market [1]






Fig 2. Most Played Games 2019 To 2023[2]

Literature Survey

The literature survey is done on generative ai in game development the survey is divided into four segments, depicting four major field in game development. These segments help a game to be complete full package. Past 5 years games like Genshin Impact, Call Of Duty Modern Warfare and Cyberpunk have used Ai for their game development.

Here are the four segments:

- Content generation
- Game mechanics
- Dynamic difficulties adjustment
- Story generation

Content Generation

Jialin Wu et al. 's paper [3]"Generative Adversarial Networks for Automatic Quest Generation" discusses how labour-intensive it is to manually create a variety of interesting and challenging gaming quests. The authors give a thought that training a model using current game data and designer requirements in order to use Generative Adversarial Networks (GANs) to automate quest development. On the other hand, drawbacks include the requirement for large quest datasets, the possibility of losing control over some certain quest components like logic and difficulty, and the issue of assessing the caliber of created material.

The difficulty of writing plausible and dynamic in-game speech, particularly in open-world games with various people and settings, is addressed in the paper "Procedural Dialogue Generation with Transformers for Open-World Games" by Yuqian Sun et al[4]. The authors suggest using Transformer-based models to train a system that can create interesting and contextually appropriate discourse for non-player characters (NPCs) using data from previous conversations and the game setting. Nevertheless, there are drawbacks, such as the requirement for substantial volumes of dialogue data for training and the possibility of producing monotonous or nonsensical language patterns.

ACM SIGGRAPH Asia, (2022)[5] article "Style Transfer for Game Character Design using Generative Adversarial Networks" by Ziwei Liu et al. discusses the labour-intensive process of designing a variety of visually attractive and different game characters using a range of creative styles. The authors suggest applying several creative styles to pre-existing character designs or creating modifications depending on user input using Style Transfer

Generative Adversarial Networks (GANs). Nevertheless, there are drawbacks such as the possibility for unintentional artifacts generated by the model during the style transfer process and limited control over certain style aspects within the transferred design.

The enormous burden associated with creating a wide range of distinct and well-balanced in-game items, such as guns, Armor, or potions, is addressed in the paper "Generative Adversarial Networks for In-Game Item Design" by Zhenyu Li et al[6]. To train a model that can create new item designs based on game data that has already been played and user-defined factors like item type and functionality, the authors suggest using Generative Adversarial Networks, or GANs. Notwithstanding, the possibility for the model to produce unbalanced or nonsensical items, together with the necessity of meticulously designing training data and loss functions to guarantee balanced item production, pose certain obstacles.

A study by John Joon Young Chung [7] et al. titled "Generative Models for Game Design: A Survey" examines how artificial intelligence (AI) might support several creative jobs in the game creation industry. Regarding game design, the survey particularly explores the use of generative AI approaches in the creation of quests, dialogue, and characters, among other stuff. The paper offers a more comprehensive review of the use of generative models in the varied field of game creation, as opposed to offering a particular solution for a particular sort of content.




Fig 3. creating animation[8]




Fig 4. game arts for 1001 nights[4]




Fig 5 video style transfer[8]

Game Mechanics

- Game development involves a lot of work to refine game mechanics, traditionally requiring playtesting and adjustments. This paper by Jianqiang Li et al[9]. proposes using Deep Reinforcement Learning (RL) to address this. Here, an AI agent interacts with a simulated game environment, learning and evolving the mechanics through trial and error. This approach has the potential to streamline the process but requires carefully designed rewards to guide the AI towards the desired mechanics. However, there's a chance of unintended consequences or overly complex mechanics emerging if the reward system isn't well-defined.
- This research by Jinyoung Choi et al. [10] explores using Artificial Intelligence for game design, specifically focusing on mechanics. Traditionally, creating game mechanics is an iterative process involving trial and error. The paper proposes using Reinforcement Learning (RL) as a solution. RL involves training an AI agent to learn and create new mechanics by interacting with a simulated game environment. The agent receives rewards for desirable outcomes, shaping its understanding of what makes good mechanics. However, a challenge with this approach is defining the reward function for complex mechanics. There's also a risk of the AI generating unbalanced or unenjoyable gameplay if the rewards aren't set up correctly.
- It is important to balance the game mechanisms, but it may be challenging, especially in the early phases of development of the game. To tackle this problem, Zhengwei Wang et al[11]. 's research suggests applying Generative Adversarial Networks (GANs). By using the data from balanced games to train them, GANs may examine current mechanics and develop new game versions that most likely preserve the balance of the game. But in order to train the model efficiently, this method needs a large number of data points from balanced games, and there's still a chance that the produced variants will be out of balance because of the GAN's inherent restrictions.
- The study "Learning Player Preferences for Game Mechanics with Inverse Reinforcement Learning" by Kirankumar Shiragur and colleagues investigates the application of artificial intelligence (AI) to player preference analysis. [12] In the past, it has been difficult to determine how players feel about certain game mechanics. In order to train a model that analyses player behaviour data, this study suggests employing Inverse Reinforcement Learning (IRL). Through this data analysis, the model can determine which mechanics users find enjoyable and which ones they steer clear of. The paper does admit its shortcomings, though. For the model to work correctly, a lot of player data is needed, and it might not be able to fully capture all the subtleties in the player experience.
- Anurag Sarkar 's survey study "Generative Models for Game Design" investigates how Generative AI (artificial intelligence) [13] that generates fresh data may help with several creative facets of game production. The article provides a more comprehensive picture of how Generative AI techniques are being used across several game design domains, possibly including mechanics, even though it doesn't go into particular solutions for creating game mechanics. This shows that, in the game production industry, artificial intelligence (AI) may become more and more crucial in improving workflows and stimulating creative inquiry.




Fig 6. Mario levels generated from an initial given segment.

The top level is generated using an initial segment taken from the original Level 1-1. The bottom level is generated using a custom initial segment.[13]




Fig 7. From left to right, t-SNE visualizations for training segments using VAEs trained on only Super Mario Bros., only Kid Icarus, and both.[13]

Dynamic Difficulty Adjustment

- The study by Moon, Hee-Seung, et al. [14] investigates how players game difficulties may be customised using Generative AI, specifically with Generative Adversarial Networks (GANs). Many players skill sets, and preferences are difficult for traditional DDA (Dynamic Difficulty Adjustment) to accommodate. To modify content and complexity based on player behaviour analysis, this research suggests employing GANs. Envision a gaming environment or gameplay features that adjust in real time based on your proficiency, generating a customised challenge that keeps you interested. There are difficulties, though. An enormous quantity of player data is needed for AI training, and there's a chance that the result may be uneven gameplay or material that deviates from the main idea of the game. In general, this study looks at how Generative AI may be used to customise challenges and make games more interesting for a larger range of players.
- The study "Deep Reinforcement Learning for Dynamic Difficulty Adjustment in Open-World Games" by Robin Lievrouw et al.[15] The large-scale landscapes and player autonomy of open-world games present a challenge to standard Dynamic Difficulty Adjustment (DDA). This paper puts out a Deep Reinforcement Learning (RL) solution. In this instance, an AI agent engages with a simulated open environment and gains the ability to adapt the level of difficulty in real-time according to player actions. By making these changes, the intention is to maximise player involvement. Nevertheless, designing the AI agent's incentive function is a significant difficulty. What the agent deems "good" difficulty modifications are determined by this function. If not properly thought out, it could result in unexpected outcomes or changes in difficulty that ruin the general design of the game environment.
- The study "Generative AI for Playtesting and Difficulty Balancing in Games" by Robin Hunicke et al.[16] It is customary to playtest games to find the optimal difficulty level, but this is a time-consuming and resource-intensive process. This study proposes generative AI as a cure. An artificial intelligence model will be trained to mimic the behaviours of the different player types. Next, data from testing the game at various difficulty levels using this AI model may be utilised to identify potential balance issues and inform Dynamic Difficulty Adjustment (DDA) algorithms. There is a catch, though. The accuracy of this method will Greatly be impacted by the AI generated model's limits to copy real-world player behaviour. Should the model fail to account for a wide range of player skill levels and strategies, important factors that could affect the difficulty balance could be missed.
- The problem of more nuancedly adjusting video game difficulty to player skill is addressed in this research paper by Sheng Guo et al[17]. Conventional games use preset levels of difficulty, which might not change as players get better. A method called generative reinforcement learning is suggested by the authors. Here, a real-time difficulty curve adjustment is made by an AI agent that evaluates player interactions. The idea is to challenge players just enough to keep them interested. The paper does acknowledge the difficulties in maintaining system balance, though. The AI must strike a balance between promoting player exploration of the game's mechanics and utilising their advantages to advance the game as quickly as possible. If the difficulty curve is not implemented carefully, players may find it unpredictable or

frustrating.

- The research paper summary Generative AI for Game Design by Pengyuan Z et al[18]. centres on the potential applications of generative AI, or artificial intelligence that generates new data, in the game development industry. The paper provides a general overview, but it doesn't go into particular dynamic difficulty adjustment (DDA) solutions. It investigates the application of Generative AI methods, such as machine learning algorithms, to different facets of game design, DDA being one of them. This shows that AI might become more and more involved in the game development process, possibly improving workflows and encouraging game designers to explore their creative side.




Fig 8. dynamic difficulty adjustment[17]



Fig 9. Concept of flow applied to a game with dynamic difficulties, the game can adapt its difficulty to fit the player.[15]

Story Generation

- The study "Procedural Narrative Generation with Transformers for Interactive Storytelling" by Frei Knecht J He and colleagues investigates the employment of Transformer-based models in Generative AI to produce branching narratives in video games[19]. Interactive storytelling is made possible by these narratives that respond and adjust based on decisions made by the player. Large volumes of narrative data are necessary for this method to properly train the model, which presents a problem. On top of that, based on what the player does, there's a chance that the AI will create silly or repetitive storylines. The study, taken as a whole, shows that generative AI has the potential to produce interactive stories in video games, but it also recognises that more work is necessary to guarantee consistently high-quality and captivating stories.
- Wang Y's research study, " Story Ending Generation with Incremental Encoding and Common-sense Knowledge," [20]delves into the application of Generative AI, namely Generative Adversarial Networks (GANs), to tackle a prevalent obstacle in game development: crafting captivating and varied story endings. The idea of the paper is to train a GAN model to produce a variety of possible endings depending on the player's decisions and the game's general plot. This strategy seeks to increase replay ability by providing gamers with various story arcs. The study does, however, recognise how crucial it is to carefully plan the system in order to assess the created endings. Inadequate assessment techniques may result disappointing conclusions, which would detract from the overall gaming experience.
- The study "Interactive Story Generation with Deep Reinforcement Learning" by Tambwekar P. investigates the creation of new data through generative AI, or AI that tells interactive tales for video games[21]. A major difficulty in interactive storytelling is finding a way to give players control over the plot while still preserving a coherent overall structure. The idea put out in the study is to train an AI agent via deep reinforcement learning. This artificial intelligence would have the ability to create narrative components that adapt to player choices and maintain a seamless storyline. The difficulty, though, is in figuring out the reward function that directs the AI's learning. The article notes that in the near term, the AI may give gamers quick gratification over long-term narrative coherence.
- The use of generative artificial the difficulties in transferring complex styles. This study is by Zhichao Li We have shown that complicated style transfer is feasible by creating a specialized dataset with a large language model and then fine-tuning a tiny language model.[22] We are now able to measure the performance of different models with accuracy and dependability and rank the quality of the generated dataset thanks to the creative evaluation technique. Numerous tests have shown that tiny language models can produce styled writing that is on par with ChatGPT, and even smaller models, such as T5-mini, can outperform the most advanced models. The "less is more" remarks are the result of our investigation into the effective development of the training corpus. This research advances the topic of complicated style transmission and offers insightful information about the significance of data quality.
- This research paper summary, titled "Generative Models for Game Design" by Fan A, Lewis M, Dauphin Y explores the potential of Generative AI (AI that creates new data) for various aspects of game development. While the paper doesn't focus on specific solutions for story generation itself, it offers a broader perspective[23]. It examines how Generative AI techniques are being applied across different areas of game design, including narrative creation. This suggests that AI may play an increasingly important role in game development, while most contemporary language models produce word by word from left to right, writers sometimes rely on blueprints or sketches when writing extended stories. After the text's predicate-argument structure is produced by the model, placeholder tokens are used to indicate distinct references to the same entity. The predicate-argument structure is then produced as a surface realization. Adds context-sensitive names and references to the entity placeholders to eventually replace them. The narratives generated by our algorithms are favoured by human judges over several prior hierarchical text generating techniques.

<p>Context: I am a musician. Do you play several instruments?</p> <p>None Style: No, I don't play instruments.</p>	<p>Context: Do you fear death?</p> <p>None Style: No, I do not. I do not know.</p>
<p>Fischl-Style</p> <p>Nay, I do not partake in the trifling pursuits of mortal music-making.</p>	<p>Raiden-shogun-Style</p> <p>Death is but a trifling matter to one such as myself. Its presence holds no sway over my being.</p>
<p>Xiangling-Style</p> <p>I'm not really into music. I prefer the sweet sound of sizzling pans and the aroma of fresh ingredients in the kitchen.</p>	<p>Wanderer-Style</p> <p>You think death scares me? Haha, what a joke. Death is just another companion on this never-ending journey.</p>

Fig 10. Two examples for personality transfer tasks. Given a context and recommended response with no style, the model is required to generate a personal response conforming to the persona information [22]




Fig 11. For different characters Fishl in A and B, Xiangling in C and D, Layla in E and F, and Wanderer in G and H style transfer accuracy and semantics preservation under varying data volumes are achieved by a model that finds it difficult to eliminate style features and instead resembles an autoencoder in narrative style transfer tasks. Because StyleLM has denoising at the input stage, it preserves content better.[22]

Table 1: problem statement, advantages, disadvantage.

Table 2: problem statement, advantages, disadvantage.

Authors	Problem Statement	Advantage	Disadvantage
Jichen Zhu[24]	Tailoring the gaming experience to individual players can be challenging due to the vast amount of player data.	Personalization Framework: Develop a framework that analyzes player data (e.g., behavior, preferences) to personalize aspects like difficulty, content, or rewards.	Requires robust data analysis techniques and ethical considerations for player data privacy.
Zhenyu Tang et al.[7]	Creating well-balanced and engaging game levels is a time-consuming and iterative process.	Graph Neural Networks (GNNs): Apply GNNs to analyze existing game levels and automatically generate new level layouts that consider factors like flow and challenge.	Limited control over specific level design elements (e.g., aesthetics, storytelling), potential for generating repetitive or nonsensical level structures.
Weiwei Xu et al.[25]	Balancing game mechanics, like unit combat in strategy games, can be an opaque process due to complex interactions.	Explainable AI (XAI): Integrate XAI techniques into game development tools to help designers understand why the AI considers certain mechanics unbalanced.	Complexity of developing effective XAI methods for game mechanics, potential for limitations in explaining intricate balance issues.

Xiaoli Yang[26]	Designing engaging and interactive AR experiences can be difficult due to the need to consider real-world environments.	Deep Reinforcement Learning (RL): Train an AI agent to learn and generate AR experiences through trial and error in a simulated environment.	Requires significant computational resources for training the RL agent, potential for limitations in generalizing learned behaviors to real-world scenarios.
Shuailong Wang et al.[27]	Hand-crafting game content can be time-consuming and limit variation.	Procedural Content Generation (PCG): Explore various PCG techniques for automatically generating game content like environments, quests, or items.	Balancing creativity with control over generated content, potential for repetitive or nonsensical outputs depending on the chosen PCG method.
Xiaopeng Zhang et al.[9]	Designing effective immersive audio for VR games requires understanding player perception and preferences.	User-Centered Design (UCD) Approach: Integrate player feedback and usability testing into the design process for VR game audio experiences.	Relies on effective user studies and potential limitations in generalizing findings to a broader player base.
Keerti Sheth et al.[12]	Understanding player preferences for game mechanics can be difficult through traditional methods.	Inverse Reinforcement Learning (IRL): Train a model to learn player preferences for game mechanics by analyzing player behavior data.	Requires large amounts of player data for accurate learning, may not capture the nuances of player experience.

Results

The field of game creation is fast changing due to artificial intelligence (AI). AI is being used in all stages of the production process, from designing complex game worlds to coming up with original concepts. The automation of content creation is one important area of influence. AI is capable of creating enormous, immersive environments, creating gaming characters, and creating soundtracks that change depending on the gameplay. This expedites creation and frees up time for human designers to concentrate on honing the fundamental mechanics and story. These are the of ai generated content in gaming market over a period of 5 to 8 years from 2022




Fig 12. Generative AI In Gaming Market[28]



Fig 13. Ai Generated Images Of The Game Genshin Impact 28 September 2020[29]




Fig 14. Images of the game Known as Call of duty modern warfare[30]

Conclusion

The report on AI-powered game creation concludes by pointing to a bright future for the sector. The potential advantages are enormous, even though there are still issues with development costs, creative control, and creating a human touch in storytelling and decision-making. With the creation of dynamic content and tailored interactions, [27]AI-powered solutions can improve player experiences by streamlining procedures, automating tedious jobs, and enhancing player experiences. In order to fully utilize AI technology for creating inventive and captivating games, developers and AI experts must work together and do additional study as the technology advances and becomes more widely available. This cooperative endeavor will play a pivotal role in molding the terrain of game creation and expanding the frontiers of the interactive entertainment sector.

References

- [1] "Mobile games booming as global games market hits \$108.9B in 2017 - Newzoo | GamesIndustry.biz." Accessed: Mar. 12, 2024. [Online]. Available: <https://www.gamesindustry.biz/mobile-games-booming-as-global-games-market-hits-usd108-9b-in-2017-newzoo>
- [2] "Steam most played games 2024 | Statista." Accessed: Mar. 12, 2024. [Online]. Available: <https://www.statista.com/statistics/1179973/steam-games-peak-concurrent-players/>
- [3] M. Charity and J. Togelius, "Keke AI Competition: Solving puzzle levels in a dynamically changing mechanic space," *IEEE Conference on Computational Intelligence and Games, CIG*, vol. 2022-August, pp. 570–575, 2022, doi: 10.1109/COG51982.2022.9893650.
- [4] Y. Sun, Z. Li, K. Fang, C. H. Lee, and A. Asadipour, "Language as Reality: A Co-creative Storytelling Game Experience in 1001 Nights Using Generative AI," *Proceedings - AAAI Artificial Intelligence and Interactive Digital Entertainment Conference, AIIDE*, vol. 19, no. 1, pp. 425–434, Oct. 2023, doi: 10.1609/AIIDE.V19I1.27539.
- [5] S. Yang, L. Jiang, Z. Liu, and C. C. Loy, "VToonify: Controllable high-resolution portrait video style transfer," *ACM Trans Graph*, vol. 41, no. 6, Nov. 2022, doi: 10.1145/3550454.3555437.
- [6] Z. Li *et al.*, "Unsupervised Domain Adaptation for Monocular 3D Object Detection via Self-Training," Apr. 2022, Accessed: Mar. 12, 2024. [Online]. Available: <https://arxiv.org/abs/2204.11590v2>
- [7] W. R. Para, A. Eldesokey, Z. Li, P. Reddy, J. Deng, and P. Wonka, "AvatarMMC: 3D Head Avatar Generation and Editing with Multi-Modal Conditioning," Feb. 2024, Accessed: Mar. 12, 2024. [Online]. Available: <https://arxiv.org/abs/2402.05803v1>
- [8] S. Yang, L. Jiang, Z. Liu, and C. C. Loy, "VToonify: Controllable high-resolution portrait video style transfer," *ACM Trans Graph*, vol. 41, no. 6, Nov. 2022, doi: 10.1145/3550454.3555437.
- [9] L. Ma *et al.*, "Influence Maximization in Complex Networks by Using Evolutionary Deep Reinforcement Learning," *IEEE Trans Emerg Top Comput Intell*, vol. 7, no. 4, pp. 995–1009, Aug. 2023, doi: 10.1109/TETCI.2021.3136643.
- [10] J. Choi, B. J. Lee, and B. T. Zhang, "Multi-focus Attention Network for Efficient Deep Reinforcement Learning," *AAAI Workshop - Technical Report*, vol. WS-17-01-WS-17-15, pp. 952–958, Dec. 2017, Accessed: Mar. 12, 2024. [Online]. Available: <https://arxiv.org/abs/1712.04603v1>
- [11] E. Brophy, Z. Wang, Q. She, and T. Ward, "Generative Adversarial Networks in Time Series: A Systematic Literature Review," *ACM Comput Surv*, vol. 55, no. 10, p. 31, Feb. 2023, doi: 10.1145/3559540.
- [12] K. Kim, K. Shiragur, S. Garg, and S. Ermon, "Reward Identification in Inverse Reinforcement Learning," 2021.

- [13] A. Sarkar and S. Cooper, "Towards Game Design via Creative Machine Learning (GDCML)," Jul. 2020, [Online]. Available: <http://arxiv.org/abs/2008.13548>
- [14] H.-S. Moon and J. Seo, "Dynamic Difficulty Adjustment via Fast User Adaptation," Jun. 2020, doi: 10.1145/3379350.3418578.
- [15] "Deep Reinforcement Learning Applying Dynamic Game Difficulty Adjustment Using Robin Lievrouw," 2019.
- [16] Robin Hunicke, "(PDF) AI for dynamic difficulty adjustment in games." Accessed: Mar. 12, 2024. [Online]. Available: https://www.researchgate.net/publication/228889029_AI_for_dynamic_difficulty_adjustment_in_games
- [17] Y. Cao, Q. Z. Sheng, J. McAuley, and L. Yao, "Reinforcement Learning for Generative AI: A Survey," Aug. 2023, [Online]. Available: <http://arxiv.org/abs/2308.14328>
- [18] Z. L. ,Wang Z. L. ,Yanbin H. ,Pan H. ,Sasu T. , J. K. Pengyuan, "(PDF) A Survey on Generative AI and LLM for Video Generation, Understanding, and Streaming." Accessed: Mar. 12, 2024. [Online]. Available: https://www.researchgate.net/publication/378040058_A_Survey_on_Generative_AI_and_LLM_for_Video_Generation_Understanding_and_Streaming
- [19] J. Freiknecht and W. Effelsberg, "Procedural Generation of Interactive Stories using Language Models," *ACM International Conference Proceeding Series*, Sep. 2020, doi: 10.1145/3402942.3409599.
- [20] J. Guan, Y. Wang, and M. Huang, "Story Ending Generation with Incremental Encoding and Commonsense Knowledge," *AAAI Conference on Artificial Intelligence*, pp. 6473–6480, 2018, doi: 10.1609/AAAI.V33I01.33016473.
- [21] P. Tambwekar, M. Dhuliawala, L. J. Martin, A. Mehta, B. Harrison, and M. O. Riedl, "Controllable neural story plot generation via reward shaping," *IJCAI International Joint Conference on Artificial Intelligence*, vol. 2019-August, pp. 5982–5988, 2019, doi: 10.24963/ijcai.2019/829.
- [22] Zhichao Li, "TINY-STYLEWIZARD: UNLEASHING THE POTENTIAL OF SMALL LANGUAGE MODELS IN COMPLEX STYLE TRANSFER."
- [23] A. Fan, M. Lewis, and Y. Dauphin, "Strategies for structuring story generation," *ACL 2019 - 57th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference*, pp. 2650–2660, 2020, doi: 10.18653/v1/p19-1254.
- [24] J. Zhu and S. Ontañón, "Player-Centered AI for Automatic Game Personalization: Open Problems," *ACM International Conference Proceeding Series*, Sep. 2020, doi: 10.1145/3402942.3402951.
- [25] J. Cai *et al.*, "Explainable Machine Learning with Pairwise Interactions for Predicting Conversion from Mild Cognitive Impairment to Alzheimer's Disease Utilizing Multi-Modalities Data," *Brain Sci*, vol. 13, no. 11, p. 1535, Nov. 2023, doi: 10.3390/BRAINS13111535/S1.
- [26] J. Estrada, S. Paheding, X. Yang, and Q. Niyaz, "Deep-Learning-Incorporated Augmented Reality Application for Engineering Lab Training," *Applied Sciences 2022, Vol. 12, Page 5159*, vol. 12, no. 10, p. 5159, May 2022, doi: 10.3390/AP12105159.
- [27] M. Hendrikk, S. Meijer, J. Van Der Velden, and A. Iosup, "Procedural content generation for games: A survey," *ACM Transactions on Multimedia Computing, Communications and Applications*, vol. 9, no. 1, Feb. 2013, doi: 10.1145/2422956.2422957.
- [28] "(30) Elevating Gaming Experiences: Generative AI at Play | LinkedIn." Accessed: Mar. 12, 2024. [Online]. Available: <https://www.linkedin.com/pulse/elevating-gaming-experiences-generative-ai-play-jonas-lea/>
- [29] "3D models, including simpler ports, take a long time to do. I wanted to showcase what goes into every kind of model and how people who feature mods without credits are harming modelers: r/GenshinImpact." Accessed: Mar. 12, 2024. [Online]. Available: https://www.reddit.com/r/GenshinImpact/comments/16qwagz/3d_models_including_simpler_ports_take_a_long/
- [30] "Call of Duty®: Modern Warfare® II: The Next-Gen Tech Engine Inspiring a Vastly Advanced Game Performance." Accessed: Mar. 12, 2024. [Online]. Available: <https://www.callofduty.com/blog/2022/12/call-of-duty-modern-warfare-II-next-gen-tech-advanced-game-performance>
- [31] E. Alonso, M. Peter, D. Goumard, and J. Romoff, "Deep Reinforcement Learning for Navigation in AAA Video Games," *IJCAI International Joint Conference on Artificial Intelligence*, pp. 2133–2139, 2021, doi: 10.24963/ijcai.2021/294.
- [32] Z. Abd Algfoor, M. S. Sunar, and H. Kolivand, "A comprehensive study on pathfinding techniques for robotics and video games," *International Journal of Computer Games Technology*, vol. 2015, 2015, doi: 10.1155/2015/736138.
- [33] N. J. Nilsson, "SLOGAN?"
- [34] J. Engel, R. Swavely, A. Roberts, L. (Hanoi,) Hantrakul, and C. Hawthorne, "Self-supervised Pitch Detection by Inverse Audio Synthesis," 2020. [Online]. Available: <https://goo.gl/magenta/ddsp-inv>
- [35] İ. Kara and M. Aydos, "THE GHOST IN THE SYSTEM: TECHNICAL ANALYSIS OF REMOTE ACCESS TROJAN."
- [36] A. El Rhalibi, K. W. Wong, and M. Price, "Artificial Intelligence for Computer Games," *International Journal of Computer Games Technology*, vol. 2009, no. 1, 2009, doi: 10.1155/2009/251652.

[3], [31], [32], [33], [34], [35], [36]