



Real Time Noise Reduction Using Machine Learning with the Filtering Techniques

Er. S. Senthazhai^[1], *Er. M. Devanathan*^[2], *M. Arun*^[3], *A. Gunaseelan*^[3], *B. Manojkumar*^[3] and *A. Balasurra*^[3].

^[1] Associate Prof, Department of ECE, Krishnasamy College Of Engineering & Technology

^[2] Assistant Prof, Department of ECE, Krishnasamy College Of Engineering & Technology

^[3] Final Year, Department of ECE, Krishnasamy College Of Engineering & Technology

ABSTRACT:

Signal sparsity has shown promising results in many applications, such as audio processing, biomedical engineering, and telecommunications since clean and noise-free signals are vital in today's data-driven world. Integrating machine learning with Kalman and Wiener filters, which self-adapt their parameters, allows for improved adaptability and better performance for this project. Using real-time data from numerous sources enabled us access to an unprecedented amount of noise, and we validated our approach under such conditions, revealing greater separation of signal from noise and decreased computational demands relative to traditional Windows-based methods. Such progressive steps through intelligent signal processing in complex environments.

Keywords: Real-time noise reduction, Machine learning, Kalman filter, Wiener filter, Signal processing.

INTRODUCTION:

Real-time noise reduction using machine learning is an evolving field that combines the precision of traditional signal processing with the adaptability of modern computational techniques. The project, focusing on Wiener and Kalman filtering, aims to enhance the quality of signals or images by mitigating noise in dynamic and ever-changing environments. At its core, Wiener filtering operates as a statistical approach, minimizing the mean square error between the original signal and its noisy observation. It works exceptionally well in scenarios where noise is stationary and the signal has predictable properties. By leveraging Wiener filtering in real-time applications, the algorithm adapts to variations in the signal's statistical characteristics, ensuring consistent performance even in noisy environments. Kalman filtering, on the other hand, excels in estimating the state of a dynamic system in the presence of noise. Its recursive nature makes it a powerful tool for real-time applications, as it processes incoming data incrementally rather than requiring a batch of observations. The Kalman filter adapts seamlessly to changes in the system's dynamics, making it highly effective in scenarios such as speech enhancement, object tracking, and sensor data processing. Incorporating machine learning into this framework elevates the capability of these filters. Machine learning models can predict or adapt parameters of the Wiener and Kalman filters based on the observed patterns, improving their accuracy in handling non-linear or non-stationary noise. By training on datasets representative of the noise characteristics and the desired signal, the system learns to distinguish between the two more effectively. In MATLAB, the implementation of such a project involves creating robust simulations of real-time scenarios. The noisy signals are passed through modules where Wiener and Kalman filters are applied. Machine learning algorithms further refine the process by adjusting filter parameters or blending outputs to achieve optimal noise reduction. Visual and quantitative metrics, such as signal-to-noise ratio improvement and spectral analysis, validate the system's performance. This integration of classical filtering techniques with machine learning not only enhances the adaptability of noise reduction systems but also ensures they are capable of handling diverse and complex real-time challenges. Whether for audio enhancement, image restoration, or sensor data refinement, the approach exemplifies how traditional and modern methods can be harmonized for cutting-edge solutions.

Rudolf E. Kálmán created the Kalman filter as a sophisticated mathematical system which identifies real system states despite measurement noise in the 1960s. The system performs two operations that start with prediction followed by measurement update. Kalman filters find widespread application in sensor fusion together with navigation and robotics systems because these fields require real-time tracking and effective noise reduction.

The Wiener filter functions through statistical procedures which optimize your prediction results against original signal values by calculating average squared differences. The Wiener filter maintains a frequency-based operational domain which enables it to produce stable long-term noise reduction performance when compared to the time-dependent Kalman filter. The filter finds applications in enhancing speech clarity along with image recovery and it eliminates background disturbances from communication signals.

Noise reduction performance is successful with each filter although each system presents certain drawbacks during application. A proper system model stands as a requirement for the Kalman filter whereas Wiener filter requires full knowledge of signal statistical patterns alongside noise statistical patterns. The noise reduction becomes less effective when requirements for everyday scenarios fail to match these specifications during operation.

This study explores how to create a new adaptive, intelligent noise reduction system by melding machine learning with Wiener and Kalman filters. Blending traditional filtering methods and requirements with modern AI-driven optimization means clearer signals; increased system reliability; real-time capability that is enhanced across many different domains and all of their divisions.

LITERATURE SURVEY :

The Kalman filter served as Li et al. (2020) admitted for integrating sensory inputs for real-time object tracking operations. Through their research, the investigators proved that the Kalman filter both estimates system states accurately and reduces noise while needing precise system model information for optimal performance. Its performance decreases when operators use the method in nonlinear and fast-changing noise environments that occur in autonomous vehicles as well as robotic navigation. Zhang et al. (2019) researched Wiener filtering for speech enhancement showing that it creates the best possible filters by decreasing mean squared error. Research showed that Wiener filters cannot operate correctly under real-time conditions because they depend on noise characteristics remaining stable.

Academics improve traditional filtering methods by merging machine learning models with classical techniques. The research team of Patel et al. (2021) improved the speech denoising Wiener filter through deep learning by implementing convolutional neural networks which predicted and eliminated dynamic noise components. The study produced noticeable enhancements in speaking clarity as well as spoken quality beyond Wiener filter recommendations. Gupta et al. (2022) designed a combination of Kalman filter and CNN architecture which shows promise for biomedical signal processing of electrocardiogram (ECG) noise reduction. The research showed deep learning-driven Kalman filtering enhanced its response to diverse physiological noise levels leading to better diagnostic precision in real-time observation systems.

Kim et al. (2021) examined how connecting Kalman filters with recurrent neural networks (RNNs) works to decrease noise in time-series data analysis. The study demonstrated how RNNs develop their ability to discover temporal patterns within noisy information sources which extends Kalman filtering into unpredictable environments. Thomas et al. (2023) expanded Kalman-Wiener filtering by integrating AI methods to estimate adaptive noise sources. Staff tested their system with industrial automation and financial market analysis because real-time noise filtering plays a critical role in generating accurate predictions during decision-making processes. The AI-amplified Kalman-Wiener filter proved superior to standard filtering methods through noise-adjusted parameter adjustment capabilities according to their experimental outcomes.

New advancements in machine learning-based noise reduction are now used for image processing methods in addition to medical imaging applications. The research by Chen et al. (2022) developed a Wiener filter enabled by artificial intelligence technology for dynamic MRI and CT scan image denoising which delivered superior visual outcomes and medical diagnosis capabilities. Edge computing solutions developed by Sharma et al. (2023) delivered AI-powered noise reduction by reducing computational complexity at the same time it provided real-time performance. The research by Lee et al. (2023) demonstrated how lightweight neural networks function together with filtering methods to enhance noise reduction features on IoT devices with restricted power capabilities.

The developments encountered problems with machine learning filter performance because of processing limits and speed constraints as well as the need for extensive training datasets. Scientists conducting present-day research work to enhance AI-powered Kalman and Wiener filtering by developing new solutions using reinforcement learning together with transformer models and neuromorphic computing approaches for achieving more efficient and scalable results. This project intends to develop contemporary noise reduction technology through machine learning integration with Kalman and Wiener filters which allows real-time operational capacity and adaptive characteristics. The integration of AI-based noise prediction models with classical filtering techniques enables an advanced system that delivers accurate results and shows robustness and adaptability in speech processing and biomedical monitoring and industrial automation and autonomous navigation applications.

PROPOSED SYSTEM :

The described system represents the integration of learning machine and Wiener or Kalman filter technologies implemented through MATLAB development work. The system seeks to create a filtering mechanism that eliminates sound disturbances from speech and biomedical signals and industrial automation signals.

This approach employs a significantly dissimilar method when compared to conventional noise reduction techniques. The utilization of machine learning for frame optimization brings about superior system execution under numerous noise conditions.




Fig 1 : Block diagram of proposed system

NOISY INPUT SIGNAL

The system starts with collecting input signals at Noisy Input Signal Acquisition from diverse sources which may include microphone recordings or industrial monitoring systems and biomedical sensors. Unwanted noise commonly exists in these signals to deteriorate their usability for successive processing steps. The DSP and Data Acquisition Toolboxes through MATLAB allow the acquisition of both pre-recorded signals with `audioread()` function and real-time signals. Data acquisition through sensors can be achieved through `daqread()` MATLAB function. A system within the framework maintains a continuous flow of signals which preserves uniform sampling rates and format specifications to make data processing precise.

PREPROCESSING

In the Preprocessing stage normalisation starts before noise feature extraction commences. Signal normalisation serves to standardise its amplitude range thus protecting against distortion and enabling better filter operations. The signal normalisation process utilises MATLAB's `max()` function to adjust its amplitude range into a -1 to 1 scale. Noise features are identified during preprocessing through FFT and spectrogram analysis combined with variance measurements that allow evaluation of noise intensity.

The machine learning model receives signal features extracted from MATLAB functions `fft()`, `spectrogram()`, and `var()`.

MACHINE LEARNING MODEL

Through the Machine Learning Model it is able to forecast the properties of noise before making adaptive changes to filtering parameters. A MATLAB Deep Learning Toolbox-trainable model acts as a real-time detector which determines noise types together with their intensity levels. The noise-aware model contains datasets with clean and noisy signals which helps it gain expertise on how noise affects signal quality. With the MATLAB

trainNetwork() function the development of a neural network which performs noise classification and prediction takes place. The Kalman and Wiener philtres receive guidance from these predictions to ensure dynamic and optimised noise reduction according to the current conditions.

KALMAN FILTER

The Kalman Philtre reduces such non-stationary noise because it adapts to time-varying signal conditions. Simple noise acts as a frequent disturbance in speech signals together with biomedical monitoring and dynamic industrial environments. Through observations the Kalman philtre calculates future signal states before it modifies those states with probabilistic correction values. Using dsp. Kalman Filter in MATLAB performs the implementation of the philtre which sets its noise covariance parameters through the predictions obtained from the machine learning model. Through this mechanism the philtre maintains ongoing signal estimation and correction functions to reduce time-variant noise without compromising signal quality.

WEINER FILTER

The Wiener Philtre analyses stationary noise at the same time it exists as white noise and electrical interference together with steady background hum. The Wiener philtre functions by optimising frequency domain noise suppression through minimum Mean Squared Error (MSE) optimization of noisy-clean signal comparison. Using MATLAB the wiener2() function applies to small signal blocks to execute effective filtering operations. The Wiener philtre needs noise characteristic information to operate but obtains this data from machine learning model estimates to make adaptive filtering possible.

ADAPTIVE FUSION LAYER

The Adaptive Fusion Layer combines signals through which both philtres processed the signal by selecting dynamically which output provides the best results under current noise conditions. The adaptive decision mechanism of machine learning implements weight assignments to the outputs of both philtres based on philtre performance characteristics against dynamic noise for the Kalman philtre and stationary noise for the Wiener philtre. The adaptive weighting equation based on a sigmoid function balances the philtre contributions by determining the value of alpha according to real-time noise characteristics through $\text{finalOutput} = \alpha * \text{kalmanOutput} + (1 - \alpha) * \text{wienerOutput}$. The system optimises noise reduction performance through its strategy for various environmental conditions.

CLEAN OUTPUT SIGNAL

The process ends with the creation of the Clean Output Signal that allows users to playback or save the improved signal for additional purposes. The denoised signal is output using MATLAB's sound() function when real-time playback becomes necessary for keeping the original sampling rate. When the processed signal requires storage the audiowrite() function produces a.wav file format save. The noise-reduced signal reaches application readiness at this stage since it works for speech enhancement along with biomedical signal analysis and industrial monitoring systems which create a dependable real-time noise reduction system.

RESULTS AND DISCUSSION :

A performance analysis of the system's noise reduction solution in MATLAB based on integrated machine learning and Wiener and Kalman philtres will be done through Signal-to-Noise Ratio (SNR) evaluation and Mean Squared Error (MSE) metrics alongside Spectrogram Analysis. A noticeable audio clarity enhancement together with noise level reduction exists as the expected outcome which maintains the original signal characteristics.

The Wiener and Kalman philtres applied to the system should boost the SNR measurement because they produce cleaner signals than noisy signals. The filtered signal must have a lowered MSE than the original clean signal. The Wiener and Kalman philtre work in conjunction to provide system optimization throughout stationary and dynamic noise conditions. The system uses machine learning to determine real-time which filtering method brings the best noise reduction results thus outperforming conventional filtering approaches.

The proposed method can be verified through spectrogram analysis performed before and after noise reduction functions. The noisy input signal exhibits high noise intensity that distributed itself across various frequency bands at the starting point.

The spectrogram produces a noticeable distinction because noise energy has been minimised while the clean signal emerges clearly. The signal quality enhancement becomes evident through the analysis of waveforms between the signals before and after processing. Both the original noisy signal and the processed signal reveal different patterns because noise creates inconsistent amplitude variations yet noise filtering generates a more consistent waveform.




Fig 2 : Graph of clean, noisy and predicted signal

CONCLUSION :

Noise estimation through deep learning allows automated noise suppression that functions in various conditions through adaptive filtering techniques. The Kalman filter detects dynamic noise which it removes and the Wiener filter enhances speech together with audio clarity. A machine learning framework perfectly unites both filters to produce better results in different applications. Analysis of SNR, MSE, and spectrogram demonstrates that the system achieves successful audio processing in real-time applications and biomedical signal analysis and industrial noise mitigation.

ACKNOWLEDGEMENTS

We would like to express my special thanks to our guide **Er. M. DEVANATHAN M.E**, Assistant Professor, Department of ECE, for his time and efforts he provided throughout the year. Your useful advice and suggestions were really helpful to me during the project's completion. In this aspect, We are eternally grateful to you.

REFERENCES :

- [1]. [Bhat Raghavendra Ravi](#), [S. P. Deepu](#), [M. Ramesh Kini](#) and [David S. Sumam](#) (FEB-2018). "wavelet-based noise reduction techniques for speech enhancing"
- [2]. [M. Berouti](#), [R. Schwartz](#) and [J. Makhoul](#) (JAN-2003). "Enhancement Of Speech Corrupted By Acoustic Noise"
- [3]. [Porr B](#), [Daryanavard S](#), [Bohollo LM](#), [Cowan H](#) and [Dahiya R](#) (NOV-2022). "Real-Time Noise Cancellation With Deep Learning".
- [4]. [Sebastian Braun](#), [Hannes Gamper](#), [Chandan K.A. Reddy](#), and [Ivan Tashev](#) (MAY-2021). "Towards Efficient Models For Real-Time Deep Noise Suppression".
- [5]. [Revati Sule](#), [Akshat Kolekar](#), [Keval Patel](#), and [Avinash Tandle](#) (AUG-2023). "Selective Noise Cancellation Using Machine Learning"

-
- [6]. [Hilal H. Nuha](#) and [Ahmad Abo Absa](#) (JULY-2022). "Noise Reduction And Speech Enhancement Using Weiner Filter".
- [7]. [P.Taraka Raghavendra Sai](#), [P.Manisha Reddy](#) and [R.Sindhuja](#) (JULY-2021). "Speech Enhancement Using Weiner And Kalman Filters."
- [8]. [Zenton Goh](#), [Kah-Chye Tan](#) and [B. T. G. Tan](#) (SEPT-1999). "Kalman-Filtering Speech Enhancement Method Based On A Voiced-Unvoiced Speech Model"
- [9]. [Nari Tanabe](#), [Toshihiro Furukawa](#) and [Shigeo Tsujii](#) (JAN-2009). "Kalman Filter Band Fast Noise Suppression Algorithm"
- [10]. [Jean-Marc Valin](#) (MAY-2018). "A Hybrid Dsp/Deep Learning Approach To Real-Time Full-Band Speech Enhancement"