

# International Journal of Research Publication and Reviews

Journal homepage: www.ijrpr.com ISSN 2582-7421

# IMPLANT PROTECTIVE OCCLUSION: A REVIEW

Dr. Puvvada Venkata Vaibhav <sup>1</sup>, Dr. B. Lakshmana Rao <sup>2</sup>, Dr. K. Sudheer <sup>3</sup>, Dr. Sudha Rani. P <sup>4</sup>, Dr. P. Ravi Teja <sup>5</sup>.

- <sup>1.</sup> Final Year Post Graduate Student, Department of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, India.
- <sup>2</sup>. Professor & HOD, Department of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, India.
- 3. Professor, Department of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, India.
- <sup>4</sup> Second Year Post Graduate Student, Department of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, India.
- <sup>5.</sup> First Year Post Graduate Student, Department of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, India.

#### ABSTRACT:

Implant prosthodontics requires biomechanically sound occlusal principles to ensure long-term success and function. Implant Protective Occlusion (IPO) is a concept designed to reduce excessive occlusal loading on Osseo integrated implants, acknowledging the inherent biomechanical differences between natural teeth and implants. This review explores the scientific rationale behind IPO, its clinical application, advantages, and limitations, providing evidence-based guidelines for optimal occlusal design in implant restorations.

#### 1. Introduction

Dental implants have become the gold standard for replacing missing teeth. However, unlike natural teeth, implants lack a periodontal ligament (PDL), making them more susceptible to mechanical overload. The concept of **Implant Protective Occlusion (IPO)** addresses this by emphasizing occlusal schemes that reduce forces on the implant, especially during parafunction and lateral excursions.

### 2. Biomechanical Rationale for IPO

# 2.1 Differences Between Teeth and Implants

Feature	Natural Teeth	Implants
PDL	Present	Absent
Proprioception	High	Limited

Shock absorption High (0.2-0.3 mm movement) Minimal (0.01-0.02 mm)

Load distribution Biological Mechanical

#### 2.2 Occlusal Load Transmission

- Natural teeth distribute load via the PDL and surrounding bone.
- Implants transmit forces directly to bone, increasing risk of bone loss or component failure under excessive load.

# 3. Definition of Implant Protective Occlusion

IPO refers to occlusal schemes designed to **minimize excessive or harmful forces on dental implants**, thereby enhancing implant longevity and reducing biomechanical complications.

## 4. Key Principles of IPO

- 1. Axial loading: Favor vertical over lateral forces.
- 2. Reduced cusp inclines: Flattened occlusal anatomy minimizes shear forces.
- 3. Centralized occlusal contacts: Positioning occlusal loads closer to the implant's long axis.
- 4. **Light occlusal contacts**: In centric relation and during functional movements.
- 5. No contact in lateral excursions: Implants should not guide lateral movements (no group function).
- 6. Occlusal table narrowing: Especially in molars, to reduce cantilevering.
- 7. **Progressive loading**: Gradual introduction of occlusal load, especially in immediate loading protocols.

# 5. Clinical Application of IPO

#### 5.1 Single Implant Restorations

- Establish light centric contacts.
- Avoid excursive contacts.
- Use narrow occlusal tables and flatter cusps.

# 5.2 Multiple Implants / Full Arch Prostheses

- Incorporate mutually protected occlusion.
- Distribute load across multiple implants.
- Avoid cantilevers and ensure passive fit of prostheses.

#### 5.3 Posterior vs. Anterior Implants

- Posterior implants are at higher risk due to increased occlusal load.
- Anterior implants require more attention to esthetic contours and guidance.

# 6. Merits of Implant Protective Occlusion

- Reduces marginal bone loss (Jemt et al., 1996)
- Minimizes prosthetic complications like screw loosening, fracture
- Improves implant longevity
- Protects against overload-induced peri-implantitis
- Accommodates parafunctional habits like bruxism
- Supports better force distribution across implants and prosthesis

## 7. Demerits and Limitations of IPO

- Difficult to implement in patients with parafunction (e.g., bruxism)
- Clinical time-consuming: Requires meticulous occlusal adjustments
- Occlusal scheme may compromise function or esthetics in some patients
- Implant overload may still occur in high-stress situations or due to patient non-compliance
- Lack of universal standardization: Variability in clinician interpretation of IPO

# 8. Comparison with Other Occlusal Schemes

#### Occlusal Scheme Natural Dentition Implant Prosthesis

Balanced Occlusion Used in dentures Not ideal for implants

Group Function Common Avoided in implants

Canine Guidance Preferred in IPO Protects posterior implants

IPO Specific to implants Emphasizes minimal and axial contact

#### 9. Role of Occlusal Materials in IPO

- Ceramics: Good wear resistance, but brittle.
- Composites: Offer shock absorption but may wear faster.
- Metal-ceramic: Balanced choice for posterior occlusion.
- Acrylic: Common in interim prostheses, less durable.

## 10. Occlusal Adjustment Techniques

- Articulating paper of 25–40 microns
- Shimstock foil test for high points
- Use of T-Scan or digital occlusal analysis tools
- Regular follow-up and occlusal check-ups every 6–12 months

# 11. Future Directions

- Digital occlusion analysis tools for real-time load evaluation
- 3D finite element analysis (FEA) for custom occlusal design
- AI-driven occlusal simulation for pre-treatment planning
- Development of **smart implant systems** with load sensors

### 12. Conclusion

Implant protective occlusion is a crucial biomechanical concept in implant prosthodontics. Its proper implementation can prevent mechanical and biological failures, improve patient satisfaction, and extend prosthesis longevity. While not without challenges, IPO remains a gold standard in occlusal management of implant-supported restorations.

# REFERENCES

- 1. Misch CE. Dental Implant Prosthetics. 2nd ed. Elsevier; 2015.
- 2. Jemt T, et al. A 15-year follow-up study on implant-supported prostheses. Clin Implant Dent Relat Res. 1996.
- 3. Rangert B, et al. Forces and moments on Branemark implants. Int J Oral Maxillofac Implants. 1989.
- 4. Misch-Dietsh F, et al. Biomechanical considerations in implant occlusion. J Prosthodont. 2011.
- 5. Hobo S, Ichida E. Occlusion in Implant Dentistry. Quintessence Publishing; 2002.
- 6. Becker W, et al. Implant complications and failures: The need for prosthetic maintenance. J Periodontol. 1999.
- 7. Chrcanovic BR, et al. Implant fractures: A review. Int J Oral Maxillofac Surg. 2010.
- 8. Naert I, et al. Occlusal overload and peri-implant bone loss. Clin Oral Implants Res. 2012.
- 9. Misch CE, Wang HL. Occlusal considerations for implants in the posterior region. Implant Dent. 2003.
- 10. Clelland NL, et al. Mechanical behavior of dental implants with different occlusal designs. J Prosthet Dent. 1993.
- 11. Balshi TJ, et al. Occlusal overload of osseointegrated implants: A review. Int J Oral Maxillofac Implants. 1996.
- 12. Wiskott HW, Belser UC. Biomechanical aspects of restoration design. Clin Oral Implants Res. 1999.

- 13. Zarb GA, Schmitt A. The longitudinal clinical effectiveness of osseointegrated dental implants. Int J Prosthodont. 1993.
- **14.** Brägger U, et al. Biological and technical complications. Clin Oral Implants Res. 1997.
- 15. Koyama S, et al. Load distribution with different occlusal materials. J Prosthodont Res. 2011.
- 16. Hsu YT, et al. 3D finite element analysis of occlusal schemes in implants. Clin Implant Dent Relat Res. 2009.
- 17. Kim Y, et al. Biomechanical stress analysis on implants in IPO. J Biomed Mater Res B. 2005.
- 18. Sadowsky SJ. Occlusal overload and implant success. J Prosthet Dent. 2007.
- 19. Tripodakis AP, et al. The role of occlusion in the maintenance of dental implants. J Esthet Restor Dent. 2010.
- 20. Sato Y, et al. Biomechanical effects of occlusal designs. Int J Oral Maxillofac Implants. 2000.