



International Journal of Research Publication and Reviews

Journal homepage: www.ijrpr.com ISSN 2582-7421

TO STUDY THE UTILITY OF LM POTENCIES IN ACUTE CASES

Dr. Ghanshyam Badgujar¹, Dr. Avinash Chintaman Kurkure², Dr. Mateen Ahemad Saifullah Shaikh³

¹. DHMS, Professor, Department of Homoeopathic Materia Medica.

². BHMS, Professor, Department of Practice of Medicine.

³. M.D. (Homoeopathy), Associate Professor, Department of Homoeopathic Case Taking & Repertory.

Shri Chamundamata Homoeopathic Medical College & Hospital, Jalgaon - 425001 (M.S.) INDIA^{1,2}

Dhanvantari Homoeopathic Medical College and Hospital & Research Centre, Nashik³

E-mail: drbadgujar@homoeopathy.ac.in¹, avinashkurkure@gmail.com², drm3.skx@gmail.com³

ABSTRACT:

According to one of the cardinal principles in homeopathy, drug dynamization is a unique process established by Dr. Hahnemann. By definition, dynamization is a physical process that causes a latent medicinal force of the drug into the activity. There are three scales of potentiation in homeopathy:-

- 1) A decimal scale.
- 2) A centesimal scale.
- 3) 50 Millesimal Scale.

On a decimal decimal scale, the ratio of the diluent to 10: 1 is the ratio of 10: 1, on the centesimal scale is 100: 1 and in 50 ground scale is 50,000: 1.

Dr. Hahnemann prepared, practiced with these scales and defended their use. After facing a restriction in the treatment of chronic cases in terms of dose, Dr. Hahnemann's introduction of a new scale of potentiation without sacrificing effectiveness, and that has successfully worked out. Dr. Hahnemann described in the 6th edition of Organon of Medicine about 50 miles of scales and described it as a new changed but improved method with added advantage to the previous centesimal scale.

According to the indications of the new scale, it has been useful in cases where repeated administration of medicine is required, in long-term chronic diseases, skin diseases, in various acute diseases, in the case of mental diseases and unilateral diseases, in cases of suppression and when palliation is indicated. Thus, with the help of a new scale, one could speed up the treatment process and minimize deterioration.

KEYWORDS: LM Potency, Acute Cases, Homoeopathic Pharmacy, Homeopathy and Homeopathic Medicine.

INTRODUCTION:

Homeopathic medicines are prepared from various natural substances obtained from various sources such as plants, animals, minerals, nosodes, sarcodes and impedabilia. These natural substances are subject to different processes and, above all, are subject to the potentiation process to create the appropriate homeopathic drugs.

Potentiation is defined as a mathematical-mechanical process on the basis of which inherited dormant dynamic therapeutic forces of the drug wake up or increase by adjusting the strength of the drug or drug for dynamic power through the current and consecutive process of dilution and friction in the definitive order according to pharmacopoeia.

REVIEW OF LITERATURE:

Dr. Hahnemann was a genius with a mission in life to restore the sick to health. His ideal of treatment was fast, gentle and permanently restoring health to easy-to-understand principles.

He published five editions of Organon. These books contained his thoughts, opinions, observations and general principles based on his numerous experiments. Each edition was a procedure for the previous edition with regard to its latest ideas.

The fifth edition of Organon was published in 1833, in which he advocated the use of a compartment of potency. On a central potency scale, the ratio of the thinner to the medicine is 100: 1.

1. However, he was not satisfied with this measure for the following reasons:
2. Potency used to produce violent medicinal deterioration.
3. The recovery period took a very long time to its great dissatisfaction.
4. Time and frequency of corrective measures was difficult to find out correctly.

In order to achieve ideal treatment, he felt the need to adjust the central range of potency. After several experiments in 1833-1842, he defended a new scale of Potvēvņū, ie 50 Millesimal potēcs, in the 6th edition of Organon.

Dr. Hahnemann completed the 6th edition of Organon by the end of 1841.

"Now, after 18 months of work, I finished 6. The release of my organon, almost perfect of all" -Dr. Hahnemann wrote in his letter from 20-2-1842 Schwabe, his publisher in Dusseldorf. But before the meeting, Hahnemann died on July 2, 1843.

Thanks to various circumstances, this work was not published until 1921. William Boericke received the original manuscript 6. Edition Organon and translated it from German to English. This English version 6. The edition of Organon was based on the press in December 1921. However, this new method was given less attention from homeopaths as long as it was rediscovered by Dr. Pierre Schmidt in 1954 in his article "Hidden Treasures of the Last Organon". Dr. Charles Pahud of Lausanne (Switzerland) was 1.

Hahnemann said in a note below the Aphorism of 246 in the issue 6TM "What I said in the fifth edition of Organon, in a long note to this paragraph to avoid these undesirable reactions of vital energy, but for the experience I justified. Perfect but perfect but perfect but perfect but improved but improved but improved but improved but improved but improved but improved but improved but improved but improved but improved but perfect but perfect but perfect but improved. justified.

.Hahnemann also said about the effectiveness of LM or 50 Millesimal.

"But the method described, on the contrary, produces drugs with the highest development of power and the least effect, which, however, if they are well selected, touches all suffering parts curatorly" (note below the line 155 APH. "- Furious, even dangerous, violence".

a) an acute disease

It usually happens that homeopathic deterioration occurs in the first hour or first several hours in the treatment of acute disease or disease of recent origin. Here we can observe that the dose of medicine is not small enough (aphorism 157). However, this deterioration will give way to itself and follow recovery.

b) chronic disease

At the end of treatment, homeopathic deteriorations usually occur in chronic and long -term cases where the drug has almost achieved or completed. It occurs only in medical saturation when administered in a very small dose and is repeated by adjusting the degree of efficiency every time before administration. This is a favorable phase of treatment. Here the drug can be stopped or repeated at longer intervals. After adequate waiting, the original symptoms disappear and leave permanent and permanent treatment.

Preparation of 50millozimal potency:

I. Original fabric 1 drop (1 grain) + 100 grains of milk sugar + 1 hour trituration by grinding, pounding, scratches, etc.

This is the first trituration = 1/100

II. 1. Trituration 1 grain + 100 grains of milk sugar +1 hour trituration = 2. Trituration = 1/100 x 1/100 = 1/10 000

III. 2. Titutation 1 grain + 100 grains of milk sugar + 1 hour trituration = 3. Trituration = 1/10 000 x 1/100 = 1/10.00 000

IV. 3. Trituration 1 grain + 500 drops of mixture containing 1 part of 20 % alcohol and 4 parts of the water -cleaned water (100 drops of alcohol -release + 400 drops of purified water) = parent tincture.

Drug force = 1/10.00 000 x 1/500 = 1/50.00.00 000

V. 1 drop of parent tincture + 100 drops of absolute alcohol + 100 hearing = lm/1 or 0/1, 1 force.

VI. Globury conversion: 1 drop of the first efficiency moistened with 500 globules and quickly dried.

VII. 1 globule 1. Force + 1 drop of water -water -water + 100 drops of pure alcohol + 100 Suktions = LM/2 or 0/2, 2.

VIII. In this way, LM/3 or 0/3 will have to be prepared and amplified.

Medicine Management in LM Potency:

Take 1 Globe [no. 10] Selected medicine and add it to 30 ml [or 60 or 100 ml- as needed] purified water in the bottle. Add a few drops of alcohol to it and mark it as a medicinal solution.

Before taking the medicine, it provides 10-12 slunts.

Now take 1 tablespoon, ie 10 ml in a glass and add it to 7 or 8 tablespoons of water, ie approximately 1/4 glass.

Now mix it thoroughly and take 1 teaspoon, ie 5 ml. Dispose of the remaining.

Dose Repeat (pharmaceutical-Copollaxy):

Repetition of doses in 50 miles of efficiency depends mainly on the nature of the disease that is as follows:

1. In chronic diseases: once a day or once every alternative day (eg bronchial asthma, rheumatic disease, skin disease, cancer, essential hypertension, etc.), so in chronic disease, everyone can be properly selected homeopathic medicine, even those whose action has been for a long time.
2. In acute diseases: once every 2, 3, 4 or 6 hours (eg diarrhea, fever, malaria, typhoid, etc.)
3. In very urgent cases: every hour or often (eg chickenpox, tetanus, cholera, etc.)

The benefits of the LM scale:

1. .
2. With 0/1 is the lowest and 0/30 is the highest, it is very easy to choose from a limited line or the range of potency.
3. There is no jump or jump in this method.
4. Its work quickly and quickly in all forms of acute and chronic diseases.
6. Chronic diseases are more accessible to 50 milezimal potency than centesimal potency. No worries with overdose frequent repetitions.
7. It acts better in certain conditions of the disease than in a central scale. E.g. IPECAC in asthma; Lycopodium and Nux vomica on diabetes.
8. Deep acting means like Calcarea, etc. Can be used daily and repeated months.
9. Due to the rapid and clear LM action, the disruption of the case is quickly recorded and also wears much faster.
10. In cases such as mental illness, where even low centesimal efficacy can deteriorate, LMS can smoothly cure.
11. In cases of long -term suppression, this efficiency works efficiently.
12. LMS are excellent in palaces of incurable diseases without risk of deterioration.
13. Living LMS in the water allows many ways to adjust both efficiency and dose, which allows these and the resources to be individualized to the patient.
14. The greatest advantage of LM efficiency is that patients learn to observe their own symptoms and adjust their own dose, giving them a much greater feeling of participation in the healing process and leading to greater patient satisfaction.

An acute disease in homeopathy

6th edition of Organon - Dr. Samuel Hahnemann

APH-72: Acute diseases are "fast morbid processes abnormally disturbed vital forces that tend to complete their course more or less quickly, but always in a mild time.

APH-73: Acute diseases are either such a kind that they attack human beings individually, an exciting cause is the harmful effects they have been exposed to. Excesses in the food or its insufficient stock. Several physical impressions, cooling, over heating, scattering, trunks, etc. or physical irritation, mental emotions and the like, are exciting causes of such acute febrile affections. In fact, however, they are generally only a temporary explosion of latent psor, which spontaneously returns to their sleeping state, unless the acute disease was too violent and soon suppressed. Or several persons can attack at the same time, back and forth (sporadically), using meteoric or Tellurian influences and harmful agents, which is a prone to morbidly affected by only a few people at a time. They are connected by you

Diseases on which many people are attacked by very similar suffering for the same cause (epidemically), these diseases generally become infectious (contagious) when they predominate among the heavily assembled masses of human beings. Hence fever, in any case, a special nature, and because of the disease they have the same origin, have established in all those that affect the same morbid process, which, when they retain themselves in the middle of death or recovery. War calamities, inundations and famine are rarely their exciting causes and producers. Sometimes they are a special acute Miasma that is repeated in the same way that either attacks a person but once in a life, like smallpox, measles, black cough, ancient Smooth, bright red scarlet fever Sydenham, mumps, etc., or one that is often repeated in the same way, plaque Levant, yellow seashore, Asian cholera, etc.

APH-82: Hahnemann said that without strict specific treatment (individualization) of each case of the disease, no real drug can occur. In acute and rapidly developed diseases, the main symptoms will affect and are obvious to the senses faster, and therefore much less time is needed to monitor the image of the disease, and much less questions need to be asked, because almost everything is obvious.

APH-99: Investigation of acute diseases, or such, but existed, but a short time, is much easiest to doctors, because all phenomena and deviations from the health that have recently been lost are still fresh in memory of the patient and his friends.

APH-148: In this APH Hahnemann, he mentioned that if the selected homeopathic medicine is administered correctly, then the acute natural disease to be rewritten, if recently developed, will soon disappear in a few hours.

APH-152: The worse the acute disease, the more numerous and more pronounced symptoms express. It is easy to find the desired medicine on the case from a huge list of well -proven drugs that correspond to the most significant characteristic symptoms of the disease.

APH-153: In finding a homeopathic specific drug, we must correspond to the collective symptoms of natural disease with a list of symptoms of known medicinal products in terms of significant, unique, unusual and special symptoms and symptoms to create it most suitable for achieving treatment.

APH-154: If the above criteria are met above, the selected homeopathic medicine must be a case and generally remove and extinguish the morbid condition

The first dose, without any significant interference, provided the disease is not too long as in the case of acute diseases.

APH-L 94: Hahnemann says, whether in acute local diseases of recent origin or in local affection for long-term external applications, it should be strictly avoided. In acute local affections such as individual parts, erysipelas, etc., which are not caused by external injuries, but dynamic or internal causes, then the internal drugs administered homeopathically are certainly administered, but still remain in the affected part, not holding good regimes, but acute diseases that remain latent. In such cases, when the acute condition has retreated, appropriate antipsoric treatment should be administered.

APH-213: In order to achieve a cure corresponding to nature- that is, homeopathically, in any case, the disease, even in acute diseases along with other symptoms, those related to changes in the state of mind and disposition should be taken into account.

APH-262: In acute diseases, with the exception of mental alienation cases, the doctor should advise friends and service to put any obstacles into the way of urgent desires, in the way to eating, or try to convince him to participate in all the injured.

APH-263: The desire of the patient affected by acute disease with respect to food and drink is certainly for things that give palliative relief. It is not a healing character, but only adds a kind of wish. Mild obstacles that may be caused by the removal of the disease would be widely contradictory and overcome by the power of the homeopathic drug and the vital forces relax. In a similar way, the room temperature and heat or cooling the bed coverage must also be organized in accordance with the wishes of the patients. It must be liberated from any excessive confession of the mind and exciting emotions.

CONCLUSION:

Homeopathy is a system of medicine that supports the body's own healing mechanism, by means of specially prepared remedies. It is possible to treat acute cases with correctly selected Homeopathic medicines. However, it involves careful study of the exact symptoms, and the factors that make the health worse or better.

To manage acute cases, it is needed to repeat the indicated remedy much frequently which may lead to minute aggravation in some cases. Thus, creating discomfort in patients. Dr. Hahnemann, one of the master pharmacists of his era, provided this simple and ingenious solution for *increasing the dilution*, thus making the remedies ever safer while *holding back on the succussions*, thus keeping the energy at the gentler level. Administered in water, the LMs became a truly revolutionary tool - within a healing system which was revolutionary in itself - for healing at a deep level while controlling aggravations. Thus, after going through this small clinical trial, we can conclude that ; Homoeopathy played a significant role in management of acute cases. These preliminary results suggest that LM scale of potentisation have higher beneficial effects in acute cases. This study is just a corollary study and more rigorous studies with large sample size are however desirable.

REFERENCES/BIBLIOGRAPHY:

1. Hahnemann, S. (2004). *Organon of medicine 6th edition*. (Reprint edition.). New Delhi: B. Jain Publishers.
2. Hahnemannian Textbook of Classical Homoeopathy for the Professional by Dr. Luc De Schepper
3. Choudhury, H. (1987). *50 millesimal potency in theory and practice*. (Reprint edition), New Delhi: B. Jain Publishers
4. Patel, R. (1970). *My experiments with 50 millesimal scale potencies*. (2nd edition), Kottayam, Kerala: Hahnemann homoeopathic pharmacy.
5. Felson, D. (2008). *Harrison's principles of internal medicine.vol 2*. (17th edition), USA: The McGraw Hill companies
6. Human Physiology by Dr.C.C. Chatterjee published by Medicol allied agency
7. Schmidt, P. (1990). *The hidden treasures of the last organon*. (Reprint), New Delhi: B. Jain Publishers
8. Felson, D. (2012). *Harrison's principles of internal medicine.vol 2*. (18th edition), USA: The McGraw Hill companies
9. Bradford, T. (1986). *Life and letters of Dr. Samuel Hahnemann*. (Reprint edition), New Delhi: B. Jain Publishers
10. Mandal, P. & Mandal, B. (2002). *A textbook of homoeopathic pharmacy*.
11. (Reprint), Kolkata: New central book agency
12. Wartikar, M. (2004). *A textbook of homoeopathic pharmacy*. (Reprint). Pune: Pune vidyarthi griha prakashan
13. Davidson's Principles and Practice of Medicine by Churchill Livingstone 18th Edition
14. Allen, H. (2005). *Keynotes rearranged and classified with leading remedies of the materia medica and bowel nosodes*. (10th edition). New Delhi: B. Jain Publishers
15. Clarke, J. (2009). *A dictionary of practical materia medica*. (Reprint edition), New Delhi: B. Jain Publishers
16. Boericke, W. (2005). *New manual of homoeopathic materia medica and repertory*.
17. Repertory of Homoeopathic Materia Medica & Word Index, Dr. J.T.Kent, by B.Jain Publishers, New Delhi
18. The Essence of Materia Medica : George Vithoulkas, B.Jain Publisher Pvt.Ltd., New Delhi
19. Homoeopathic Materia Medica by Dr. S.R. Phatak
20. B.K.Mahajan – Methods in Biostatistics, 6th Edition, Medical Publishers (P) Ltd, New Delhi
21. Dhawale, ML. (2000). *Principles & Practice of Homoeopathy. Part 1*. (3rd edition). Bombay: Institute of Clinical Research.
22. Websites: www.wikipedia.com www.hpathy.com www.similia.com www.medscape.com www.webmd.com www.acaai.org