



International Journal of Research Publication and Reviews

Journal homepage: www.ijrpr.com ISSN 2582-7421

The New Graduate in Private Dental Practice: A Narrative Review of Clinical, Business, Legal and Professional Foundations for Long-Term Success

Dr. Althaaf Khan

BDS (SMU), AssocFCGDent (UK)

Private Practice, South Africa

Corresponding author: Dr. Althaaf Khan

Email: khanalthaafy@gmail.com

Author email addresses: khanalthaafy@gmail.com (sole author)

ABSTRACT :

Background: Newly qualified dentists increasingly enter private practice with sound clinical training but limited preparation for the business, legal and professional demands of independent work. Objective: To synthesise, in one practical framework, the clinical, managerial, regulatory, branding and professional-development domains that determine safe entry into private practice and long-term success, with emphasis on the South African context and comparison with other major jurisdictions. Methods: A structured narrative review was conducted. Publicly accessible literature indexes, regulator websites and guideline repositories were searched in October 2026, prioritising systematic reviews, meta-analyses, consensus statements, clinical guidelines and primary regulatory documents. Findings were synthesised thematically and supplemented by the author's experience in private practice. Results: Seven domains emerged: transition and wellbeing; clinical competence from foundational to advanced care; infection prevention and occupational health; business management; legal and ethical regulation; brand and patient experience; and lifelong development. The evidence supports prevention-first care, diagnosis using contemporary classifications, and working within demonstrated competence with timely referral. Burnout and musculoskeletal disorders are common, modifiable risks. Core regulatory duties (valid consent, transparent fees, records, confidentiality, restrained advertising) are broadly shared worldwide but differ in detail. Reputation rests chiefly on consistent clinical and communication standards. Conclusion: Success in private practice is multifactorial and can be planned. A staged roadmap integrating competence, systems, compliance and wellbeing is proposed. Limitations include the narrative design and jurisdictional variation; legal content is informational and must be verified locally.

Keywords: private dental practice; newly qualified dentists; practice management; dental ethics and law; professional development; dental branding

1. Introduction

Oral diseases are the most widespread health conditions in the world. The World Health Organization estimates that about 3.5 billion people are affected, that untreated dental caries alone affects roughly 2.5 billion, that severe periodontal disease affects around one billion, and that the global number of cases has risen by about one billion in three decades [1]. Most of this burden falls on low- and middle-income countries, and access to care is limited by cost, workforce distribution and weak information systems [1]. Every newly qualified dentist who enters practice therefore joins a profession whose services are in demand, but whose patients, regulators and business environment are exacting.

Graduation moves a dentist from a supervised, protected setting to personal responsibility for diagnosis, treatment, records, staff, money and reputation. The General Dental Council's review of preparedness for practice found no evidence that newly qualified dentists were unsafe, but it did identify real challenges at the point of transition, including differing expectations of what a new registrant can do [2]. In the author's experience in private practice in South Africa, the gap is widest in areas that dental curricula treat lightly: running a practice as a small business, navigating regulatory duties, and building a sustainable professional life.

Wellbeing is part of this picture. A meta-analysis of dentists using the Maslach Burnout Inventory reported a pooled burnout prevalence of 13%, with high emotional exhaustion in about 25% of dentists [3]. A more recent systematic review concluded that burnout is a problem at every career stage and highlighted younger dentists working long hours, and particular specialty and workplace factors, as risks [4]. A career strategy that ignores health is not a long-term strategy.

The relevant knowledge is fragmented. Clinical evidence sits in specialty journals, regulatory duties sit in jurisdiction-specific documents, and business

guidance is largely grey literature. No single, practical source follows a new graduate from the first patient to the first decade of practice. The objective of this review is to bring these strands together: to describe, from foundational to advanced dentistry, what the evidence and regulatory frameworks say a new graduate should know, and to translate that into a staged plan for building a safe, ethical, profitable and well-regarded practice.

2. Materials and Methods

2.1 Study design

This is a structured narrative review. It is not a systematic review, was not registered in a protocol registry, and does not include a meta-analysis or a formal risk-of-bias assessment. The structure was guided by the SANRA criteria for narrative reviews, which emphasise a justified topic, a stated aim, a described literature search, appropriate referencing, scientific reasoning and relevant data presentation [5].

2.2 Sources and search approach

Targeted searches of publicly accessible sources were carried out in October 2026. Sources included indexed journal records and open-access repositories, the websites of regulators and professional bodies (including the Health Professions Council of South Africa and the General Dental Council), the World Health Organization, and primary legislative texts. Search terms combined the themes of new graduate transition, burnout, ergonomics, caries, periodontal classification, restorative longevity, endodontic outcomes, implant survival, dental trauma, endocarditis prophylaxis, digital dentistry, teledentistry, informed consent, data protection, practice management and reputation. Because searching was not run as a multi-database Boolean strategy with a flow diagram, it cannot be exactly reproduced, and relevant studies may have been missed.

2.3 Selection, appraisal and synthesis

Where available, priority was given to systematic reviews and meta-analyses, followed by prospective cohort studies, consensus statements and clinical guidelines, then regulatory documents and primary legislation. For each clinical domain, at least one high-level source was used as an anchor. Statements that rest on professional consensus or the author's own experience, rather than on a cited source, are labelled as such in the text. Figures are reported as given by the cited authors. Findings were organised thematically into seven domains, and a practical roadmap was then derived by the author. Business-management literature in dentistry is predominantly non-peer-reviewed, so this section is necessarily more interpretive than the clinical sections.

2.4 Jurisdictional scope

South Africa was the primary frame of reference. The United Kingdom, the United States, Australia and the European Union were used as comparators because of their influence on dental regulation and the likelihood that graduates will practise, study or migrate across them. Legislation is cited as a primary instrument; readers must confirm the current text and any amendments.

2.5 Ethical approval and consent

No human participants, patient data or animals were involved. Formal ethical approval and informed consent were therefore not required.

3. Results and Discussion

3.1 Overview: seven domains of readiness

Seven interdependent domains emerged from the synthesis (Table 1). Clinical skill is necessary but not sufficient: a technically excellent dentist can fail through poor systems, regulatory breaches, burnout or an unmanaged reputation, and a well-run business cannot compensate for unsafe or over-ambitious clinical work.

Table 1. Seven domains of readiness for private practice and their principal evidence anchors.

Domain	Principal anchors	Practical implication
1. Transition and wellbeing	Preparedness review [2]; burnout syntheses [3,4]	Choose early positions for mentorship; build wellbeing safeguards from day one.
2. Clinical competence	Caries consensus [6]; periodontal classification [7,8]; restorative, endodontic and implant outcomes [9–12]	Prevention first; accurate diagnosis; work within competence and refer early.

Domain	Principal anchors	Practical implication
3. Infection prevention and occupational health	CDC dental infection-control guideline [13]; musculoskeletal review [14]	Written protocols, audit and ergonomic design are non-negotiable.
4. Business management	Regulatory billing guidance [15,16]; author synthesis	Know your numbers; transparent fees; documented systems.
5. Legal and ethical regulation	Ethical rules and booklets [15,17]; statutes and consent case law	Consent, records, confidentiality and advertising rules apply from the first patient.
6. Brand and patient experience	Patient use of online ratings [18]; professional standards [16]	Brand is the sum of consistent experiences; keep marketing truthful and compliant.
7. Lifelong development	Evidence-based practice [19]; digital and AI developments [20,21]	Plan CPD, mentorship, and a long-term career architecture.

3.2 The transition: preparedness, mentorship and the first years

The first two to three years determine habits that last decades. The UK preparedness review reported that expectations of new dentists' abilities differ between educators, employers and the graduates themselves, and that this mismatch makes the transition harder [2]. The practical response is deliberate selection of the first working environment. A position with an approachable senior colleague, structured case discussion, adequate appointment times, and good nursing and laboratory support is worth more, over a career, than a marginally higher early income. In South Africa, graduates complete a period of compulsory community service before unrestricted private practice; this period is best used to build breadth, speed and judgement under supervision.

Three habits are consistently valuable. First, keep a case log and revisit failures: restorations that fail, root canals that remain symptomatic, and complaints received are the most efficient teachers. Second, build a referral network early, with named specialists and a clear process for sending and receiving patients. Third, seek peer review through study clubs, mentor meetings or audit; isolation is a recognised contributor to poor outcomes and, as discussed below, to burnout [4].

3.3 Practice pathways and business models

There is no single correct route to private practice. The main pathways differ in capital required, autonomy, income variability, risk and learning opportunity (Table 2). The comparison below is the author's synthesis rather than a quantitative finding, and local market conditions can reverse many of the general trends.

Table 2. Common pathways into private practice (author synthesis).

Pathway	Main advantages	Main risks	Best suited to
Associate (employee or independent contractor)	Low capital; mentorship; steady patient flow; time to learn systems	Limited control; restrictive covenants; income depends on the principal	Most new graduates, years 1-3
Partnership or phased buy-in	Shared capital and risk; continuity; gradual transfer of goodwill	Partner conflict; valuation disputes; unclear exit terms	Associates with a compatible principal and a written agreement
Acquisition of an existing practice	Immediate patient base and cash flow; established team	Overpaying for goodwill; patient attrition after transfer; hidden liabilities	Dentists with experience, capital access and professional advice
Greenfield start-up	Full design control; own brand from day one	Slow ramp-up; high fixed costs; marketing dependence	Well-capitalised dentists in under-served locations
Group or corporate employment	Systems, purchasing power and support; career pathways	Targets that conflict with clinical judgement; limited ownership	Graduates prioritising stability and structured training
Portfolio (multi-site, locum, teaching, specialty training)	Variety; skill breadth; risk spread	Fragmented patient relationships; admin overhead	Dentists preparing for postgraduate study or a specialisation

Whatever the model, the agreement should be in writing and reviewed by an independent professional adviser before signature. Points that repeatedly cause disputes include fee-sharing percentages, laboratory-cost allocation, ownership of patient records, restraint-of-trade clauses, notice periods, indemnity responsibilities and the handling of patients on departure. Enforceability of restraint clauses varies between jurisdictions and must be assessed locally.

3.4 Clinical foundations: from basic to advanced dentistry

The following sections follow a progression from foundational to advanced care. They are not clinical protocols; they identify the highest-level evidence behind each domain and the competence boundaries a new graduate should respect.

3.4.1 Diagnosis, risk assessment and records

Every treatment plan depends on a complete history, a thorough extra- and intra-oral examination, appropriate and justified radiographs, and a documented diagnosis. Risk assessment should be explicit: caries risk, periodontal risk, medical risk and occupational or behavioural factors. Medical history matters clinically as well as legally. In a large prospective endodontic cohort, a history of diabetes and systemic steroid therapy were significant factors affecting tooth survival after root canal treatment [11]. Radiographic examinations should follow the principles of justification and optimisation, with the lowest practicable dose for diagnostic quality. Contemporaneous, legible, dated records, ideally digital and backed up, are the single best protection a clinician has in a complaint or claim.

3.4.2 Prevention and caries management

A prevention-first philosophy aligns clinical outcomes, patient interests and long-term practice sustainability. International consensus distinguishes dental caries, the disease, from the carious lesion, its manifestation, and recommends that "dental caries management" refers to patient-level control through preventive and non-invasive means, whereas "carious lesion management" refers to tooth-level control of symptoms [6]. The same consensus standardises terminology for the clinical consequences of disease in dentine (soft, leathery, firm and hard), which supports selective and minimally invasive approaches [6].

Fluoride toothpaste remains the foundation of home-based prevention. A Cochrane network meta-analysis supports fluoride toothpaste over non-fluoride toothpaste for preventing caries, reports a dose-response relationship in children and adolescents, and cautions that higher concentrations carry a fluorosis risk in developing teeth, so concentration should be chosen with age in mind [22]. Practical prevention in the surgery combines risk-based recall intervals, dietary counselling, topical fluoride, fissure sealants where indicated and motivational communication.

3.4.3 Periodontal care

The 2017 World Workshop replaced the 1999 scheme with a classification that includes periodontal health, gingival conditions, periodontitis, other conditions affecting the periodontium and, for the first time, peri-implant diseases and conditions [7]. Periodontitis is now defined by staging, which expresses severity and complexity, and grading, which expresses biological features and rate of progression, together forming a case definition that begins to apply precision-medicine concepts [8]. A new graduate should be able to chart, stage and grade periodontitis, deliver supra- and subgingival instrumentation, set a maintenance interval, and recognise when to refer. Periodontal stability is also a prerequisite for restorative and implant outcomes, and peri-implant mucositis and peri-implantitis should be on the differential of any implant patient with bleeding or bone loss [7].

3.4.4 Direct restorative dentistry

Posterior resin composite is the default direct restorative material in most contemporary practices. An individual-participant-data meta-analysis of 12 longitudinal studies, covering 2,816 restorations with at least five years of follow-up, found a significantly higher risk of failure in patients at high caries risk and in restorations involving more surfaces [9]. Two lessons follow. First, restoration longevity depends strongly on the patient and the disease control achieved, not only on materials and technique. Second, case selection and prevention should come before placement. Isolation, adhesive protocol discipline, matrix and contact technique, and occlusal assessment are the controllable operator factors and merit continuous refinement.

3.4.5 Endodontics

Prospective data from postgraduate-provided root canal treatment reported complete periapical healing in about 83% of roots after primary treatment and 80% after secondary treatment, with identified prognostic factors common to both [10]. Four-year tooth survival was about 95% after either treatment, with 13 prognostic factors, including diabetes, systemic steroid therapy, iatrogenic perforation, patency at the apical terminus, extrusion of root filling, and the type of coronal restoration, with a cast restoration associated with better survival than a temporary one [11]. These results were obtained under specialist-training conditions and should not be assumed to transfer to every general practice setting; they do show that outcome is determined by case factors, intra-operative quality and the timely, definitive coronal seal. A new graduate should be honest about case complexity, use magnification and radiographic working-length control where available, and refer teeth with complex anatomy, calcification or previous iatrogenic damage that exceed their experience.

3.4.6 Fixed and removable prosthodontics

Predictable fixed prosthodontics begins with periodontal health, a sound core and well-planned occlusal and aesthetic goals. Complete and partial dentures remain essential, especially for older or economically constrained patients, and should not be neglected as a skill. The endodontic evidence above underlines that definitive restorations influence tooth survival [11], so the sequence of treatment (disease control, then definitive restoration) matters. Laboratory communication, shade and material selection, and clear written prescriptions are practical skills that determine both quality and remake costs.

3.4.7 Oral surgery, implants, trauma and medical emergencies

Surgical competence should expand stepwise from simple extractions to surgical removal, soft-tissue procedures and, with training, implant placement. A systematic review of studies with at least 10 years of follow-up, including 23 articles and 7,711 implants, reported cumulative mean implant survival of 94.6% and mean marginal bone loss of 1.3 mm, concluding that osseointegrated implants are safe with high long-term survival [12]. High survival does not eliminate complications, and implant dentistry carries a high medico-legal profile; formal postgraduate training, mentored case progression, three-dimensional imaging where indicated and rigorous consent are expected. A review of burnout also noted that oral surgery and implantology were associated with higher depersonalisation, a reminder that advanced procedures bring emotional as well as technical load [4].

Dental trauma is common in children and young adults, and crown fractures and luxations are among the most common injuries; international guidelines provide a consensus approach to immediate and urgent care [23]. Every practice should hold and rehearse a trauma protocol and have emergency contacts for specialist support.

Medical emergency readiness (oxygen, automated external defibrillator, adrenaline, bronchodilator, glucose and trained staff with current resuscitation certification) is a basic safety standard in the author's view and is expected by professional bodies in most jurisdictions. Antibiotic use should be judicious. The American Heart Association's 2021 scientific statement made no change to its 2007 recommendations, and concluded that infective endocarditis of oral origin is more likely to follow routine daily activities than dental procedures, and that good oral health and regular dental care matter more than prophylaxis before procedures [24]. Dentists should know the high-risk cardiac categories, discuss risks and benefits with patients and coordinate with the cardiologist where uncertain.

3.4.8 Digital dentistry, artificial intelligence and teledentistry

Digital dentistry now includes diagnostics, decision-making, treatment delivery and lifelong oral-health management, well beyond computer-aided design and manufacturing (CAD/CAM) [20]. Industry-driven imaging and CAD/CAM solutions are established, whereas artificial intelligence for diagnostics and treatment planning is, in the same author's assessment, closer to concept than robust clinical routine [20]. A review of artificial intelligence in dentistry stresses that trustworthiness and generalisability must be assured and that continuous human oversight and evidence-based standards should be expected [21]. For a new practice, the practical position is to adopt technology that solves a defined clinical or workflow problem, to ask suppliers for independent evidence and training, to protect patient data, and to remain accountable: the clinician, not the software, is responsible for the diagnosis.

Teledentistry is a further growth area. A systematic review identified a growing body of evidence supporting its efficacy, particularly in some areas of dentistry, but noted that many included studies were preliminary and examined only feasibility and short-term use [25]. It is well suited to triage, follow-up, referral support and access in remote areas, but it does not replace clinical examination, and consent, records and data-protection duties apply equally.

3.4.9 A competence ladder

Table 3 summarises a practical ladder from foundational to advanced care. Placement on the ladder is determined by demonstrated competence, mentorship and outcomes, not by years since qualification. Working within one's competence and referring early is both an ethical duty and a source of reputation.

Table 3. A competence ladder for the first decade (author synthesis anchored to cited evidence).

Level	Typical content	Evidence and safeguards
Foundational (years 0-2)	Examination, diagnosis, risk assessment, radiography, prevention, simple direct restorations, scaling, simple extractions, emergency management	Caries and periodontal frameworks [6,7]; infection control [13]; close mentorship
Intermediate (years 2-5)	Complex restorations, molar endodontics within experience, periodontal therapy and maintenance, crown and bridge, dentures, surgical extractions, trauma first care	Outcome data [9–11]; trauma guideline [23]; audit; referral thresholds

Level	Typical content	Evidence and safeguards
Advanced (years 5+)	Implant therapy, complex endodontic retreatment, advanced aesthetic and full-mouth rehabilitation, digital workflows, sedation or orthodontic aligners with accredited training	Implant evidence [12]; structured postgraduate training; case logs; rigorous consent
Referral (any stage)	Cases beyond training, anatomy or equipment; medically complex patients; patient request	Written referral, shared records, follow-up; aligns with regulatory duty to practise within competence [17]

3.5 Infection prevention, occupational health and wellbeing

Infection prevention is foundational. The CDC guideline for dental settings addresses education and protection of personnel, preventing transmission of bloodborne pathogens, hand hygiene, personal protective equipment, sterilisation and disinfection of patient-care items, environmental infection control, dental unit waterlines and special considerations including handpieces, radiology and oral surgery [13]. These recommendations apply wherever dental treatment is delivered [13]. A new practice should maintain a written infection-control manual, a designated lead, staff immunisation records, validated sterilisation with biological and chemical monitoring, traceability of instrument loads and regular audit. Waste management follows national law and professional guidance; in South Africa this includes the HPCSA's guideline on health care waste [15]. International policy on dental amalgam, including phase-down measures under the Minamata Convention on Mercury, also affects waste handling and material choice [26].

Musculoskeletal disorders are a major occupational hazard. A systematic review reported a prevalence of general musculoskeletal pain between 64% and 93% among dental professionals, with the back and neck most affected in dentists [14]. Ergonomic chair and loupe selection, four-handed dentistry, posture discipline, scheduled breaks and strengthening exercise are practical countermeasures; they also extend a career.

Burnout deserves explicit management. Pooled estimates suggest around one in eight dentists meets criteria for burnout, with a higher proportion reporting high emotional exhaustion [3]. A systematic review reported that emotional exhaustion is associated with working hours, patient volume and job dissatisfaction, that working alone predicts low personal accomplishment, and that younger dentists with long hours and no ownership are at greater risk [4]. Suggested interventions include structured wellness programmes, ergonomic measures, team-based care models, burnout education and monitoring, although the authors note a lack of randomised trials of interventions [4]. For the individual, protective strategies include sustainable scheduling, protected leave, peer support, a clear exit from clinical work each day, and early use of professional help.

3.6 Business management for the new practitioner

3.6.1 Financial foundations

Dentistry is a clinical service delivered through a small business, and the same discipline applies. Essential practices (professional consensus, not drawn from a single cited study) include: a separate business bank account and bookkeeping from day one; a monthly management report showing production, collections, overheads and profit; a budget that includes tax provision, equipment replacement, indemnity, continuing education and leave; and an emergency reserve. Debt should be sized to cash flow, not to ambition. Equipment purchases should follow a defined clinical or workflow need and a payback analysis. A registered accountant familiar with healthcare practices and an independent financial planner are inexpensive relative to the cost of avoidable error.

3.6.2 Systems, people and patient flow

Reliable systems protect quality and the practitioner's time. Written standard operating procedures should cover appointment scheduling, medical history review, consent, sterilisation, emergencies, recall, cancellations, complaints, data backup and staff onboarding. Staff are the practice: recruitment, clear contracts that comply with labour law (in South Africa, for example, the Basic Conditions of Employment Act [27]), regular feedback and a respectful culture reduce turnover and errors. Appointment design should reflect procedure complexity and operator experience; chronic overbooking is a leading driver of stress and substandard work. Key performance indicators should be reviewed regularly (Table 4).

Table 4. Practice indicators worth tracking monthly (author synthesis).

Indicator	What it shows	Typical action if poor
New patients and source	Whether marketing and referrals are working	Review brand, online presence, referrer relations
Recall and retention rate	Patient loyalty and preventive success	Strengthen recall system and communication

Indicator	What it shows	Typical action if poor
Treatment acceptance	Quality of diagnosis, communication and financing options	Improve consent conversations; present options and costs clearly
Production versus collections	Billing efficiency and cash flow	Tighten payment policy; check claims and debtors
Overheads as a share of income	Cost control and pricing adequacy	Renegotiate suppliers; review fees and staffing
Chair utilisation and cancellations	Schedule design and patient reliability	Revise appointment lengths; confirmation process
Complaints and remakes	Clinical and service quality	Root-cause review; staff and clinical training
Staff turnover and absence	Culture and workload	Address workload; improve leadership and feedback

3.6.3 Fees, billing ethics and patient finance

Fee-setting is both a business and an ethical matter. Regulators emphasise transparency. The GDC's standards require patients to be given clear information on costs and expect indicative prices to be displayed [16]. In South Africa, the HPCSA publishes guidelines on over-servicing and perverse incentives and on ethical billing practices, alongside its core ethical rules [15]. The ethical rules also require practitioners to give adequate information on diagnosis, treatment options, alternatives and costs so that patients can make informed decisions [17]. In practice this means a written treatment plan with options and estimates, clear terms for deposits and payment, accurate coding in claims to funders, and refusal of any arrangement that rewards unnecessary treatment. Medical scheme and insurer arrangements differ by jurisdiction and should be understood before contracting.

3.6.4 Risk management and insurance

Professional indemnity cover appropriate to the scope of practice is essential and, in many jurisdictions, mandatory. Additional policies commonly considered include premises and contents, business interruption, cyber-risk, employer liability and income protection. A risk register that is reviewed annually, covering clinical, data, premises, employment and financial risk, is a simple and effective tool.

3.7 Legal and ethical regulation: a global perspective

3.7.1 A shared core of duties

Although the legal instruments differ, dental regulators worldwide converge on a recognisable set of duties: put patients' interests first; communicate effectively; obtain valid consent; protect patient information; maintain records; keep knowledge and skills up to date; work within competence; raise concerns if patients are at risk; handle complaints properly; and behave in a way that maintains public trust. These themes are explicit in the GDC's nine principles [16] and are reflected in the ethical rules and guideline booklets of the HPCSA [15,17].

3.7.2 The South African framework

In South Africa the Health Professions Act establishes the statutory basis for professional regulation [28]. The HPCSA's ethical rules and its series of guideline booklets address general ethics, informed consent, confidentiality, patient records, telehealth, over-servicing and perverse incentives, health care waste, social media and ethical billing [15,17]. Other statutes that affect a practice include the National Health Act, which contains provisions on patient information and consent [29]; the Protection of Personal Information Act, which governs processing of personal information including health data [30]; the Consumer Protection Act [31]; the Occupational Health and Safety Act [32]; and employment legislation [27]. Registered practitioners are expected to remain within their registered scope, category and competence [17], and breaches can attract disciplinary action. Annual registration, continuing professional development (CPD) credits, including an ethics component, and indemnity cover are practical annual obligations; current requirements should be confirmed with the HPCSA.

3.7.3 Comparative overview

Table 5 compares frameworks in the jurisdictions most relevant to dental graduates. It is a high-level orientation and not legal advice; each entry should be verified against current law and regulator guidance.

Table 5. Orientation to regulatory frameworks in selected jurisdictions (high level; verify locally).

Jurisdiction	Registration and conduct	Data protection and records	Other notable features
South Africa	HPCSA registration under the Health Professions Act [28]; ethical rules and booklets [17]	POPIA [30]; HPCSA record-keeping guidance [15]	National Health Act consent provisions [29]; Consumer Protection Act [31]; community service for new graduates
United Kingdom	GDC registration under the Dentists Act 1984 [33]; Standards for the Dental Team [16]	UK data protection law derived from the GDPR [34]	Care quality regulators for practices, for example the CQC in England [35]; fitness-to-practise process
United States	State dental boards license practitioners; professional ethics codes	HIPAA privacy and security rules [36]; state laws	Federal bloodborne pathogen standard [37]; state-specific scope, advertising and corporate-ownership rules
Australia	Dental Board of Australia and AHPRA under the National Law [38]	Federal and state privacy laws	Mandatory CPD and notification obligations under the National Law [38]
European Union	National regulators; mutual recognition of qualifications under Directive 2005/36/EC [39]	GDPR [34]	Considerable national variation in scope, ownership and advertising rules

3.7.4 Consent and the law of disclosure

Valid consent is the point at which clinical, ethical and legal duties meet. Courts in several jurisdictions have moved from a clinician-centred standard of disclosure to a patient-centred one. In the United Kingdom, Montgomery requires clinicians to take reasonable care to ensure that patients are aware of material risks of treatment and of reasonable alternatives [40]. Comparable principles appear in *Canterbury v Spence* in the United States [41], *Rogers v Whitaker* in Australia [42] and, in South Africa, *Castell v De Greef*, which also recognises a duty to disclose material risks [43]. For clinical practice this means discussing the diagnosis, options including no treatment, material risks and benefits, costs and expected outcomes, in language the patient understands, with time for questions, and recording the discussion. A signature on a form is evidence of a conversation, not a substitute for it. Minors, patients lacking capacity and emergencies require specific attention to consent law in the jurisdiction concerned.

3.7.5 Privacy, records and digital tools

Health information is among the most sensitive categories of personal data. Practices should know what data they hold and why, secure it with access controls, encryption and tested backups, use written processor agreements with software and cloud suppliers, have a breach-response plan and respect patients' rights of access. Messaging platforms, photographs, radiographs shared for referral and teledentistry platforms all fall within these duties. Retention periods differ by jurisdiction and patient age, and the HPCSA's guidance on patient records should be followed in South Africa [15]. When artificial intelligence tools are used, clinicians remain responsible for accuracy, confidentiality and transparency to patients [21].

3.7.6 Employment, contracts, advertising and cross-border practice

Associate agreements should specify status (employee or independent contractor), remuneration, indemnity, equipment, dispute resolution and exit terms. Advertising must be truthful, verifiable and consistent with professional rules; dentists should avoid unverifiable superlatives, misleading before-and-after images, undue inducements and statements that exploit patients' fears. The HPCSA addresses social media specifically [15], and the ethical rules address advertising and professional conduct [17]. Graduates who intend to work abroad should check licensing and recognition rules early; within the European Union, mutual recognition arrangements exist [39], whereas other jurisdictions typically require examination or assessment. Immigration and visa matters, which are outside the scope of this review, require specialist advice.

3.8 Building a brand and a reputation that lasts

A dental brand is the cumulative experience patients and referrers have of the practice: how the phone is answered, how long people wait, how clearly options and costs are explained, how pain is managed, how mistakes are acknowledged and how follow-up is done. Marketing amplifies a brand, but cannot create one. Components include a clear promise and values (for example, preventive, family-centred, or aesthetics-focused care), a consistent visual identity, a patient-friendly website with accurate content and a clear booking pathway, an active and professional online presence, systematic collection of patient feedback, and visible community involvement.

Online reputation is now part of the patient journey. In a United States national survey of the public, about two-thirds were aware of online physician ratings and about one quarter had used them, and word of mouth from family and friends remained more frequently endorsed than rating sites as a basis for choosing a doctor [18]. The study concerned physicians in 2012 rather than dentists, so it should be treated as indicative; the principle that patients check and are influenced by online reputation, while still valuing personal recommendation, appears applicable to dentistry. Practical steps include claiming and completing business listings, inviting feedback from every patient in a compliant way, responding promptly and professionally to reviews without disclosing confidential information, and addressing the cause of recurring criticism.

Ethical limits protect the profession and the patient. Testimonials, comparative claims, patient photographs and discounts should be used only where permitted, with explicit consent and accuracy [15,16]. The strongest brand-building activity is consistently excellent care with honest communication, because satisfied patients become referrers.

3.9 Professional development and long-term success

Evidence-based practice integrates the best available research evidence with clinical expertise and patient values [19]. In daily terms, this means reading critically, asking what outcomes a technique achieves, discussing uncertainty with patients and auditing one's own results. Structured CPD should go beyond collecting credits: set annual learning goals aligned with the competence ladder (Table 3), alternate between hands-on courses and reading, and use mentorship or study groups for case discussion. Postgraduate qualifications, whether diplomas, master's degrees or specialist training, increase depth and open teaching, leadership and referral roles; one burnout review linked the lack of postgraduate qualifications to higher burnout in a Hong Kong study of dentists [4], although causality cannot be inferred.

Digital literacy is an emerging element of professional development. Awareness of how artificial intelligence, three-dimensional imaging, intraoral scanning and teledentistry are changing diagnosis and workflow, and of their evidence base and limits, will help dentists adopt tools selectively [20,21,25]. Equally important are non-clinical skills: communication, leadership, financial literacy, negotiation and teamwork.

Long-term success also requires life design. This includes protecting health through ergonomics and rest [14], diversifying income as the career matures, planning retirement and practice succession early, and considering how the practice contributes to the wider public-health need that the WHO has described [1], for example through school or community outreach, pro bono work or support for local clinics.

3.10 A staged roadmap

Table 6 integrates the above into a staged roadmap. Timelines are indicative and should be adapted to the individual's goals, finances and local market.

Table 6. Staged roadmap for the new graduate (author synthesis).

Stage	Clinical focus	Business and legal focus	Professional and personal focus
Year 0-1	Consolidate diagnosis, prevention, simple restorations and extractions; log cases	Register, secure indemnity, read the ethical rules, understand consent and records, review any contract before signing	Choose a mentor; establish a wellbeing routine; ergonomics from day one
Years 1-3	Broaden into endodontics, periodontal therapy, crowns and dentures within competence; audit outcomes	Learn practice numbers; understand fee policy, funders and billing ethics; build a referral network	Set a CPD plan; join a study club; consider postgraduate study
Years 3-5	Add selected advanced skills with formal training; develop an area of interest	Decide on pathway (partnership, acquisition or start-up) with independent legal and financial advice	Define personal brand and values; start a patient-feedback system
Years 5-10	Mentor juniors; refine complex case planning; adopt technology with evidence	Optimise systems, team and finances; formalise policies; data-protection compliance review	Leadership, teaching or research; family and health balance; diversify income
10 years and beyond	Peer-reviewed, outcome-driven care; selective scope	Succession and exit planning; reinvestment; risk review	Legacy, mentoring and community contribution

3.11 Strengths, limitations and directions for future research

The strength of this review is that it links clinical evidence with regulatory and business realities in a single, practical structure that follows a dentist's career. Its limitations are important. It is a narrative review with a non-reproducible search; selection and interpretation reflect the author's judgement;

the South African focus may limit generalisability; the business-management content rests mainly on professional consensus; some regulatory descriptions are summaries and may be outdated; and several cited clinical studies were conducted in specialist or research settings. The review offers no legal advice. Future research should evaluate how newly qualified dentists fare under different early-career models, test interventions for burnout and ergonomic injury in randomised designs, compare regulatory and consent practices internationally, and examine the effectiveness of brand and reputation strategies in dentistry using dental, not general medical, populations.

4. Conclusion

Building a good private practice is a long-term project that rests on more than technical skill. The evidence reviewed here supports a prevention-first, outcome-aware clinical approach in which dentists diagnose using contemporary frameworks, work within demonstrated competence and refer early. It also supports early attention to infection control, ergonomics and mental health; to the financial and operational systems that make a practice sustainable; to the legal duties of consent, confidentiality, honest billing and restrained advertising; and to a reputation earned through consistent patient experience. The staged roadmap proposed here is intended as a practical aid for graduates, mentors and educators. The domains are interdependent, so weakness in one will eventually limit progress in the others. Further research, especially on early-career models, wellbeing interventions and international regulatory comparison, would strengthen the evidence base.

Acknowledgements

The author thanks the colleagues, mentors and patients in private practice whose experience informed this work.

Funding Statement

No external funding was received for this work.

Conflict of Interest

The author declares no financial, professional, institutional or personal conflict of interest that could have influenced this work.

REFERENCES

1. World Health Organization. Global oral health status report: towards universal health coverage for oral health by 2030. Geneva: World Health Organization; 2022.
2. General Dental Council. Preparedness for practice of UK graduates: report 2020. London: General Dental Council; 2020.
3. Moro JS, Soares JP, et al. Burnout syndrome among dentists: a systematic review and meta-analysis. *J Evid Based Dent Pract.* 2022;22(3):101724. doi:10.1016/j.jebdp.2022.101724.
4. Negucioiu M, Buduru S, Ghiz S, Kui A, Şoicu S, Buduru R, et al. Prevalence and management of burnout among dental professionals before, during, and after the COVID-19 pandemic: a systematic review. *Healthcare (Basel).* 2024;12(23):2366. doi:10.3390/healthcare12232366.
5. Baethge C, Goldbeck-Wood S, Mertens S. SANRA—a scale for the quality assessment of narrative review articles. *Res Integr Peer Rev.* 2019;4:5.
6. Innes NPT, Frencken JE, Bjørndal L, Maltz M, Manton DJ, Ricketts D, et al. Managing carious lesions: consensus recommendations on terminology. *Adv Dent Res.* 2016;28(2):49-57. doi:10.1177/0022034516639276.
7. Caton JG, Armitage G, Berglundh T, Chapple ILC, Jepsen S, Kornman KS, et al. A new classification scheme for periodontal and peri-implant diseases and conditions – introduction and key changes from the 1999 classification. *J Clin Periodontol.* 2018;45(Suppl 20):S1-S8. doi:10.1111/jcpe.12935.
8. Tonetti MS, Greenwell H, Kornman KS. Staging and grading of periodontitis: framework and proposal of a new classification and case definition. *J Clin Periodontol.* 2018;45(Suppl 20):S149-S161. doi:10.1111/jcpe.12945.
9. Opdam NJM, van de Sande FH, Bronkhorst E, Cenci MS, Bottenberg P, Pallesen U, et al. Longevity of posterior composite restorations: a systematic review and meta-analysis. *J Dent Res.* 2014;93(10):943-9. doi:10.1177/0022034514544217.
10. Ng YL, Mann V, Gulabivala K. A prospective study of the factors affecting outcomes of nonsurgical root canal treatment: part 1: periapical health. *Int Endod J.* 2011;44(7):583-609. doi:10.1111/j.1365-2591.2011.01872.x.
11. Ng YL, Mann V, Gulabivala K. A prospective study of the factors affecting outcomes of non-surgical root canal treatment: part 2: tooth survival. *Int Endod J.* 2011;44(7):610-25. doi:10.1111/j.1365-2591.2011.01873.x.
12. Moraschini V, Poubel LA, Ferreira VF, Barboza ES. Evaluation of survival and success rates of dental implants reported in longitudinal studies with a follow-up period of at least 10 years: a systematic review. *Int J Oral Maxillofac Surg.* 2015;44(3):377-88. doi:10.1016/j.ijom.2014.10.023.
13. Kohn WG, Collins AS, Cleveland JL, Harte JA, Eklund KJ, Malvitz DM. Guidelines for infection control in dental health-care settings — 2003. *MMWR Recomm Rep.* 2003;52(RR-17):1-61.
14. Hayes M, Cockrell D, Smith DR. A systematic review of musculoskeletal disorders among dental professionals. *Int J Dent Hyg.* 2009;7(3):159-65. doi:10.1111/j.1601-5037.2009.00395.x.

15. Health Professions Council of South Africa. Ethical guidelines for good practice in the health care professions: list of booklets [Internet]. Pretoria: HPCSA; 2025 [cited 2026 Oct 10]. Available from: <https://www.hpcsa-blogs.co.za/?p=6158>
16. General Dental Council. Standards for the dental team. London: General Dental Council; 2013.
17. Health Professions Council of South Africa. Booklet 2: Ethical and professional rules of the Health Professions Council of South Africa [Internet]. Pretoria: HPCSA; [cited 2026 Oct 10]. Available from: https://www.hpcsa.co.za/Uploads/professional_practice/ethics/Booklet_2_Generic_Ethical_Rules_with_anexures.pdf
18. Hanauer DA, Zheng K, Singer DC, Gebremariam A, Davis MM. Public awareness, perception, and use of online physician rating sites. *JAMA*. 2014;311(7):734-5. doi:10.1001/jama.2013.283194.
19. Sackett DL, Rosenberg WM, Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ*. 1996;312(7023):71-2.
20. Schwendicke F. Digital dentistry: advances and challenges. *J Clin Med*. 2020;9(12):4005. doi:10.3390/jcm9124005.
21. Schwendicke F, Samek W, Krois J. Artificial intelligence in dentistry: chances and challenges. *J Dent Res*. 2020;99(7):769-74. doi:10.1177/0022034520915714.
22. Walsh T, Worthington HV, Glenny AM, Marinho VCC, Jeroncio A. Fluoride toothpastes of different concentrations for preventing dental caries. *Cochrane Database Syst Rev*. 2019;3:CD007868. doi:10.1002/14651858.CD007868.pub3.
23. Bourguignon C, Cohenca N, Lauridsen E, Flores MT, O'Connell AC, Day PF, et al. International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 1. Fractures and luxations. *Dent Traumatol*. 2020;36(4):314-30. doi:10.1111/edt.12578.
24. Wilson WR, Gewitz M, Lockhart PB, Bolger AF, DeSimone DC, Kazi DS, et al. Prevention of viridans group streptococcal infective endocarditis: a scientific statement from the American Heart Association. *Circulation*. 2021;143(20):e963-e978. doi:10.1161/CIR.0000000000000969.
25. Estai M, Kanagasigam Y, Tennant M, Bunt S. A systematic review of the research evidence for the benefits of teledentistry. *J Telemed Telecare*. 2018;24(3):147-56.
26. United Nations Environment Programme. Minamata Convention on Mercury: text and annexes. Geneva: UNEP; 2013.
27. Basic Conditions of Employment Act 75 of 1997 (South Africa).
28. Health Professions Act 56 of 1974 (South Africa).
29. National Health Act 61 of 2003 (South Africa).
30. Protection of Personal Information Act 4 of 2013 (South Africa).
31. Consumer Protection Act 68 of 2008 (South Africa).
32. Occupational Health and Safety Act 85 of 1993 (South Africa).
33. Dentists Act 1984 (United Kingdom).
34. Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data (General Data Protection Regulation). *Off J Eur Union*. 2016;L119:1-88.
35. The Health and Social Care Act 2008 (Regulated Activities) Regulations 2014 (England).
36. Health Insurance Portability and Accountability Act of 1996, Pub L No. 104-191, 110 Stat 1936 (United States).
37. Occupational Safety and Health Administration. Bloodborne pathogens. 29 CFR 1910.1030 (United States).
38. Health Practitioner Regulation National Law Act 2009 (Qld) (Australia).
39. Directive 2005/36/EC of the European Parliament and of the Council of 7 September 2005 on the recognition of professional qualifications. *Off J Eur Union*. 2005;L255:22-142.
40. *Montgomery v Lanarkshire Health Board* [2015] UKSC 11 (United Kingdom).
41. *Canterbury v Spence*, 464 F.2d 772 (D.C. Cir. 1972) (United States).
42. *Rogers v Whitaker* (1992) 175 CLR 479 (High Court of Australia).
43. *Castell v De Greef* 1994 (4) SA 408 (C) (South Africa).