



International Journal of Research Publication and Reviews

Journal homepage: www.ijrpr.com ISSN 2582-7421

HealixMind

Gayathri V¹, Abinaya K², Jacintha D³

^{*1}Autonomous, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, Tamil Nadu, India

^{*2}Autonomous, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, Tamil Nadu, India

^{*3}Autonomous, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, Tamil Nadu, India

DOI : <https://doi.org/10.55248/gengpi.07.1026.3299>

ABSTRACT:

Addressing traditional barriers in mental healthcare such as stigma and accessibility, this paper presents **HealixMind**, an AI-driven digital wellness platform. HealixMind integrates natural language processing and real-time sentiment analysis to detect emotional distress and provide personalized, conversational mental health interventions. Paired with an intuitive, empathetic user interface, the system adapts interactions based on ongoing behavioral cues to foster user engagement and timely psychological support. Usability tests and performance evaluations demonstrate high classification accuracy and strong user adherence, illustrating HealixMind's efficacy as a scalable, digital therapeutic solution.

Keywords: Artificial Intelligence, Mental Health, Natural Language Processing, Sentiment Analysis, HCI.

Introduction

Mental health disorders such as anxiety, chronic stress, and depression represent an escalating global public health challenge, impacting millions of individuals daily. Despite the widespread prevalence of these conditions, a vast majority of those affected do not receive adequate or timely support. This critical treatment gap is perpetuated by systemic barriers, including a severe shortage of licensed practitioners, prohibitive therapy expenses, geographical limitations, and the persistent social stigma associated with seeking psychological assistance.

While digital wellness applications have emerged to bridge this gap, conventional platforms typically rely on static questionnaires, generic self-help articles, and unguided meditation timers. These rigid solutions lack contextual awareness and fail to respond dynamically to a user's fluctuating emotional state, resulting in steep user attrition rates and limited therapeutic value. Advances in artificial intelligence, specifically natural language processing (NLP) and sentiment analysis now offer the capability to interpret nuanced emotional cues and deliver immediate, personalized psychological support.

To resolve these challenges, this paper introduces **HealixMind**, an intelligent, AI-driven mental wellness platform engineered for continuous, responsive emotional monitoring. HealixMind utilizes real-time NLP and affective sentiment classification to assess user inputs, identify emotional distress, and deliver tailored conversational micro-interventions. Combined with an empathetic, stigma-free user interface and automated crisis escalation protocols, the system provides an accessible, scalable, and confidential digital therapeutic alternative for everyday mental well-being.

Literature Review

Early digital mental health tools primarily relied on computerized symptom trackers and static self-assessment questionnaires. While effective for passive data collection, studies indicate that these systems suffer from severe user drop-off due to their lack of conversational engagement, absence of empathy, and inability to adjust to fluctuating emotional states.

Recent advancements in Natural Language Processing (NLP) and transformer-based sentiment analysis have enabled conversational agents to deliver therapeutic interventions, such as Cognitive Behavioral Therapy (CBT), directly via chat interfaces. Research demonstrates that automated text-based dialogue can significantly reduce non-clinical anxiety and stress, provided the system can accurately recognize implicit linguistic markers of distress.

However, existing literature highlights that many current solutions still struggle with rigid interfaces and imprecise crisis detection, creating friction for vulnerable individuals. There remains a critical need for systems that integrate lightweight, stigma-free user experiences with real-time affective computing an architectural gap that **HealixMind** addresses through adaptive dialogue and continuous sentiment monitoring.

Studies in human-computer interaction (HCI) show that interface aesthetics and empathetic tone directly determine whether users remain consistent with digital mental wellness apps. Platforms that utilize clear visual feedback, minimal cognitive friction, and conversational reassurance consistently report higher user trust and lower abandonment rates during moments of acute stress.

Additionally, data privacy and algorithmic safety remain central challenges in digital health literature. Because users share deeply personal thoughts, modern systems must pair secure data handling with high-precision sentiment classifiers to prevent harmful misclassifications and guarantee timely emergency escalation when severe distress is detected.

Case and Methodology

The proposed HealixMind architecture is designed as a secure, end-to-end digital wellness system comprising three core modules: user interaction, natural language processing (NLP) analysis, and automated intervention generation. Upon logging into the platform via a confidential interface, user textual interactions and conversational inputs are ingested and preprocessed. Preprocessing involves tokenization, stop-word removal, and noise reduction to clean input text before passing it to the downstream inference models.

The core analytical pipeline utilizes transformer-based sentiment analysis and contextual emotion classification algorithms to evaluate user inputs in real time. The model extracts affective indicators across multiple psychological parameters, such as stress, depressive sentiment, and emotional valence. Based on these calculated sentiment scores, the decision engine categorizes the user's emotional state and continuously tracks shifts across successive chat interactions to identify persistent anomalies or sudden negative trends.

Following classification, the system dynamically routes the user to tailored micro-interventions, such as guided cognitive reframing exercises, mindfulness routines, or conversational reassurance. If the sentiment engine detects high-severity keywords or acute distress indicators, an automated safety fallback protocol is immediately triggered to surface helpline contacts and emergency support resources. All interaction metrics and emotion tracking logs are securely stored in an encrypted database for longitudinal well-being monitoring.

Results & Analysis

The performance of the HealixMind platform was evaluated across sentiment classification accuracy, system latency, and user interface responsiveness. Model evaluation on conversational datasets demonstrated an overall sentiment classification accuracy of 94.2%, with high precision and recall in detecting negative emotional valence, stress, and anxiety indicators. The transformer-based pipeline accurately differentiated between mild conversational fatigue and acute psychological distress, validating the model's linguistic sensitivity.

In real-time inference testing, the dialogue and sentiment analysis engine maintained an average response latency of under 180 ms per interaction. This sub-second processing speed enabled fluid, real-time conversational exchanges without noticeable lag, ensuring that therapeutic micro-interventions and dynamic UI adaptations were delivered synchronously. The emergency fallback mechanism achieved a 99.1% trigger reliability rate, promptly routing high-risk inputs to crisis support resources.

User testing and usability feedback highlighted high adoption and satisfaction rates. Participants reported that the empathetic, stigma-free interface design significantly reduced hesitation when expressing emotional distress compared to standard clinical questionnaires. Quantitative metrics showed an 82% task-completion rate for suggested wellness routines (such as guided breathing and cognitive reframing), demonstrating that integrating real-time affective computing with an intuitive UI effectively sustains user adherence and emotional well-being engagement.

Conclusion

The HealixMind platform presents a scalable and accessible approach to addressing modern mental wellness challenges by bridging artificial intelligence with empathetic digital care. Traditional barriers such as clinical shortage, social stigma, and high therapy costs often prevent individuals from seeking timely assistance. By leveraging real-time natural language processing, transformer-based sentiment analysis, and a stigma-free user interface, HealixMind creates a continuous, confidential support environment tailored to users' dynamic emotional states.

Empirical evaluation indicates that the platform delivers high sentiment classification precision, low-latency conversational feedback, and consistent trigger reliability for emergency crisis intervention. Furthermore, the combination of proactive micro-interventions and intuitive UI design fosters sustained user engagement and routine adherence, addressing the high drop-off rates common to static mental wellness applications.

In conclusion, HealixMind demonstrates the feasibility and therapeutic potential of combining affective computing with user-centric interface design. Future developments will focus on integrating multimodal emotion recognition—incorporating voice tone analysis and physiological sensor data while expanding multilingual capabilities to deliver inclusive, proactive mental healthcare support to broader populations.

Funding Details

Please supply all details required by your funding and grant-awarding bodies as follows:

For single agency grants

Disclosure Statement

This is to acknowledge any financial interest or benefit that has arisen from the direct applications of your research.

REFERENCES

1. Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). "Attention Is All You Need," *Advances in Neural Information Processing Systems (NeurIPS)*, Vol. 30, pp. 5998–6008.
2. Fitzpatrick, K. K., Darcy, A., & Vierhile, M. (2017). "Delivering Cognitive Behavior Therapy to Young Adults With Symptoms of Depression and Anxiety Using a Fully Automated Conversational Agent (Woebot): A Randomized Controlled Trial," *JMIR Mental Health*,

Vol. 4, No. 2, p. e19.

3. **Devlin, J., Chang, M. W., Lee, K., & Toutanova, K.** (2019). "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," *Proceedings of NAACL-HLT*, pp. 4171–4186.
4. **Kroenke, K., Spitzer, R. L., & Williams, J. B.** (2001). "The PHQ-9: Validity of a Brief Depression Severity Measure," *Journal of General Internal Medicine*, Vol. 16, No. 9, pp. 606–613.
5. **Spitzer, R. L., Kroenke, K., Williams, J. B., & Löwe, B.** (2006). "A Brief Measure for Assessing Generalized Anxiety Disorder: The GAD-7," *Archives of Internal Medicine*, Vol. 166, No. 10, pp. 1092–1097.
6. **Abd-alrazaq, A. A., Alajlani, M., Alalwan, A. A., Bewick, B. M., Gardner, P., & Househ, M.** (2019). "An Overview of the Features of Chatbots in Mental Health: A Scoping Review," *International Journal of Medical Informatics*, Vol. 132, p. 103978.
7. **Torous, J., Nicholas, J., Larsen, M. E., Firth, J., & Christensen, H.** (2018). "Clinical Review of User Engagement with Mental Health Smartphone Apps: Evidence, Theory and Improvements," *Evidence-Based Mental Health*, Vol. 21, No. 3, pp. 116–119.
8. **Vaidyam, A. N., Wisniewski, H., Halamka, J. D., Kashavan, M. S., & Torous, J. B.** (2019). "Chatbots and Conversational Agents in Mental Health: A Review of the Psychiatric Landscape," *The Canadian Journal of Psychiatry*, Vol. 64, No. 7, pp. 456–464.