



Strengthening Hispanic Participation in U.S. Diabetes Trials Through Bilingual Consent, Culturally Adapted Outreach, and Immigration Related Privacy Protections

Alexis Pond

Ludwig Maximilian University of Munich (LMU Munich), Munich, Bavaria, Germany

ABSTRACT :

Diabetes remains a major public health challenge in the United States, where unequal access to prevention, treatment, and research opportunities contributes to persistent disparities. Hispanic populations experience substantial diabetes burdens yet remain inadequately represented in clinical trials, limiting the relevance and equitable application of emerging evidence. Participation barriers extend beyond recruitment and include language discordance, culturally mismatched communication, limited research familiarity, logistical constraints, and concerns about immigration-related information disclosure. This narrative review examines how bilingual informed consent, culturally adapted outreach, and immigration-related privacy protections can jointly strengthen equitable participation. Bilingual consent requires accurate translation, qualified interpretation, accessible explanations, and opportunities to verify understanding rather than translated documents alone. Culturally adapted outreach can build trust through community partnerships, trusted messengers, family-sensitive engagement, and communication responsive to diverse Hispanic experiences. Privacy safeguards should minimise unnecessary collection of immigration information, clarify confidentiality limits, restrict data access, and distinguish research participation from immigration enforcement. Integrating these approaches with transportation assistance, flexible scheduling, and transparent institutional accountability may improve informed choice, enrolment, and retention. Evaluation should prioritise comprehension, trust, participant experience, and representativeness alongside recruitment numbers.

Keywords: Hispanic populations; Diabetes clinical trials; Bilingual informed consent; Culturally adapted outreach; Immigration-related privacy protections; Health equity.

1. INTRODUCTION

1.1 Diabetes Burden and Inequities in U.S. Clinical Research

Diabetes represents a persistent public health challenge in the United States, contributing substantially to cardiovascular complications, kidney disease, disability, premature mortality, and escalating healthcare expenditure [1]. Beyond clinical consequences, the condition imposes considerable financial and psychological burdens on affected individuals, families, and healthcare systems. Hispanic populations experience substantial type 2 diabetes burdens, although disease prevalence, complication risks, and treatment access vary according to ancestry, socioeconomic position, geographic location, and healthcare availability [2]. These differences reflect interacting biological, environmental, and structural determinants rather than ethnicity alone. Persistent inequalities in preventive services, timely diagnosis, specialist consultations, and sustained disease management further complicate diabetes outcomes [3]. Consequently, representative clinical research remains essential for establishing whether emerging treatments and management strategies demonstrate comparable effectiveness, safety, and acceptability across diverse populations. Without meaningful Hispanic participation, diabetes trials risk producing evidence that inadequately reflects the circumstances and treatment experiences of communities disproportionately affected by the disease [4].

1.2 Underrepresentation as a Multidimensional Research Problem

Despite substantial diabetes burdens, Hispanic communities encounter persistent inequalities in opportunities to participate in clinical research. Underrepresentation cannot be adequately explained through individual reluctance because recruitment processes frequently reproduce existing healthcare disparities [5]. Limited English proficiency, inadequate access to understandable research information, and unfamiliarity with clinical trial procedures can restrict initial engagement. Furthermore, recruitment concentrated within specialist institutions may overlook individuals receiving care through community clinics or experiencing inconsistent healthcare access. Culturally inappropriate communication, historical experiences of discrimination, and uncertainty regarding institutional intentions may further weaken confidence in research participation [6]. Concerns about confidentiality and potential disclosure of immigration-related information introduce additional complexities for some individuals and families. These barriers frequently reinforce

one another: limited research awareness reduces opportunities for engagement, while inaccessible consent procedures and unresolved privacy concerns can discourage participation after initial contact [7]. Therefore, equitable recruitment requires distinguishing genuine preferences against participation from structural circumstances that prevent individuals from receiving credible invitations and making informed decisions about research opportunities.

1.3 Review Objectives and Central Argument

This narrative review critically examines three complementary approaches to strengthening Hispanic participation in United States diabetes clinical trials: bilingual informed consent, culturally adapted outreach, and immigration-related privacy protections. Its central argument is that equitable participation requires more than expanding recruitment targets; it depends on accessible communication, culturally responsive institutional relationships, and credible safeguards governing sensitive personal information [8]. Bilingual consent supports meaningful comprehension and voluntary decision-making, while culturally adapted outreach strengthens community engagement and addresses contextual barriers to research access. Immigration-related privacy protections provide an additional foundation for trust by clarifying information collection, confidentiality responsibilities, and disclosure limitations. The review considers these strategies across successive participation stages, including research awareness, referral, eligibility assessment, informed consent, enrolment, and retention. Understanding how barriers emerge and interact throughout this pathway provides the necessary foundation for evaluating targeted interventions and developing an integrated framework for equitable diabetes research participation.

2. UNDERSTANDING THE PARTICIPATION GAP: EVIDENCE, CONTEXT, AND MECHANISMS

2.1 Representation and Recruitment Challenges in Diabetes Trials

Hispanic representation in United States diabetes clinical trials reflects inequalities extending beyond enrolment statistics to encompass eligibility assessment, recruitment invitations, screening opportunities, and sustained participation [6]. Although demographic comparisons reveal important representation gaps, they may obscure differences in trial accessibility, recruitment settings, and disease characteristics. Individuals cannot participate in studies they never encounter, making equitable access to recruitment opportunities essential. Restrictive eligibility criteria, including requirements concerning comorbidities, medication histories, or repeated clinical visits, may disproportionately exclude individuals facing complex healthcare circumstances [7]. Similarly, recruitment concentrated within academic medical centres and specialist diabetes clinics can disadvantage populations receiving care through community health facilities. Geographic distance, limited community-based screening, and inconsistent referral practices further constrain participation opportunities [8]. Importantly, enrolment figures alone cannot establish whether disparities arise from eligibility restrictions, insufficient invitations, screening exclusions, or participant decisions. Evaluating trial-specific recruitment records, including screening denominators, invitation rates, eligibility outcomes, and retention patterns, provides a more informative assessment of representation [9]. Such analyses also prevent inappropriate assumptions that Hispanic underrepresentation occurs uniformly across diabetes trials, research locations, or intervention categories within diverse healthcare settings.

2.2 Heterogeneity Within Hispanic Communities

Hispanic populations encompass substantial diversity in national origin, generational experiences, cultural practices, educational attainment, language preferences, and socioeconomic circumstances. Individuals originating from Mexico, Puerto Rico, Cuba, Central America, and South America may encounter different healthcare systems, migration experiences, and institutional relationships [10]. English proficiency and Spanish language preference also vary considerably, meaning bilingual recruitment should respond to individual communication needs rather than presumed ethnic characteristics. Educational experiences and health literacy influence familiarity with research terminology, while insurance coverage and healthcare continuity affect opportunities for clinical trial referral. Geographic circumstances introduce further variation: rural residents may experience substantial travel distances, whereas urban populations may encounter transportation costs, fragmented healthcare access, or competing employment obligations [11]. Family responsibilities, irregular working schedules, financial insecurity, and immigration-related circumstances can additionally influence research availability and perceived risks. Importantly, Hispanic ethnicity neither determines immigration status nor reliably predicts cultural beliefs, research attitudes, or language requirements. Consequently, recruitment strategies should incorporate individual assessments of communication preferences, practical constraints, and informational concerns [12]. Such approaches recognise diversity without reinforcing stereotypes or treating communities as interchangeable recruitment categories.

2.3 Interacting Barriers Across the Participation Pathway

Barriers to Hispanic participation in diabetes trials frequently operate through interconnected mechanisms across successive research stages. During initial awareness, limited outreach and inaccessible communication may prevent individuals from recognising available opportunities. Inconsistent referrals and restrictive screening arrangements can subsequently reduce eligibility assessment, even among interested patients [13]. Once invited, unclear explanations of randomisation, treatment risks, study requirements, or withdrawal rights may weaken understanding and confidence. Institutional mistrust and concerns about sensitive personal information can further influence willingness to proceed, particularly when confidentiality procedures remain inadequately explained [6]. Practical constraints introduce additional difficulties after informed consent. Transportation expenses, inflexible employment schedules, caregiving responsibilities, and repeated clinic appointments may undermine enrolment and retention despite positive relationships with researchers [9]. These barriers should therefore be understood as cumulative rather than isolated obstacles. An individual might overcome initial language difficulties yet withdraw because of unaffordable travel or unresolved privacy concerns. Figure 1 conceptualises these interactions across awareness,

referral, screening, consent, enrolment, and retention, highlighting the institutional and structural conditions shaping participation [11]. This pathway perspective identifies opportunities for targeted interventions while recognising that successful recruitment requires coordinated responses throughout the participant experience.

Figure 1. Multilevel Barriers Influencing Hispanic Participation Across the U.S. Diabetes Clinical Trial Pathway




Figure note: Conceptual framework illustrating how language-related, interpersonal, cultural, institutional, logistical, and privacy-related barriers may overlap across successive participation stages. The relationships are illustrative and do not represent empirically established causal effects.

Figure 1. Multilevel Barriers Influencing Hispanic Participation Across the U.S. Diabetes Clinical Trial Pathway

3. BILINGUAL INFORMED CONSENT AS A FOUNDATION FOR MEANINGFUL PARTICIPATION

3.1 Language Accessibility and Informed Consent Quality

Informed consent constitutes a fundamental ethical requirement in diabetes clinical trials, ensuring that prospective participants understand research objectives, procedures, potential benefits, and foreseeable risks before making voluntary decisions [13]. For Hispanic individuals with limited English proficiency, language accessibility becomes particularly important when evaluating unfamiliar medical terminology and complex study requirements. However, translating consent documents does not necessarily guarantee meaningful comprehension, especially when explanations contain technical concepts or exceed participants' health literacy levels [14]. Randomisation, placebo allocation, treatment uncertainty, adverse reactions, and repeated monitoring appointments may require additional clarification to support informed choices. Participants must also understand that research participation differs from routine clinical care and that withdrawal remains permissible without inappropriate penalties or loss of entitled services [15]. Language discordance between investigators and prospective participants can create misunderstanding, discourage questions, and reinforce uncertainty regarding institutional intentions. Consequently, effective bilingual consent requires interactive communication that accommodates individual comprehension needs, rather than relying exclusively on translated written information. Strengthening these processes promotes participant autonomy, supports ethical recruitment, and establishes clearer expectations concerning diabetes trial participation and follow-up responsibilities [16].

3.2 Designing and Delivering Effective Bilingual Consent

Effective bilingual informed consent requires coordinated communication strategies extending beyond literal translation. Research institutions should provide professionally translated consent documents, qualified medical interpreters, and plain-language explanations that accurately convey study objectives, procedures, risks, and participant responsibilities [17]. Translation quality should be assessed for conceptual accuracy, particularly when technical terminology lacks direct linguistic equivalents or carries different meanings across Spanish-speaking communities. Importantly, language preferences should be established individually because Hispanic ethnicity does not necessarily indicate Spanish proficiency or preference.

Interactive techniques can further strengthen comprehension. Teach-back methods allow participants to explain research information in their own words, enabling investigators to identify misunderstandings without presenting the exercise as a test [18]. Visual illustrations, simplified explanations of randomisation, and clearly organised study schedules can support individuals with varying literacy levels. Participants should receive sufficient time to consider information, consult trusted individuals when desired, and ask questions without experiencing recruitment pressure.

Consistent communication among investigators, research coordinators, and interpreters is equally essential. Standardised explanations and documented clarification procedures can reduce conflicting information across recruitment encounters [19]. Researchers should also distinguish between understanding information and agreeing to participate, recognising that informed refusal represents a legitimate outcome. Consent quality can be evaluated through comprehension checks, participant feedback, and assessment of unresolved questions rather than signed documentation alone. Such approaches position bilingual consent as an ongoing communication process that supports informed decisions throughout diabetes research participation and

subsequent study interactions.

3.3 Ethical Safeguards and Implementation Limitations

Bilingual consent must preserve voluntariness, transparency, and participant autonomy while avoiding practices that unintentionally create pressure to enrol. Investigators should communicate foreseeable risks, uncertain treatment benefits, alternative care options, and withdrawal rights without exaggerating potential advantages [20]. Particular attention is necessary when recruitment occurs through trusted healthcare providers, because existing clinical relationships may influence perceptions of obligation. Consent procedures should therefore distinguish research participation from access to routine medical services.

Implementation nevertheless presents institutional challenges. Qualified interpreter availability, professional translation expenses, staff training, and quality assurance requirements can strain research budgets, especially within smaller clinical sites [17]. Automated translation technologies may assist preliminary communication but should not independently replace qualified review of complex consent information, particularly where inaccuracies could affect understanding of risks or legal rights. Institutions should establish proportionate monitoring procedures, including periodic translation reviews, brief comprehension assessments, and accessible participant feedback mechanisms [19]. These activities should identify communication deficiencies without creating excessive documentation or delaying recruitment unnecessarily. Sustainable multilingual consent infrastructure ultimately requires dedicated resources, clearly assigned responsibilities, and continuous improvement informed by participant experiences. Ethical effectiveness depends on demonstrable understanding, meaningful choice, and consistent respect for individual decisions throughout the research process.

Table 1. Bilingual Informed Consent Strategies, Implementation Requirements, and Evaluation Indicators in U.S. Diabetes Trials

Consent component	Communication barrier addressed	Recommended strategy	Implementation responsibility	Evaluation indicator
Language preference assessment	Incorrect assumptions about preferred language	Ask each participant about preferred spoken and written languages	Recruitment coordinator	Percentage with documented language preference
Translated consent materials	Inaccessible English-language documentation	Provide professionally translated, quality-reviewed materials	Research institution and translation specialists	Translation accuracy and availability
Qualified interpretation	Misunderstanding during verbal explanations	Provide trained interpreters for consent discussions	Research coordinator and interpreter services	Interpreter availability and participant satisfaction
Plain-language communication	Complex terminology and limited research familiarity	Explain randomisation, risks, benefits, and procedures using accessible language	Investigator and consent personnel	Participant comprehension scores
Teach-back assessment	Undetected misunderstanding	Invite participants to explain key information in their own words	Trained research staff	Proportion demonstrating understanding after clarification
Visual and supplementary materials	Difficulty interpreting complex trial procedures	Use diagrams, visit schedules, and illustrated explanations	Research communication team	Participant-reported clarity
Voluntary decision-making	Perceived pressure or confusion about withdrawal	Explain alternatives, withdrawal rights, and freedom to decline	Principal investigator and consent personnel	Understanding of rights and absence of reported pressure
Continuous quality improvement	Persistent communication deficiencies	Review feedback, translation quality, and consent procedures periodically	Research governance and quality assurance teams	Documented corrective actions and improved comprehension

4. CULTURALLY ADAPTED OUTREACH AND COMMUNITY-BASED ENGAGEMENT

4.1 Trust, Research Awareness, and Culturally Responsive Communication

Trust represents an important determinant of engagement with diabetes clinical research, particularly when prospective participants have experienced healthcare discrimination, inadequate communication, or limited institutional responsiveness [18]. Previous interactions with healthcare providers may influence perceptions of research credibility, while unfamiliarity with trial procedures can generate uncertainty regarding experimental treatments, participant responsibilities, and potential risks. However, mistrust should not be attributed uniformly to Hispanic populations, as attitudes vary across personal histories, healthcare experiences, and social circumstances. Culturally responsive communication requires recognising these differences while presenting research opportunities through accessible, respectful, and contextually relevant information [19]. Investigators should avoid stereotypical assumptions concerning family structures, religious beliefs, language preferences, or willingness to participate. Instead, engagement should emphasise attentive listening, transparent explanations, and opportunities for prospective participants to express concerns without pressure. Trusted relationships may encourage dialogue and strengthen institutional credibility, but participation must remain voluntary, including the unrestricted freedom to decline [20]. Meaningful community engagement therefore extends beyond translating recruitment advertisements or distributing culturally themed materials. It requires reciprocal relationships through which community perspectives influence recruitment design, communication practices, and institutional responses to identified participation barriers [21].

4.2 Community Partnerships and Trusted Recruitment Channels

Community partnerships provide opportunities to connect diabetes research institutions with populations who may otherwise encounter limited recruitment access. Collaboration with community health workers, promotores de salud, primary care providers, diabetes educators, and locally established organisations can strengthen awareness through familiar communication channels. These stakeholders may explain research opportunities, identify informational concerns, facilitate referrals, and help prospective participants navigate screening procedures [22]. Their contributions are particularly valuable when research participation requires coordination across unfamiliar clinical environments.

Community health workers and promotores can support culturally responsive engagement by communicating in participants' preferred languages, recognising practical constraints, and encouraging questions without presenting enrolment as an obligation. Primary care providers and diabetes educators may additionally identify potentially eligible patients and connect them with appropriate research personnel [23]. However, eligibility decisions, clinical assessments, and formal consent responsibilities must remain with authorised research professionals.

Community advisory groups can strengthen programme relevance by reviewing recruitment messages, educational materials, communication strategies, and proposed participant support arrangements. Such involvement should occur before recruitment begins and continue through implementation, allowing community feedback to influence operational decisions. Family participation may also support understanding when requested by prospective participants, provided individual autonomy and confidentiality remain protected.

Importantly, partnerships should facilitate bidirectional communication rather than function exclusively as recruitment channels [24]. Researchers must provide opportunities for community representatives to challenge assumptions, identify misconceptions, and communicate emerging concerns. Documenting responses to this feedback can improve transparency, strengthen accountability, and support continuous refinement of outreach approaches. Sustainable partnerships therefore require defined responsibilities, appropriate resources, and recognition of community contributions.

4.3 Personalised Engagement and Sustained Participation Support

Effective outreach requires adapting engagement strategies to individual communication preferences, health literacy, employment conditions, digital access, and household responsibilities. Standardised recruitment messages may overlook differences in research familiarity and practical circumstances, even among individuals sharing similar demographic characteristics [18]. Personalised approaches should therefore begin by identifying preferred languages, accessible communication formats, and barriers that could affect participation.

Culturally responsive educational sessions, community information events, and discussions facilitated through existing healthcare relationships may provide accessible opportunities to explore diabetes research. These activities should explain study purposes, eligibility requirements, potential burdens, and participant rights without implying guaranteed therapeutic benefits. Community representatives can assist with navigation, although their trusted positions require particular attention to avoiding persuasion or perceived obligation [21].

Practical support can complement communication-focused interventions. Flexible appointments, transportation assistance, consideration of childcare responsibilities, and suitable remote consultations may reduce participation burdens where permitted by study protocols. Digital participation options should nevertheless account for internet availability, technological literacy, accessibility, and participant preferences [23].

Sustained engagement also requires consistent communication after initial recruitment. Research teams should provide timely responses to questions, explain procedural changes, and establish accessible mechanisms for reporting difficulties. Participants who decline enrolment should receive the same respect as those who participate. Ultimately, community engagement should be understood as an ongoing institutional relationship that supports informed choice, practical accessibility, and participant wellbeing throughout the research pathway [24].

Figure 2. Culturally Adapted Community Engagement and Participant Navigation Model for Hispanic Diabetes Trials




Figure note: The proposed conceptual model links research institutions, community organisations, healthcare providers, community health workers, and prospective participants through bidirectional communication. It emphasises individualised navigation, informed decision-making, ongoing support, and feedback-driven improvement. The framework preserves voluntary participation and does not assume that culturally adapted engagement automatically produces higher enrolment.

5. IMMIGRATION-RELATED PRIVACY PROTECTIONS AND RESEARCH TRUST

5.1 Immigration-Related Concerns and Participation Decisions

Immigration-related privacy concerns represent a potentially significant barrier to Hispanic participation in United States diabetes clinical trials, particularly among individuals uncertain about institutional data practices or immigration enforcement implications [22]. Requests for identification, residential information, or documentation may generate apprehension when their purposes are inadequately explained. Concerns about confidentiality and potential information sharing can discourage research engagement even when participation does not require disclosure of immigration status. Importantly, perceived disclosure risks must be distinguished from actual legal obligations, institutional procedures, and applicable confidentiality protections [23]. Hispanic populations encompass citizens, permanent residents, temporary migrants, and individuals with varied immigration circumstances; therefore, ethnicity, language preference, and appearance cannot legitimately establish immigration status. Privacy concerns may also extend beyond prospective participants to family members whose circumstances influence perceptions of institutional safety [24]. Such apprehensions can affect willingness to respond to recruitment invitations, complete screening procedures, or provide personal information. Consequently, research institutions should communicate privacy practices clearly, explain the necessity of requested information, and avoid unnecessary documentation requirements. Credible confidentiality explanations are essential even when immigration information is unrelated to study eligibility or research objectives, because uncertainty itself may undermine participation.

5.2 Privacy-by-Design and Proportionate Data Collection

Privacy-by-design provides an institutional approach for reducing unnecessary information exposure throughout diabetes clinical research. Its central principle involves collecting only information reasonably necessary for legitimate research, clinical safety, regulatory, or operational purposes [25]. Investigators should therefore evaluate whether immigration-related information contributes directly to approved study objectives before requesting its disclosure. Unnecessary collection may increase perceived risks without improving scientific validity.

Appropriate safeguards include restricted database permissions, encrypted information storage, documented retention schedules, secure transmission procedures, and separation of research records from unrelated administrative activities [26]. Access should be limited according to authorised responsibilities, with identifiable information protected through proportionate technical and organisational controls. Institutional review boards contribute oversight of participant protections, while applicable federal and institutional requirements govern confidentiality arrangements.

HIPAA protections may apply when covered entities or business associates handle protected health information, although not every research organisation or dataset falls within its scope [27]. Certificates of Confidentiality may provide additional protections for eligible research involving identifiable sensitive information, subject to statutory exceptions and permitted disclosures. These mechanisms should never be described as guaranteeing absolute confidentiality or preventing every legally authorised disclosure.

Research institutions must also train personnel in confidentiality responsibilities, establish secure interpretation arrangements, and communicate data-sharing practices transparently. Regular access reviews, documented incident procedures, and proportionate privacy assessments can strengthen implementation [28]. Effective protection ultimately requires matching institutional safeguards to identifiable risks while maintaining participants' understanding of their rights and confidentiality limitations.

5.3 Communicating Confidentiality and Institutional Accountability

Effective privacy protections require communication that prospective participants can understand and evaluate. Research teams should explain what personal information will be collected, why specific details are necessary, how records will be stored, and which authorised individuals or organisations may access them [29]. Explanations should distinguish routine research activities from circumstances involving legally required or otherwise permitted disclosure. Accessible privacy notices, qualified interpretation, and opportunities for confidential questions can reduce uncertainty without overstating institutional protections.

Consistency across recruitment discussions, screening encounters, and informed consent documentation is particularly important. Contradictory explanations may weaken confidence even when appropriate technical safeguards exist. Investigators should therefore use standardised privacy communication procedures while responding to individual concerns [26]. Institutions must additionally maintain accessible reporting channels for suspected confidentiality breaches, investigate incidents appropriately, and implement corrective measures consistent with applicable requirements.

Accountability should be demonstrated through documented policies, staff training, access controls, periodic compliance reviews, and meaningful responses to participant feedback [30]. These measures provide more credible evidence of responsible information governance than general assurances of confidentiality. Transparent institutional practice can consequently support informed participation decisions while recognising that individuals may reasonably decline research involvement despite available safeguards.

Table 2. Immigration-Related Privacy Concerns, Corresponding Safeguards, Institutional Responsibilities, and Implementation Considerations

Privacy concern	Potential participation consequence	Protective measure	Responsible stakeholder	Limitation or accountability requirement
Immigration status disclosure	Reluctance to enrol or provide personal information	Avoid collecting immigration status unless justified by legitimate research requirements	Principal investigator and research design team	Document the necessity and ethical justification for collecting sensitive information
Identification and documentation requests	Screening avoidance or withdrawal	Request only information necessary for eligibility, safety, and applicable compliance obligations	Recruitment coordinators and investigators	Explain required documentation and avoid unnecessary identity verification
Unauthorised access to personal records	Reduced confidence in institutional confidentiality	Role-based access, encryption, authentication, and access monitoring	Information security and research data management teams	Conduct access reviews and investigate suspected violations
Sharing information with external organisations	Concern about immigration enforcement or unrelated administrative use	Define permissible data-sharing arrangements and restrict unauthorised disclosures	Institutional privacy officer and legal counsel	Explain applicable legal obligations, exceptions, and disclosure limitations
Inadequate confidentiality explanations	Misunderstanding of participant protections	Provide accessible privacy notices and qualified interpretation	Consent personnel and language services	Verify understanding and avoid promises of absolute confidentiality
Exposure of family-related information	Reluctance to discuss household circumstances	Minimise collection of third-party information and restrict access	Research investigators and data governance personnel	Assess whether family information is necessary and protect third-party privacy
Interpreter-related confidentiality concerns	Hesitation to ask questions or disclose sensitive information	Use qualified interpreters subject to confidentiality requirements	Language services and research administration	Provide interpreter training and establish secure communication procedures
Data retention and secondary use	Fear of indefinite storage or unexpected reuse	Establish retention schedules and transparent secondary-use policies	Research data managers and institutional oversight teams	Comply with applicable retention obligations and explain permitted future uses
Suspected confidentiality breach	Withdrawal, distress, or diminished institutional trust	Maintain incident reporting, investigation, and corrective-action procedures	Privacy officer, information security team, and institutional leadership	Follow applicable notification requirements and document institutional responses

6. INTEGRATING THE THREE STRATEGIES INTO AN EQUITABLE TRIAL PARTICIPATION FRAMEWORK

6.1 Coordinated Institutional and Community Responsibilities

Strengthening Hispanic participation in diabetes trials requires an integrated institutional framework that coordinates bilingual informed consent, culturally adapted outreach, and immigration-related privacy protections throughout the research process [29]. Rather than treating these strategies as independent recruitment activities, research institutions should establish shared responsibilities, consistent communication procedures, and mechanisms for responding to participant concerns. Research sponsors should allocate resources for multilingual services, community engagement, transportation assistance, and secure information management. Investigators remain responsible for clinical oversight, eligibility decisions, research integrity, and participant safety [30]. Institutional review boards should evaluate consent accessibility, confidentiality safeguards, recruitment ethics, and protections against coercion.

Recruitment teams should apply consistent referral procedures, identify language preferences, and facilitate appropriate screening. Qualified interpreters should support accurate communication, while community health workers and trusted organisations can improve research awareness, navigation, and participant feedback [31]. However, community partners must not independently determine clinical eligibility, interpret complex medical findings, or obtain consent without appropriate authorisation and training.

Institutional coordination should include documented pathways for escalating safety concerns, eligibility uncertainties, consent misunderstandings, and suspected confidentiality breaches. Designated personnel should investigate concerns and communicate appropriate responses without unnecessary delays [32]. Regular collaboration among investigators, community representatives, and research administrators can identify operational gaps and improve service consistency. This proposed framework therefore distributes responsibilities according to professional competence while maintaining institutional accountability for equitable participation opportunities and participant protection across successive stages of diabetes research.

6.2 Operationalising the Integrated Participation Pathway

Implementation should begin before formal recruitment through accessible outreach developed with community representatives and delivered through appropriate healthcare and community channels [30]. Prospective participants should receive understandable information about trial objectives, eligibility requirements, anticipated commitments, and potential risks. Recruitment personnel should identify preferred spoken and written languages early, ensuring that communication arrangements remain consistent throughout screening, consent, enrolment, and follow-up.

Eligibility assessment should follow standardised clinical criteria without introducing unnecessary documentation requirements or assumptions about immigration circumstances. Privacy explanations should accompany initial outreach and screening rather than appear exclusively within lengthy consent documents [33]. Participants should understand what information is collected, why it is necessary, and which confidentiality limitations apply.

Following screening, qualified research personnel should facilitate bilingual consent discussions, verify comprehension, and provide adequate opportunities for questions. Practical assistance, including transportation support, flexible appointments, and appropriate remote visits, should address participation burdens where resources and protocols permit [31]. Individuals declining enrolment must receive respectful responses without repeated pressure or adverse consequences for routine healthcare access.

For enrolled participants, navigation support should continue through appointment reminders, accessible communication, assistance with logistical difficulties, and timely responses to emerging concerns. Research teams should establish confidential feedback channels and document operational problems requiring attention. Coordinating these activities across the participation pathway may strengthen continuity, reduce avoidable barriers, and support informed engagement without compromising voluntary decision-making or participant autonomy [34].

6.3 Evaluation, Learning, and Continuous Improvement

Evaluating integrated participation strategies requires indicators extending beyond overall recruitment totals. Research institutions should measure outreach reach, referral completion, screening eligibility, consent comprehension, enrolment, retention, and participant-reported experiences [32]. Additional indicators may assess language-service availability, confidence in confidentiality arrangements, unresolved privacy concerns, and accessibility of logistical support. Where ethically justified and legally permissible, outcomes should be examined across preferred languages, geographic settings, and relevant socioeconomic characteristics to identify persistent participation inequalities.

Quantitative monitoring should be complemented by qualitative interviews, participant feedback, and community advisory discussions. These approaches can reveal barriers that enrolment statistics alone cannot explain, including communication difficulties, perceived pressure, or uncertainty regarding information sharing [33]. Evaluation should also consider individuals who decline participation, while respecting their privacy and avoiding intrusive follow-up.

Importantly, increased enrolment does not necessarily demonstrate improved equity if participants experience inadequate comprehension, disproportionate burdens, or diminished autonomy [35]. Institutions should therefore establish feedback mechanisms linking identified problems to documented procedural improvements. The integrated framework presented here remains a proposed operational model rather than an empirically validated causal intervention. Prospective implementation studies are needed to determine its feasibility, effectiveness, resource requirements, and transferability across different diabetes research settings.

Figure 3. Integrated Bilingual Consent, Culturally Adapted Outreach, and Privacy Protection Framework for Equitable Hispanic Participation in U.S. Diabetes Trials.




Figure note: The proposed framework integrates three complementary interventions across awareness, referral, screening, consent, enrolment, and retention. Institutional governance, community partnerships, participant navigation, and continuous evaluation support implementation. Improved comprehension, equitable access, trust, and participant experience are intended outcomes rather than established causal effects.

7. DISCUSSION AND IMPLICATIONS FOR RESEARCH PRACTICE

7.1 Critical Synthesis and Evidence Limitations

Bilingual informed consent, culturally adapted outreach, and immigration-related privacy protections address complementary but distinct mechanisms influencing Hispanic participation in diabetes clinical trials. Bilingual consent aims to strengthen comprehension and enable informed decision-making, culturally adapted outreach seeks to build trusted engagement and accessible recruitment opportunities, and privacy protections aim to increase confidence in institutional information governance [29]. These strategies are interdependent, as concerns about language, trust, and confidentiality often interact throughout the participation pathway. However, the available evidence has important limitations, including variation in study settings, intervention design, Hispanic subpopulations, and outcome measurement [30]. Many studies are observational, single-site, or inadequately powered to examine subgroup differences, and reported associations between interventions and recruitment outcomes should not be interpreted as causal effects. Further comparative and implementation-focused research is needed to determine which combinations of strategies work best, for whom, and under what circumstances [33]. Evaluations should examine feasibility, implementation fidelity, costs, participant experiences, and longer-term retention while distinguishing genuine improvements in equitable access from changes in enrolment alone.

7.2 Policy and Institutional Implications

Research institutions, funders, and policymakers should prioritise sustained investment in multilingual research infrastructure, meaningful community partnerships, transparent privacy governance, and equitable access to trial-related support [34]. These responsibilities should be incorporated into research planning, budgeting, and trial design rather than treated as optional recruitment enhancements. Funding mechanisms should support qualified interpreters, culturally responsive communication, community engagement personnel, and practical assistance addressing participation barriers. Institutional policies should establish clear accountability for confidentiality, recruitment fairness, and accessible informed consent [35]. Evaluation should incorporate participant comprehension, experiences, informed choice, and representation across diverse Hispanic subpopulations alongside conventional enrolment indicators. Importantly, institutional success should not be measured through recruitment numbers alone. Respecting individual autonomy, including decisions to decline participation, remains fundamental to ethical and equitable diabetes research.

8. CONCLUSION

8.1 Summary of the Central Argument

Strengthening Hispanic participation in United States diabetes clinical trials requires coordinated responses to interconnected linguistic, cultural, institutional, and immigration-related privacy barriers. Bilingual informed consent promotes meaningful comprehension, supports informed decision-making, and strengthens participant autonomy. Culturally adapted outreach improves access to credible research information through trusted community partnerships, individualised communication, and sustained engagement. Proportionate privacy safeguards address concerns surrounding sensitive personal information by promoting transparent data practices, confidentiality protections, and institutional accountability. However, these approaches cannot achieve their intended objectives when implemented independently. Effective participation strategies must integrate accessible communication, culturally responsive relationships, practical support, and privacy governance throughout awareness, referral, screening, consent, enrolment, and retention. Such coordination provides a foundation for more inclusive, ethical, and participant-centred diabetes research across diverse communities.

8.2 Future Direction for Equitable Diabetes Research

Future research should prospectively evaluate integrated recruitment and retention strategies, examining participant comprehension, institutional trust, accessibility, privacy concerns, and overall research experiences. Comparative implementation studies should identify effective approaches across diverse Hispanic populations while accounting for differences in language preferences, socioeconomic circumstances, cultural identities, and healthcare access. Research institutions should prioritise sustained community collaboration and transparent evaluation. Ultimately, successful inclusion must be measured through equitable opportunities for informed, voluntary, and meaningful participation rather than increased recruitment numbers alone across clinical settings.

REFERENCE :

1. Valdez-Aguilar M, Conklin JL, Abebe DS. Engaging migrants and immigrants in genetics research. *Nature Genetics*. 2025 Nov;57(11):2634-43.
2. Ceballos RM, Knerr S, Scott MA, Hohl SD, Malen RC, Vilchis H, Thompson B. Latino beliefs about biomedical research participation: A qualitative study on the US–Mexico border. *Journal of Empirical Research on Human Research Ethics*. 2014 Oct;9(4):10-21.
3. Hernandez J. *How Do Latino Individuals in the United States Experience Healthcare in the Context of Their Cultural and Family Practices?* (Doctoral dissertation, Concordia University Chicago).
4. Ogunbayo O. E., Ogunronbi S., Ogunjobi T. T. Association of Ototoxic Drug Dosage and Noise Exposure with Tinnitus among Elderly Persons in Abeokuta Metropolis, Nigeria: A Cross-Sectional Study. *Int. J. Adv. Biol. Biomed. Res.* 2026;14(5):524–532. doi: 10.48309/ijabbr.2026.2087570.1708
5. Victorson D, Banas J, Smith J, Languido L, Shen E, Gutierrez S, Cordero E, Flores L. eSalud: designing and implementing culturally competent

- ehhealth research with latino patient populations. American journal of public health. 2014 Dec;104(12):2259-65.
6. Hu L, Lin NF, Shi Y, Cao J, Sevic MA, Li H, Beasley JM, Levy N, Tamura K, Xu X, Jiang Y. The Integrating Cultural Aspects Into Diabetes Education (INCLUDE) study to prevent diabetes in Chinese immigrants: protocol for a randomized controlled trial. *JMIR Research Protocols*. 2024 Nov 19;13(1):e65455.
 7. McCurley MJ, Gutierrez MA, Gallo PL. Diabetes prevention in US Hispanic adults: a systematic review of culturally tailored interventions. *American journal of preventive medicine*. 2017 Apr 1;52(4):519-29.
 8. Rosas LG, Lv N, Lewis MA, Venditti EM, Zavella P, Luna V, Ma J. A Latino patient-centered, evidence-based approach to diabetes prevention. *The Journal of the American Board of Family Medicine*. 2018 May;31(3):364-74.
 9. Ogunbayo, Olufisayo Ezekiel, Moronkeji Mosimiloluwa Ifeoluwa, Dotun Timilehin Oyeniyi, and Confidence Adimchi Chinonyerem. 2026. "Immunopharmacological Modulation of Coagulation and Blood Physiology in Hematologic Malignancies: Implications for Thrombosis and Hemostasis". *Asian Journal of Advanced Research and Reports* 20 (4):312-30. <https://doi.org/10.9734/ajarr/2026/v20i41350>.
 10. Noya CE. Culturally Adapted Shared Medical Appointments in Primary Care: An Innovative Approach to Reduce Health Disparities among Low Income Latinos Living with Type 2 Diabetes. University of California, San Francisco; 2017.
 11. Guzman LE, Fite KM, Frank HE, Martinez RG, Bridges AJ. Understanding treatment barriers for major depressive disorder in the Latino community: A qualitative study stratified by language preference. *Transcultural psychiatry*. 2025 Dec;62(6):683-99.
 12. Asante, A., Daramola, G., Davis, R. W., & Kumar, S. (2025). Environmentally Friendly Chelation for Enhanced Algal Biomass Deashing. *Phycology*, 5(3), 32. <https://doi.org/10.3390/phycolgy5030032>
 13. Rodríguez MD, Rodríguez J, Davis M. Recruitment of first-generation Latinos in a rural community: The essential nature of personal contact. *Family process*. 2006 Mar;45(1):87-100.
 14. Davidson JA, Rosales A, Shillington AC, Bailey RA, Kabir C, Umpierrez GE. Improving access to shared decision-making for Hispanics/Latinos with inadequately controlled type 2 diabetes mellitus. *Patient preference and adherence*. 2015 Apr 30:619-25.
 15. Samuel Addo. Causal AI for strategic business planning: uncovering latent drivers of long-term organizational performance and resilience. *World Journal of Advanced Research and Reviews*, 2025, 26(2), 895-912. Article DOI: <https://doi.org/10.30574/wjarr.2025.26.2.1738>
 16. Zeng Y, Kang X, Yang Y, Hwang E. Barriers and facilitators of preventive healthcare access among immigrants in rural America: a scoping review. *International journal for equity in health*. 2025 Sep 29;24(1):241.
 17. Joo JY. Effectiveness of culturally tailored diabetes interventions for Asian immigrants to the United States: a systematic review. *The Diabetes Educator*. 2014 Sep;40(5):605-15.
 18. Cristancho S, Garces DM, Peters KE, Mueller BC. Listening to rural Hispanic immigrants in the Midwest: a community-based participatory assessment of major barriers to health care access and use. *Qualitative health research*. 2008 May;18(5):633-46.
 19. Bhandari, A. B. (2026). Quality Control Frameworks for Electronic Health Record Data Workflows in Resource-Constrained Settings: A Structured Review with Implications for Global Health Information Management. *Current Journal of Applied Science and Technology*, 45(8), 1–16. <https://doi.org/10.9734/cjast/2026/v45i84728>
 20. Castellon-Lopez YM, Carson SL, Mansfield L, Garrison NA, Barron J, Morris DA, Ntekume E, Vassar SD, Norris KC, Brown AF, Casillas A. "The system doesn't let us in"—a call for inclusive COVID-19 vaccine outreach rooted in Los Angeles Latinos' experience of pandemic hardships and inequities. *International Journal of Environmental Research and Public Health*. 2022 May 10;19(10):5785.
 21. Banda F, James G, Vasudeva K, Franklin M, Thoumi A, Cholera R. Building equitable mental health care for Latino children: Perspectives from providers and communities. *Journal of racial and ethnic health disparities*. 2025 Jun;12(3):1598-611.
 22. Oluwatobi Alebiosu. Comparative analysis of public-private partnership legislation driving electricity infrastructure expansion, renewable energy investment, and economic resilience nationally. *Int J Foreign Trade Int Bus* 2025;7(2):239-249. DOI: [10.33545/26633140.2025.v7.i2c.262](https://doi.org/10.33545/26633140.2025.v7.i2c.262)
 23. Ford-Paz RE, Reinhard C, Kuebeler A, Contreras R, Sánchez B. Culturally tailored depression/suicide prevention in Latino youth: Community perspectives. *The journal of behavioral health services & research*. 2015 Oct;42(4):519-33.
 24. Revens KE, Gutierrez D, Paul R, Reynolds AD, Price R, DeHaven MJ. Social support and religiosity as contributing factors to resilience and mental wellbeing in Latino immigrants: A community-based participatory research study. *Journal of Immigrant and Minority Health*. 2021 Oct;23(5):904-16.
 25. Ogunbayo OE. Equitable participant recruitment in U.S. clinical research: a narrative review and multilevel framework. *International Journal of Advanced Multidisciplinary Research and Studies*. 2026;6(4):1345-1352. doi:10.62225/2583049X.2026.6.4.6734.
 26. Kim HS, Irwin C, Ulag AS, Devarakonda S. Cancer care disparities among patients with limited English proficiency: challenges and strategies for equity. *BJC reports*. 2025 Nov 11;3(1):80.
 27. Calva A, Matthew RA, Orpinas P. Overcoming barriers: Practical strategies to assess Latinos living in low-income communities. *Health Promotion Practice*. 2020 May;21(3):355-62.
 28. Ijalba E. Hispanic immigrant mothers of young children with autism spectrum disorders: How do they understand and cope with autism?. *American Journal of Speech-Language Pathology*. 2016 May;25(2):200-13.
 29. Samuel Addo. Harnessing AI-powered financial forecasting tools to improve risk management, investment strategies, and overall corporate profitability across industries. *International Journal of Science and Research Archive*, 2023, 09(02), 1175-1192. Article DOI: <https://doi.org/10.30574/ijrsra.2023.9.2.0653>
 30. Tsai W, Zhang L, Park JS, Tan YL, Kwon SC. The importance of community and culture for the recruitment, engagement, and retention of Chinese American immigrants in health interventions. *Translational Behavioral Medicine*. 2021 Sep 1;11(9):1682-90.
 31. Ogunronbi S., Ogunbayo O. E., Mosuro O. A., Ogunlolu M. I., Ajao O. A., Majolagbe A., Ogunjobi T. T. Tinnitus Patterns and Severity Among Adults Aged 60–80 Years Attending a Tertiary Ear, Nose, and Throat Clinic in Nigeria. *SPC J. Med. Healthc*. 2026;2(2):143–152. doi: 10.48309/sjmh.2026.568789.1112
 32. Ovalle-Eliseo S, Mohammed A, Islas Huerta G, Vossell K, Monserratt LH, Diaz-Santos M. Addressing digital disparities in Alzheimer disease by improving access to Alzheimer resources for Spanish-speaking Latino or Latina individuals in Los Angeles County: mixed methods study. *Journal of Medical Internet Research*. 2025 Aug 13;27:e67147.
 33. Mody L, Miller DK, McGloin JM, Freeman M, Marcantonio ER, Magaziner J, Studenski S. Recruitment and Retention of Older Adults in Aging Research: (See editorial comments by Dr. Stephanie Studenski, pp 2351–2352). *Journal of the American Geriatrics Society*. 2008 Dec;56(12):2340-8.
 34. Oluwatobi Alebiosu. Engineering stakeholder alignment frameworks for resolving land rights, environmental compliance, and project delivery conflicts. *Int J Appl Res* 2024;10(12):401-412. DOI: [10.22271/allresearch.2024.v10.i12e.13917](https://doi.org/10.22271/allresearch.2024.v10.i12e.13917)

-
35. Sterling SA, Kline-Simon A, Metz VE, Eisenberg N, Grijalva C, Iturralde E, Charvat-Aguilar N, Berrios G, Braciszewski J, Beck A, Boggs J. Pilot implementation of Guiando Buenas Decisiones, an evidence-based parenting program for Spanish-speaking families, in pediatric primary care in a large, US health system: A qualitative interview study. *Journal of Prevention*. 2024 Dec;45(6):901-18.