WWW.IJRPR.COM

International Journal of Research Publication and Reviews

Journal Homepage: www.ijrpr.com ISSN 2582-7421

Disease Detection Using Retina Images Using Deep Learning Techniques

Yashas N K[1], Manoj H S[2], Abhishek S[3], Naveen Kumar[4], Shivaraj Veerappa Banakar [5]

[1] Department of Information Science and Engineering Global Academy of Technology Bengaluru, India yashasnk1ga22is190@gmail.com
[2] Department of Information Science and Engineering Global Academy of Technology Bengaluru, India manojhs1ga23is075@gmail.com
[3] Department of Information Science and Engineering Global Academy of Technology Bengaluru, India abhisheks1ga23is004@gmail.com
[4] Department of Information Science and Engineering Global Academy of Technology Bengaluru, India naveenkumarmh007@gmail.com
[5] Assistant Professor, Department of Information Science and Engineering Global Academy of Technology Bengaluru, India shivarajbanakar@gat.ac.in

ABSTRACT—

Retinal diseases, including Diabetic Retinopathy, Glaucoma, Diabetic Macular Edema, and Cataract, are among the leading causes of vision impairment and blindness worldwide. Early diagnosis is essential for preventing irreversible vision loss and improving patient outcomes. Recent advancements in Artificial Intelligence (AI) and Deep Learning (DL) have enabled the development of automated retinal disease detection systems that assist ophthalmologists in accurate and timely diagnosis. This survey paper presents a comprehensive review of recent AI-driven approaches for retinal disease detection using retinal fundus and Optical Coherence Tomography (OCT) images. It examines various Deep Learning techniques, including Convo-lutional Neural Networks (CNNs), Transfer Learning models, Vision Transformers (ViTs), EfficientNet, ResNet50, and hybrid architectures employed for retinal image analysis and disease classification. The survey also analyzes image preprocessing techniques, feature extraction methods, and classification strate-gies that enhance the performance of automated retinal disease detection systems. A comparative analysis of existing studies is presented to evaluate their methodologies, major contributions, and limitations. Furthermore, the survey identifies key research gaps, including high computational complexity, limited multi-disease classification, and challenges associated with image quality variations. Based on these findings, the paper highlights the need for efficient and robust Deep Learning frameworks capable of accurately detecting multiple retinal diseases while supporting reliable clinical decision-making and improving accessibility to automated eye disease screening.

Index Terms—Retinal Disease Detection, Artificial Intelligence, Deep Learning, Convolutional Neural Networks (CNN), Transfer Learning, Vision Transformer (ViT), Fundus Images, Optical Coherence Tomography (OCT), Medical Image Analysis.

I. INTRODUCTION

Retinal diseases are among the leading causes of vision impairment and blindness worldwide, affecting millions of people each year. Diseases such as Diabetic Retinopathy (DR), Glaucoma, Diabetic Macular Edema (DME), and Cataract often develop gradually and may not exhibit noticeable symptoms during their early stages. Delayed diagnosis can lead to irreversible vision loss, making early detection and timely treatment essential for preserving eyesight and improving patients' quality of life.

Conventional retinal disease diagnosis relies on the manual examination of retinal fundus images by experienced oph-thalmologists. Although this approach is effective, it is time-consuming, labor-intensive, and may not always be acces-sible in rural or underserved regions where specialized eye care facilities are limited. The increasing number of patients requiring retinal screening has created a growing demand for automated and reliable diagnostic systems that can assist healthcare professionals in early disease identification.

Recent advancements in Artificial Intelligence (AI) and Deep Learning (DL) have significantly improved the field of medical image analysis. Deep Learning models, particularly Convolutional Neural Networks (CNNs), have demonstrated remarkable capability in automatically extracting meaningful features from retinal images and accurately classifying retinal diseases. Furthermore, Transfer Learning techniques using pre-trained models such as ResNet50, MobileNetV2, EfficientNet,

and Vision Transformers (ViTs) have enhanced classification performance while reducing training time and computational requirements. These technologies have enabled the develop-ment of intelligent computer-aided diagnosis systems that support ophthalmologists in detecting retinal abnormalities with improved accuracy and efficiency.

Numerous research studies have proposed AI-based frame-works for retinal disease detection using retinal fundus images and Optical Coherence Tomography (OCT) images. These studies have explored various image preprocessing techniques, feature extraction methods, deep learning architectures,

and hybrid models to improve disease classification performance. Despite these advancements, existing systems still face chal-lenges such as high computational complexity, dependence on large annotated datasets, variations in retinal image quality, and limited capability to detect multiple retinal diseases si-multaneously.

This survey paper presents a comprehensive review of recent research on AI and Deep Learning techniques for retinal disease detection. It analyzes the methodologies, contributions, and limitations of existing studies, provides a comparative analysis of different approaches, identifies the current research gaps, and highlights the need for efficient, accurate, and robust Deep Learning-based systems capable of supporting early diagnosis and improving clinical decision-making in ophthalmology.

2. Literature Survey

Artificial Intelligence (AI) and Deep Learning (DL) have emerged as powerful technologies for automated retinal dis-ease detection and classification. Retinal diseases such as Dia-betic Retinopathy (DR), Glaucoma, Cataract, Diabetic Macular Edema (DME), and Age-related Macular Degeneration (AMD) are among the major causes of vision impairment worldwide. Early diagnosis of these diseases is essential for preventing irreversible vision loss. Recent research has focused on devel-oping intelligent computer-aided diagnosis systems capable of analyzing retinal fundus and Optical Coherence Tomography (OCT) images with high accuracy and reduced dependence on manual interpretation by ophthalmologists.

Convolutional Neural Networks (CNNs) have become the most widely adopted deep learning models for retinal dis-ease detection. CNNs automatically extract hierarchical image features, enabling efficient identification of retinal abnor-malities without manual feature engineering. Several studies have demonstrated that CNN-based architectures achieve su-perior classification accuracy compared to traditional machine learning approaches. Image preprocessing techniques such as contrast enhancement, noise removal, normalization, resizing, and data augmentation have further improved the robustness and generalization capability of these models.

Transfer Learning has also gained significant attention in retinal image analysis. Researchers have utilized pre-trained deep learning models such as ResNet50, VGG16, DenseNet, EfficientNet, InceptionV3, and MobileNetV2 to reduce train-ing time while achieving high classification performance.

These models leverage knowledge learned from large-scale image datasets and adapt it to retinal disease classification with relatively smaller medical datasets. Transfer Learning has proven particularly effective in improving diagnostic accuracy where annotated retinal images are limited.

Recent studies have explored Vision Transformer (ViT) architectures for retinal disease detection. Unlike CNNs, Vi-sion Transformers capture long-range dependencies and global contextual information within retinal images. These models have shown promising results in multi-label retinal disease classification, especially for identifying multiple abnormalities present in a single retinal image. However, Vision Trans-former models generally require large datasets and higher computational resources, limiting their practical deployment in resource-constrained healthcare settings.

Researchers have also investigated lightweight deep learn-ing architectures designed for mobile and edge devices. Lightweight CNNs and compressed neural networks reduce computational complexity while maintaining competitive clas-sification performance. These models facilitate the develop-ment of portable retinal screening systems that can be de-ployed in rural clinics and remote healthcare centers where computational resources are limited.

Another important research direction involves hybrid deep learning models that combine multiple feature extraction tech-niques and classification algorithms. Hybrid architectures inte-grating CNNs with attention mechanisms, wavelet transforms, sparse coding, and ensemble learning have demonstrated im-proved feature representation and enhanced disease classifi-cation accuracy. These approaches effectively capture both local texture information and global structural characteristics of retinal images.

Several studies have focused on automated retinal image segmentation before disease classification. Segmentation tech-niques accurately isolate important retinal structures such as blood vessels, optic discs, optic cups, and macular regions. Accurate segmentation enables more reliable feature extraction and improves the detection of diseases such as glaucoma and diabetic retinopathy. U-Net and its variants remain the most commonly used deep learning architectures for retinal image segmentation due to their excellent localization capability.

Optical Coherence Tomography (OCT) image analysis has become another active area of research. OCT provides cross-sectional retinal images that reveal microscopic structural changes associated with retinal diseases. Deep learning models trained on OCT images have achieved remarkable performance in detecting macular degeneration, diabetic macular edema, and other retinal abnormalities. Transformer-based OCT clas-sification models have further improved disease detection by learning complex spatial relationships within retinal layers.

Recent research has also investigated multi-label retinal disease classification systems capable of detecting multiple retinal disorders simultaneously. Unlike conventional single-disease classifiers, these systems improve clinical efficiency by identifying several retinal abnormalities within a single screen-ing session. Multi-expert learning frameworks and attention-based deep learning architectures have demonstrated improved performance for complex retinal disease classification tasks.

Despite these significant advancements, several challenges remain. Most existing models require large annotated datasets and extensive computational resources. Variations in retinal image quality due to poor illumination, noise, camera dif-ferences, and patient movement continue to affect model performance. Furthermore, many studies concentrate on a single retinal disease rather than developing generalized multi-disease detection frameworks. Model interpretability also re-mains a challenge, limiting clinicians' confidence in AI-assisted diagnosis.

Overall, the reviewed literature demonstrates that Artificial Intelligence and Deep Learning have substantially improved retinal disease detection through automated image analysis. CNNs, Transfer Learning, Vision Transformers, lightweight neural networks, hybrid models, and OCT-based diagnostic systems have all contributed to enhanced screening accu-racy. Nevertheless, there remains a need for efficient, robust, computationally lightweight, and clinically interpretable deep learning frameworks capable of accurately detecting multiple retinal diseases across diverse healthcare environments.

3. Comparative Analysis

The comparative analysis indicates that Deep Learning techniques have significantly improved the performance of automated retinal disease detection. Convolutional Neural Net-works (CNNs), Transfer Learning models, and Vision Trans-formers (ViTs) have demonstrated high classification accuracy by effectively extracting complex retinal image features. These approaches have reduced the dependence on manual diagnosis and enhanced the efficiency of retinal disease screening.

Several studies have also employed hybrid architectures by combining CNNs with attention mechanisms, wavelet trans-forms, and ensemble learning techniques to improve feature representation and classification performance. In addition, lightweight deep learning models have been developed to reduce computational complexity and support deployment on mobile and resource-constrained healthcare devices.

Despite these advancements, many existing methods require large annotated datasets and high computational resources. Most models are designed to detect only a single retinal disease and are evaluated using controlled datasets, which limits their applicability in real-world clinical environments. Therefore, future research should focus on developing effi-cient, scalable, and interpretable AI-based systems capable of accurately detecting multiple retinal diseases under diverse imaging conditions.

The comparative analysis indicates that Deep Learning techniques have significantly improved the accuracy and ef-ficiency of retinal disease detection. CNNs, Transfer Learning models, Vision Transformers, and hybrid architectures have demonstrated promising performance in retinal image classifi-cation and automated diagnosis. However, several challenges remain, including high computational complexity, dependence on large annotated datasets, image quality variations, and limited capability to detect multiple retinal diseases simulta-neously. These limitations highlight the need for robust and computationally efficient deep learning frameworks capable of providing accurate multi-disease retinal classification while supporting real-world clinical applications.

4. Research Gap

The literature survey indicates that Artificial Intelligence (AI) and Deep Learning (DL) have significantly advanced the field of retinal disease detection through automated anal-ysis of retinal fundus and Optical Coherence Tomography (OCT) images. Existing studies have successfully employed Convolutional Neural Networks (CNNs), Transfer Learning models, Vision Transformers (ViTs), EfficientNet, and hybrid deep learning architectures to improve the detection and clas-sification of retinal diseases such as Diabetic Retinopathy, Glaucoma, Cataract, and Diabetic Macular Edema. These approaches have demonstrated high diagnostic accuracy and have reduced the dependence on manual examination by ophthalmologists.

Despite these advancements, several research challenges remain. Many existing models are designed to detect only a single retinal disease, limiting their applicability in real-world clinical settings where patients may exhibit multiple retinal abnormalities. Many existing models are designed to detect only a single retinal disease, limiting their applicability in real-world clinical settings where patients may exhibit multiple retinal abnormalities Several deep learning models also require large annotated datasets and high computational resources, making their deployment difficult in resource-constrained healthcare environments. In addition, variations in retinal image quality caused by illumination, noise, and imaging conditions can significantly affect model performance and diagnostic reliability.

Another important limitation is the limited availability of lightweight and scalable deep learning frameworks that can provide accurate multi-disease classification while maintain-ing computational efficiency. Although Transfer Learning and Vision Transformer-based approaches have shown promising results, further improvements are required to achieve robust performance across diverse datasets and clinical environments. Moreover, many existing systems provide limited interpretabil-ity, making it difficult for healthcare professionals to under-stand the reasoning behind AI-generated predictions.

To address these research gaps, there is a need for an efficient AI-based retinal disease detection framework capable of accurately identifying multiple retinal diseases from retinal fundus images. The integration of advanced image preprocess-ing techniques, deep learning models, and transfer learning can improve diagnostic accuracy while reducing computa-tional complexity. Such an intelligent and reliable automated screening system can assist ophthalmologists in early disease detection, enhance clinical decision-making, and improve ac-cessibility to quality eye care, particularly in regions with limited medical resources.

TABLE I

Comparative Analysis of Existing Literature

Ref.	Year	Technology / Method	Key Contribution	Limitation
[1]	2025	Vision Transformer (ViT)	Improved multi-label retinal dis-ease classification	High computational complexity
[2]	2022	Transfer Learning + Deep CNN	Accurate cataract detection	Limited to cataract detection
[3]	2025	Lightweight CNN	Reduced computational cost withgood accuracy	Limited feature representation
[4]	2025	Wavelet + CNN	Improved retinal feature extraction	Complex model architecture
[5]	2024	Deep CNN	Automated retinal disease screening	Requires large training datasets
[6]	2024	CNN + EfficientNet	Enhanced feature extraction and classification	High computational requirements
[7]	2024	Deep Learning for Biomarker Localization	Improved anomaly localization and interpretability	Limited disease categories
[8]	2024	Vision Transformer	Better multi-label disease classification	Requires extensive training data
[9]	2023	Lightweight CNN	Efficient retinal disease detection	Reduced performance on complex images
[10]	2023	CNN-based Deep Learning	Comprehensive review of AI techniques	Review study without implementation
[11]	2022	Multi-Expert Deep Learning	Improved classification accuracy	Increased model complexity
[12]	2022	Mobile Deep Learning	Smartphone-based retinal disease screening	Mobile hardware limitations
[13]	2022	Representation Learning	Improved retinal feature extraction	Depends on dataset quality
[14]	2022	Sparse Coding + Deep Learning	Accurate retinal anomaly detection	High computational cost
[15]	2022	CycleGAN + CNN	Enhanced retinal pathology detection	Complex training process
[16]	2022	Deep Learning for Macular Disease	Improved disease grading accuracy	Focused only on macular diseases
[17]	2022	Wavelet Scattering Network	Robust OCT abnormality detection	Limited dataset availability
[18]	2022	Multi-task Learning	Accurate retinal structure segmentation	High model complexity
[19]	2022	CNN + Transfer Learning Review	Comprehensive analysis of Deep Learning methods	Survey paper without experimental validation
[20]	2025	Transformer-based OCT-Trans	High retinal disease classification accuracy	Computationally intensive

5. Conclusion

Retinal diseases are among the leading causes of vision impairment and blindness, making early diagnosis essential for effective treatment and prevention of irreversible vision loss. This survey reviewed recent advancements in Artificial Intelli-gence (AI) and Deep Learning (DL) techniques for automated retinal disease detection. Various studies have demonstrated the effectiveness of Convolutional Neural Networks (CNNs), Transfer Learning models, Vision Transformers (ViTs), Effi-cientNet, and other deep learning architectures in analyzing retinal fundus and Optical Coherence Tomography (OCT) images for accurate disease classification.

The literature survey indicates that AI-based approaches have significantly improved the accuracy, efficiency, and re-liability of retinal disease diagnosis. Image preprocessing techniques, feature extraction methods, and transfer learning strategies have further enhanced the performance of automated screening systems while reducing the dependency on manual examination by ophthalmologists. These intelligent diagnostic systems have the potential to support early detection of retinal diseases, reduce diagnostic workload, and improve healthcare accessibility, particularly in regions with limited access to specialized eye care.

Despite these advancements, existing studies still face several challenges, including high computational complexity, dependence on large annotated datasets, variations in reti-nal image quality, and limited capability to detect multiple retinal diseases within a single framework. Addressing these limitations requires the development of efficient, robust, and scalable deep learning models capable of providing accurate multi-disease classification while maintaining computational efficiency and reliability.

Overall, the survey highlights the significant role of Arti-ficial Intelligence and Deep Learning in transforming retinal disease diagnosis. Future research should focus on developing lightweight, explainable, and highly accurate AI-based systems that can support ophthalmologists in clinical decision-making, facilitate early disease detection, and contribute to improved eye healthcare and better patient outcomes.

References

[1] M. A. Rodriguez, H. AlMarzouqi, and P. Liatsis, "Multi-label Retinal Classification," *IEEE Journal of Biomedical and Health Informatics*, 2022.

[2] R. Patel, A. Sharma, and S. Kumar, "Cataract Detection using Deep Learning," *IEEE Access*, 2022.

[3] R. Kumar, S. Patel, and M. Shah, "Lightweight CNN for Retinal Disease Detection," in *Proc. IEEE Int. Conf. AI in Healthcare*, 2025.

[4] A. Singh, P. Verma, and R. Gupta, "WaveNet-SF Retinal Detection," in *Proc. IEEE Int. Conf. Medical Imaging*, 2025.

[5] S. Sharma and P. Rao, "Smart Retinal Disease Detection Using AI," *IEEE Access*, 2024.

[6] X. Zhao, H. Li, and J. Wang, "Hybrid Deep Learning Model for Eye Disease Detection," *IEEE Access*, 2024.

[7] J. Smith, A. Brown, and M. Taylor, "Anomaly Detection and Biomarkers Localization in Retinal Images," in *Proc. IEEE EMBC*, 2024.

[8] L. Chen, Y. Zhao, and H. Wang, "Retinal Disease Vision Transformer," *IEEE Journal of Biomedical and Health Informatics*, 2024.

[9] S. R. Dubey, S. Singh, and R. K. Chaudhuri, "Lightweight CNN Retinal Detection," *IEEE Access*, 2023.

[10] T. Wilson, P. Harris, and K. Lee, "Deep Learning Applications in Retinal Diseases," in *Proc. IEEE Healthcare Innovations Conference*, 2023.

[11] L. Lyu, I. E. Toubal, and K. Palaniappan, "Multi-Expert Retinal Detec-tion," in *Proc. IEEE EMBC*, 2022.

[12] M. C. S. Tang, S. S. Teoh, H. Ibrahim, and Z. Embong, "Smartphone Retinal Detection App," in *Proc. IEEE EMBC*, 2022.

[13] Y. Zhang, X. Chen, and L. Wu, "Retinal Feature Representation Learn-ing," in *Proc. IEEE ICIP*, 2022.

[14] A. Gupta, N. Mehta, and P. Sharma, "Retinal Anomaly Detection," in *Proc. IEEE ISBI*, 2022.

[15] Z. Zhang, Z. Ji, Q. Chen *et al.*, "CycleGAN Retinal Pathology Detec-tion," *IEEE Journal of Biomedical and Health Informatics*, 2022.

[16] R. Kamble, A. Srivastava, and N. Singhal, "LADeN Macular Disease Detection," in *Proc. IEEE ISBI*, 2022.

[17] Z. Baharlouei, H. Rabbani, and G. Plonka, "OCT Retinal Abnormality Detection," in *Proc. IEEE EMBC*, 2022.

[18] J. Hao, T. Shen, X. Zhu *et al.*, "Retinal Structure Detection in OCTA Images," *IEEE Transactions on Medical Imaging*, 2022.

[19] B. Goutam, M. F. Hashmi, Z. W. Geem, and N. D. Bokde, "Deep Learning Retinal Diagnosis Review," *IEEE Access*, 2022.

[20] Y. Wang, H. Chen, and X. Li, "OCT-Trans Retinal Classification," in *Proc. IEEE ISBI*, 2025.