WWW.IJRPR.COM

International Journal of Research Publication and Reviews

Journal Homepage: www.ijrpr.com ISSN 2582-7421

2026 El Niño's Heat Risks to India's Crops, Wildlife, Vegetation, Water and People

Dr. Parag Dalal

Asst Prof. School of Studies in Environment Management, Samrat Vikramaditya University Ujjain
Email – paragdalal@rediffmail.com

Executive Summary

This Research paper assesses how the strengthening 2026 El Niño and human-caused global warming may interact to affect India's natural and human systems. The evidence base combines official climate monitoring and forecasts, India's seasonal rainfall record, peer-reviewed research and international synthesis reports. The analysis distinguishes observed facts from projections and mechanistic expectations all along the country.[21] The headline "warmest year 2026" is not yet an established fact given by us. Copernicus reported that January-August 2026 ranked second-warmest globally behind 2024; August was jointly the warmest August/month in its record, and September for the centurywas the second-warmest September. The full-year ranking will only be known after the year closes and datasets are finalized for the running year 2026 [1,2].



Photo – 1 Illustrative photo-style composite created for this research paper. AI-generated not any documentary evidence of 2026.

A very strong El Niño is developing in this current year i.e. 2026.[22] The World Meteorological Organization forecast a Niño 3.4 anomaly near +3.7°C for October-December 2026, peaking around December end; NOAA's 8 October diagnostic judged a strong-to-very-strong event likely through January-March 2027 with more than 83% probability of the heat effect of El Niño is present. These are forecasts, not guarantees of a specific Indian weather outcome but will be around 70% true. [3,4].

Table – 1: Evidence and Interpretation –

Finding	What the evidence says	Interpretation
Global temperature	Jan-Aug 2026: second-warmest year-to-date; Aug +1.65°C and Sep +1.63°C vs 1850-1900 baseline. [1,2]	Very warm, but "warmest full year" is unconfirmed.
El Niño	WMO forecast Niño 3.4 near +3.7°C in Oct-Dec; NOAA gives >83% chance of strong/very strong conditions through Jan-Mar 2027. [3,4]	High confidence in event persistence; local impacts remain probabilistic.
India monsoon	759.4 mm vs 868.6 mm normal; 87.4% of LPA, about 12.6% below normal. [6,7]	Meaningful national deficit with major regional differences as some region face draught and some heavy mansoon.
Water storage	178 key reservoirs at about 70% of capacity on 24 Sep, below 76.62% 10-year average and 79% in 2025. [8]	Lower buffer entering the post-monsoon/dry season.
Food and health	Heat can reduce crop and livestock productivity; Indian multi-city evidence links defined heat waves to higher daily mortality especially Rice. [9,10]	Risk depends on exposure, timing, humidity, irrigation, health protection and adaptive capacity.

"El Niño" refers to anomalously warm sea-surface temperatures in the central and eastern equatorial Pacific coupled with atmospheric circulation changes. "Extreme heat" is not simply a high maximum temperature: duration, humid heat, warm nights, wind, radiant heat and physical workload determine biological and occupational stress. "LPA" means long-period average. Crop impacts are stage-specific; the same temperature can have different consequences at seedling, flowering and grain-filling stages.

Key Words – El Niño, Extreme heat, long-period average, analysis, distinguishes, observed facts projections, duration, humid heat, warm nights, wind, radiant heat, physical workload

Abbreviation's –

NOAA's	-	National Oceanic and Atmospheric Administration
LPA	-	Long Period Average
RONI	-	Relative Oceanic Niño Index
ENSO	-	El Niño–Southern Oscillation
IOD	-	Indian Ocean Dipole
IMD	-	Indian Metrological Department
FAO	-	Food and Agriculture Organization
WMO	-	World Meteorological Organization
VPD	-	Vapor Pressure Deficit
WBGT	-	Wet-Bulb Globe Temperature
MJO	-	Madden-Julian Oscillation
CWC	-	Central Water Commission

Introduction to Global temperature and the 2026 El Niño signal.

The world enters late 2026 now with unusually high, ocean and land temperatures. Global warming from greenhouse gases raises the baseline probability of hot extremes. El Niño is a natural coupled ocean-atmosphere fluctuation that redistributes heat in the climate system and alters circulation; it does not

replace the role of long-term human-caused warming. When the two coincide, the probability of global temperature records and regional climate anomalies increases [2,4,5].




Figure 1. Reported Niño 3.4 anomaly values and WMO forecast. Observations and forecast are shown separately; the line is not a complete monthly time series. Source: WMO update of October 2026.

WMO's October update reported Niño 3.4 anomalies rising from +1.6°C in June to +2.5°C in August and forecast a seasonal average near +3.7°C for October-December. It described the event as potentially among the strongest since at least 1950's Niño [4]. NOAA's on 8 October diagnostic reported +2.1°C in Niño-3.4 in September and estimated an 83% chance of a historic-strength event during October-December under its Relative Oceanic Niño Index (RONI) classification [3]. These numbers use different months and/or index conventions, so they should not be treated as identical measurements all over the globe.

Indicator (as of 29 Oct 2026)	**Status**	**Confidence / caveat**
Global annual ranking	Jan-Aug 2026 was second-warmest year-to-date; Aug joint warmest and Sep second-warmest for their months. [1,2]	High for those reported periods; full-year ranking pending.
ENSO status	El Niño Advisory; strengthening. [3]	Observed ocean-atmosphere state.
Oct-Dec Niño 3.4	WMO forecast approximately +3.7°C. [4]	Seasonal forecast; actual peak may differ.
Persistence into early 2027	>83% chance strong-to-very-strong through Jan-Mar 2027 in NOAA outlook; WMO near-100% persistence through Feb 2027. [3,4]	Consensus outlook, not certainty about Indian impacts.
Long-term warming context	WMO's 2026-2030 outlook: annual global temperature likely 1.3-1.9°C above 1850-1900; 86% chance at least one year beats 2024. [5]	Multi-year outlook; not a prediction that 2026 itself will be the warmest.

Why El Niño can raise heat risk

El Niño changes tropical convection and atmospheric circulation; the resulting tele-connections can suppress rainfall in some regions and favor heavy warmth in others. The timing matters: a strong event in late 2026 may affect global temperatures badly and India's post-monsoon/winter patterns, while its influence on the next pre-monsoon heat season will depend on how quickly the event decays the after effects, the Indian Ocean Dipole (IOD), land moisture, snow cover and regional circulation remains [3,4,11]. The climate signal therefore supports early preparation, not deterministic statements that every Indian region will be hot, wet, cold or dry.

India's observed 2026 climate: monsoon and temperature context

The strongest India-specific observed signal available by this report's cut-off is the completed southwest monsoon deficit. IMD's forecast was for below-normal rainfall: 92% of LPA in April updated to 90% in late May. The season ended at approximately 759.4 mm against 868.6 mm normal, or 87.4% of LPA; IMD-linked reporting described it as the fourth-lowest monsoon since 2001 and 13th-lowest since 1901 [6,7].




Figure 2. India's observed June-September 2026 rainfall compared with the long-period average. IMD's final release reports 759.4 mm; 759.5 mm, a 0.1 mm reporting/rounding difference.

Table – 2: Region, Time and indications of rainfall anomaly

Period / region	Reported rainfall anomaly	What it indicates
June 2026, all India	-35.4%	Severe early-season shortfall; 70% of districts reportedly in deficit all over India. [7,8]
July 2026, all India	About +1%	National rebound did not remove regional inequality; 47% of districts still had deficient or large-deficient rainfall as of early August. [7]
August 2026, all India	-16.3%	Deficit returned in a critical monsoon month. [8]
1-28 September 2026	-5%	Late-season rainfall was also below normal. [8]
East and northeast India	Approx. -25% to -26%	Among the most rainfall-deficient broad regions. [8,19]
South peninsular India	Approx. -24%	High concern for rainfall-dependent agriculture and reservoirs. [8,19]
Northwest / central India	Approx. -6% / -3%	Smaller national-scale deficits, but district-level impacts vary. [19]
District footprint	282 districts; over 38% of India's area reportedly received deficient rainfall	A national average masks local drought and wet pockets. [19]

India's annual temperature record also matters. IMD's 2025 climate statement reported the all-India annual mean temperature 0.28°C above the 1991-2020 normal, the eighth-warmest year since 1901; 2024 remained India's warmest year in that record, at +0.65°C till now[13]. Those historical observations establish a warming context but do not by themselves establish India's final 2026 annual anomaly.

How heat and low rainfall combine to become compound risk

Heat and drought reinforce one another through the land-atmosphere system. Hotter air raises the evaporative demand; depleted soil moisture, reduces transpiration and can cause more incoming energy to heat the land surface. Stressed vegetation closes its stomata to conserve water, reduces carbon uptake and evaporative cooling. A dry landscape can therefore become hotter, raising stress on plants, water, animals and people. These are established physical mechanisms; their local magnitude requires local data from us and then can be calculated.

A hot day after adequate rainfall is not equivalent to the same hot day after a long dry spell of summer. Soil moisture may be low, reservoirs may be depleted, crop stages may be vulnerable, night temperatures may prevent recovery, and workers may have limited access to shade or safe water are all the effects of a dry hot winter season. The FAO-WMO review defines extreme heat as prolonged periods when day- and night-time conditions exceed normal ranges enough to cause physiological stress, and emphasizes that heat compounds drought, wildfire risk and agricultural stress towards the hotter side [9].




Figure 3. Evidence-informed conceptual pathway from climate drivers to sectoral impacts. The diagram depicts mechanisms, not a deterministic forecast.

Table – 3: Risk Chain with downstream effects to monitor –

Risk chain	Near-term signal	Potential downstream effect	What to monitor
Atmosphere → land	High temperatures + rainfall deficit	High vapor-pressure deficit, faster soil drying, canopy stress	Max/min temperature, humidity, VPD, soil moisture
Land → crops	Dry topsoil around sowing/flowering/grain fill	Poor emergence, flower abortion, shriveled grain, lower yield	Crop stage, root-zone moisture, irrigation turns
Watershed → reservoir	Rainfall deficit + high evaporation + demand	Lower live storage, constrained drinking/irrigation releases	Catchment rainfall, storage, inflow, groundwater
Vegetation → wildlife	Reduced forage and water points	Heat stress, changed activity, habitat compression, conflict	Waterhole availability, animal condition, fire risk
Heat → people	Hot days and nights, outdoor work	Heat illness, cardiovascular/renal stress, lower work capacity	Heat index/WBGT, ambulance data, excess mortality

The IOD is especially important in 2026 as a positive IOD can, in some circumstances, partly offset El Niño's tendency to weaken the Indian monsoon at the national scale; however, the combined effect is region-dependent and time-dependent. The MJO, monsoon depressions and internal variability can reshape the local rainfall distributions. Recent India-focused studies emphasize that ENSO, IOD and MJO interactions remain complex and are not reducible to a single "El Niño equals drought" rule [17,18].

Effects of this change in climate on vegetation, forests, wildlife and Whole Ecosystem

For vegetation, risk is often governed by the intersection of heat, moisture deficit and phenology rather than heat alone. High vapor-pressure deficit increases atmospheric demand for water; when roots cannot supply it, plants reduce stomatal conductance, photosynthesis falls, leaves may senesce earlier, and growth or reproduction can be curtailed. In forests and shrub lands, heat and dryness can elevate fire weather, while repeated stress can reduce regeneration and alter species composition. Not all species respond alike: deep-rooted trees, drought-adapted scrub, irrigated green spaces and shallow-rooted seasonal vegetation can experience very different outcomes. Our 2026 study on compound dry-hot extremes across India reported nonlinear amplification of vegetation and drought risk and found rainfall deficits to dominate vegetation stress across much of the country [15]. This supports monitoring combined heat and dryness indices rather than interpreting temperature anomalies in isolation. It does not mean that every Indian ecosystem, experienced damage in 2026; site-level remote sensing and field validation are needed.



Photo – 2: Illustrative AI-generated wildlife scene showing animals gathering at a shrinking water source. It is not an observation of a named reserve or species event.

Likely pathways include reduced access to water, poorer forage quality, thermal stress, changes in daily activity, greater travel distance to water, and concentration of animals scared at remaining water points. For aquatic organisms, warmer water holds less dissolved oxygen, and damaged reefs [26] while low flows and concentrated pollutants can compound stress. Pollinators and other invertebrates may show altered activity and reproduction; natural rain matters for natural vegetation and crop pollination. These are biologically plausible and supported by wider evidence, but India's systematic monitoring of wildlife heat morbidity and mortality remains sparse [16].

Table – 4: Receptor with Stress and Evidences –

Ecological receptor	**Likely stress mechanism**	**Evidence status / caution**
Trees and shrubs	High evaporative demand; stomatal closure; reduced growth; mortality risk during prolonged hot-dry conditions	Established process; actual 2026 impacts need satellite and plot data.
Grasslands / rangelands	Reduced biomass and forage quality; delayed regrowth after rain	Strong mechanistic support; local rain timing is decisive.
Pollinators	Thermal limits on activity, foraging and reproduction; altered plant-pollinator timing	Evidence base growing; species and landscape specificity high.
Mammals and birds	Dehydration, heat avoidance, changed breeding/feeding time, crowding at water points	Impacts plausible; India-wide event-attributable mortality data limited.

Ecological receptor	Likely stress mechanism	Evidence status / caution
Freshwater biota	Warmer water, reduced dissolved oxygen under low-flow conditions, poor water quality concentration	Established chemistry/ecology; site-specific monitoring necessary.
Fire-prone landscapes	Dry fuels and hot/windy conditions raise ignition and spread potential	Risk is weather- and fuel-dependent; not all dry areas burn.

Crops, livestock and food security

Agriculture is exposed through both heat and rainfall always. Heat can shorten crop development especially in other seasons, increase respiration, reduce pollen viability, disrupt flowering and grain filling, and raise irrigation demand. Soil-water stress restricts nutrient uptake and emergence and Timing is crucial: a brief hot spell during a sensitive reproductive window can do more damage than a higher seasonal mean outside that window. Rice, wheat, maize, pulses, oilseeds, vegetables and fruit trees therefore need crop- and stage-specific advisories for water especially.




Figure 4. Global meta-analysis of crop yield changes per +1°C warming. Bars are central estimates; whiskers show reported ± values. These are global averages, not predictions for Indian farms. Source: FAO-WMO 2026 [9].

Table – 5: Crops with Sensitivity and implication planning –

Crop / system	Documented sensitivity or observed example	Planning implication for India
Wheat	FAO-WMO review reports that 2022 heat affected crops in over one-third of Indian states; wheat yields were reduced by an estimated 9-34% across affected cases/locations. [9]	Protect grain filling and adjust sowing date/variety where locally validated; track hot nights as well as maxima.
Rice	Global meta-analysis estimates -1.2% ±5.2% annual yield per +1°C warming; this large uncertainty does not imply rice is heat-safe. [9]	Flowering heat and irrigation interruptions can be critical; protect water delivery and stage-specific forecasts.
Maize	Global estimate -7.5% ±5.3% per +1°C; heat and water stress can reduce pollination and kernel set. [9]	Use drought/heat-tolerant varieties only after local trials; prioritize moisture at tasselling/silking.
Soybean / oilseeds	Global soybean estimate -6.8% ±5.9% per +1°C. [9]	Heat timing and soil moisture can determine flowering and pod set; avoid generalizing national estimates.

Crop / system	Documented sensitivity or observed example	Planning implication for India
Pulses / vegetables / fruit	2022 Indian case evidence included poor pod set in chickpea, vegetable growth loss and fruit sunburn/drop; some affected vegetables recorded losses up to 50%. [9]	Targeted shade, mulch, irrigation, windbreaks and pest surveillance may help, but feasibility varies.
Livestock / poultry	FAO-WMO synthesis reports most livestock species show negative productivity responses above about 25°C; species, humidity, breed and housing change thresholds. [9]	Shade, air movement, clean water, altered feeding/milking time, veterinary surveillance.

The global yield-response meta-analysis is not a direct forecast of losses for India in 2026. It averages across crops, climates, management and warming pathways; uncertainty is wide, particularly for rice and soybean. Likewise, the 9-34% wheat impact range refers to affected 2022 cases, not a nationally representative estimate for 2026. Yield outcomes also depend on input prices, irrigation, and pressure, cultivar choice, sowing time, harvested area and policy buffers.

Operational actions which are too important we are proposing

- Translate 7-14 day weather forecasts into crop-stage messages through Government Krishi Vigyan Kendras, state agriculture departments, extension networks and local-language channels.
- Prioritize protective irrigation at sensitive stages and repair delivery losses; where water is limited, allocate using crop stage and local water budgets rather than crop identity alone.
- Expand seed access, contingency crop plans, fodder banks and veterinary hot-weather protocols before the next pre-monsoon period.

Water resources, groundwater and river systems

A weak monsoon creates a hydrological risk that can persist after rainfall resumes and increase the stress on existing water sources. Reservoir storage depends on rain, catchment-specific inflow, initial storage, releases, evaporation and demand; rainfall totals alone do not reveal how much water remains available at Gambhir dam or Undasa Talab aquifer. Lower storage also affects hydropower, irrigation scheduling, urban supply and the ability to maintain environmental flows especially of Gambhir dam Ujjain.




Figure 5. Live storage in 178 monitored reservoirs compared with the same-period 10-year average and 2025 value. Source: CWC data reported 28 September 2026 [8].

Table – 6: Water indicator with Relevance

Water indicator	2026 till Late September	Relevance
178 key reservoirs nationwide	About 70% of capacity	Below the reported 10-year same-period average of 76.62% and 2025 level of 79%. [8]
Southern reservoirs	About 50% capacity	Compared with 87.25% at the same point in 2025; concerns for southern states. [8]
Northern reservoirs	About 62% capacity	Down from 92.3% at the same point in 2025. [8]
Western reservoirs	About 84.6% capacity	Lower than 95.79% a year earlier, but above several other regions. [8]
Central reservoirs	About 85.6% capacity	Compared with 91.9% in 2025. [8]

The CWC snapshot should be treated as a dated national dashboard, not a forecast of a future supply failure. Regionally, water access will depend on local reservoirs, groundwater levels, water quality, inter-basin infrastructure, demand management and post-monsoon rainfall. Groundwater buffers a poor monsoon but excessive pumping can defer and deepen shortages. In rivers, low flows may increase concentration of pollutants and water temperature; this matters for aquatic ecology, irrigation and drinking-water treatment and supply.

Water security measures what we can do for water –

- Publish weekly, basin-specific updates that combine rainfall, storage, groundwater, inflow forecasts, and drinking-water demand and crop requirements.
- Use adaptive reservoir operations: protect essential drinking-water and ecological-flow requirements, and then plan irrigation allocation transparently around probable inflows.
- Expand demand-side measures: leakage reduction, repair of minor irrigation, soil-moisture conservation, and micro-irrigation where appropriate, crop diversification and reuse of treated wastewater for non-potable uses.
- Maintain water quality surveillance during low-flow and high-temperature periods; monitor microbial risk, dissolved oxygen and contaminants alongside quantity.

People, health, work and inequality in El Niño hazards –

Heat exposure is a public-health hazard as well as a meteorological event especially for the older ones. It can cause heat exhaustion and heatstroke, worsen cardiovascular, renal, respiratory and metabolic disease, affect pregnancy outcomes and raise accident risk. Warm nights restrict physiological recovery, while humidity reduces evaporative cooling. Indoor exposure matters: poorly ventilated top-floor rooms and heat-retaining urban neighborhoods can remain dangerously hot long even after sunset [10,11].

Table – 7: Indicator, Estimations and Interpretations –

Evidence / indicator	Estimate or status	How it should be interpreted
India 10-city study, 2008-2019	Among about 3.6 million deaths, a defined heatwave (2 consecutive days above the 97th temperature percentile) was associated with a 14.7% increase in daily mortality (95% CI 10.3-19.3). [10]	Peer-reviewed association across 10 cities; not a national 2026 death count.
Annual heatwave-attributable deaths in same study	About 1,116 per year (95% CI 861-1,361) under the study's principal definition. [10]	Depends on heatwave definition, mortality completeness and model assumptions.
WHO global heat burden	Approx. 489,000 heat-related deaths/year estimated for 2000-2019 globally; 45% in Asia. [11]	Global estimate, not attributable to India or 2026 alone.

Evidence / indicator	Estimate or status	How it should be interpreted
India heat-governance coverage (Oct 2026 report)	Heat Action Plans reported for 23 states, 195 districts and 64 cities; heatwaves notified as a natural disaster in Aug 2026. [12]	Policy reach is not evidence by itself that health outcomes improved.
Occupational exposure	Outdoor work in agriculture, construction, transport, waste collection and informal services can create high metabolic heat load. [11,12]	Work-rest, shade, water, acclimatization and enforcement are essential; exposure is socially unequal.

Risk is shaped by physiological susceptibility and the conditions under which people live and work. Older adults, infants, pregnant women, people with chronic disease, outdoor and industrial workers, people without reliable water or electricity, residents of dense informal settlements, and people in remote areas with weak health-service access can face direct disproportionate harm. A national heat warning is most effective when linked to locality-specific thresholds, clinical readiness, workplace changes and communication people can act on [11, 12, 25].

Practical public-health response what we can do –

- Activate locally calibrated heat-health warning levels; connect forecast thresholds to hospital staffing, ambulance readiness, cooling spaces, drinking-water points and worker protections.
- Track daily emergency visits, heat illness, and excess all-cause mortality and workplace incidents; disaggregate by age, sex, occupation and neighborhood when privacy-protective data permit.
- Use early morning/evening schedules for heavy outdoor work during alerts; provide paid rest breaks, shade, oral rehydration where appropriate, accessible drinking water and acclimatization for new workers.
- Reduce indoor heat by improving shade, ventilation, reflective roofs, urban trees and access to cooling; target low-income and high-risk households first.

Table – 8: Competing viewpoints, attribution and uncertainty of El Niño 2026 –

Question	Viewpoint A	Viewpoint B / qualification	Synthesis
Does El Niño always mean a weak Indian monsoon?	El Niño is generally associated with weaker all-India summer monsoon rainfall; it can suppress monsoon circulation. [14]	The historical relation is not deterministic: IMD notes that among 16 El Niño years since 1950, 7 had below-normal monsoon rainfall. Positive IOD and intraseasonal systems can modify outcomes. [14,17,18]	Use probabilities and regional forecasts, not a one-to-one rule.
Will 2026 be the warmest year?	El Niño is unusually strong, global monthly records are being approached, and 2026 is second-warmest through August. [1-4]	Annual averages are incomplete until December; year-to-date rank can change with late-year anomalies and dataset choice.	Describe 2026 as exceptionally warm and at risk of a record, not a confirmed record.
Is climate change the cause of the monsoon deficit?	Long-term warming and El Niño alter the background conditions and circulation risks.	One season's national rainfall deficit cannot be attributed to a single driver without formal attribution; monsoon depressions, MJO, IOD, land-atmosphere feedbacks and random variability matter. [15]	El Niño is a major contributor reported by Indian agencies, but it is not an exclusive explanation.
Will a national rainfall deficit cause nationwide crop loss?	Deficient rainfall raises moisture stress, lowers soil moisture and may reduce storage. [7]	Spatial rainfall, canal access, groundwater, crop choice, timing and reserves vary. The government reported no evidence at one mid-season point of a nationwide food-grain-production impact. [8]	Assess district/crop-level outcomes after harvest; avoid premature national yield claims.

Question	Viewpoint A	Viewpoint B / qualification	Synthesis
Are wildlife impacts measurable in 2026?	Heat and dry periods plausibly reduce water/forage availability and can alter behaviour. [16]	India lacks consistent, cross-taxon surveillance for heat-related wildlife morbidity, mortality and reproductive outcomes.	Treat specific species impacts as risk pathways unless documented by field monitoring.

Attribution framework

This paper uses three layers of causation. First, long-term anthropogenic warming raises the probability and intensity of hot extremes. Second, El Niño and IOD change seasonal circulation and rainfall probabilities and the third, local exposure and vulnerability determine impacts. It is legitimate to say that El Niño strengthened during the 2026 monsoon and the monsoon was deficient; estimating the precise fraction of the rainfall deficit attributable to El Niño requires a formal attribution design with counterfactual model experiments. Similarly, a predicted yield loss or mortality burden should not be reported as an observed 2026 outcome.

Table – 9: Scenario framing for Nov 2026-June 2027

Scenario	Climate configuration	Potential risk	Decision posture
A. El Niño persists; IOD fades	Warm Pacific continues; less Indian Ocean offset	Elevated risk of dry spells, heat and high water demand in exposed regions	Conserve water; prepare contingency crop and heat plans.
B. El Niño persists; positive IOD remains influential	Ocean drivers partly counteract one another regionally	Uneven rainfall: relief in some regions, deficits or extreme rainfall elsewhere	Use basin/district forecasts; avoid national averages as local instructions.
C. El Niño decays earlier than forecast	Seasonal circulation evolves sooner	Some seasonal risks may moderate, but warming and low storage remain	Maintain no-regret measures; update actions as observations change.

These are planning scenarios, not probability-ranked predictions. The useful policy question is which actions remain beneficial across all plausible outcomes. Better monitoring, safe water, heat-health response and crop-specific advisories are robust choices in every scenario.

Priority actions and implementation matrix

The best response is anticipatory and multi-sectoral. A climate forecast becomes valuable when institutions convert it into decisions about seed, water, work, health services, wildlife management and ecosystem protection. Preparedness should be risk-based and locally differentiated rather than triggered only by a single national temperature or rainfall number.

Table – 10: Time, action and performance –

Time horizon	Priority action	Useful performance indicator
Next 2-6 weeks	Update seasonal outlooks; map reservoir and groundwater stress; share dry-spell and post-monsoon rainfall scenarios.	Weekly public dashboard by basin/district; forecast verification.
Before Rabi sowing	Issue district/crop-specific contingency advisories; assess seed stocks; plan irrigation turns and water budgets.	Advisories delivered by crop stage; seed and fodder availability.
Before next pre-monsoon heat season	Update Heat Action Plans with health surveillance, work-rest rules, water points, cooling spaces and local thresholds.	Alert-to-action time; heat illness and excess mortality indicators.
During hot/dry episodes	Prioritize drinking water and ecosystem needs; protect livestock; manage waterholes and wildlife conflict safely.	Days of supply; livestock morbidity; conflict incidents; habitat/waterhole checks.

Time horizon	Priority action	Useful performance indicator
1-3 years	Scale climate-resilient seeds, soil moisture conservation, aquifer budgets, urban shade and heat-resilient housing.	Measured yield stability, groundwater trends, heat exposure reduction.
Ongoing	Invest in attribution, ecological monitoring and local evaluation of heat interventions.	Open harmonised datasets; peer-reviewed evaluations; data completeness.

Design principles we should follow

- Localize without over claiming: an all-India forecast should be the beginning of a state/district decision process, not the final answer.
- Protect the most exposed first: irrigation access, housing quality, work conditions and healthcare determine who can respond to the same climate hazard.
- Avoid maladaptation: groundwater-intensive cropping can solve one season's problem while increasing future drought risk; new reservoirs cannot substitute for catchment management and demand efficiency.
- Evaluate outcomes: measure deaths, morbidity, yield stability, water-service reliability and ecological condition, not only plan coverage or warnings issued.

Table – 11: Unanswered questions and research agenda

Research gap	Why it matters	Recommended method / data
Final 2026 national and regional temperature anomaly	The record-year claim cannot be resolved with partial-year data.	Reanalyse full-year IMD/Copernicus series after calendar close; report dataset/baseline sensitivity.
Attribution of monsoon deficit to ENSO vs IOD/MJO	Supports stronger seasonal forecast interpretation and policy confidence.	Counterfactual ensembles, observed circulation diagnostics and sub-seasonal event attribution.
Crop-level 2026 outcomes	Seasonal rainfall does not map directly onto yield loss.	District and crop-cutting data joined to heat timing, soil moisture, irrigation and pest records.
Groundwater response to deficient monsoon	Groundwater can buffer supply now but elevate future depletion risk.	Monitoring wells, abstraction data, aquifer budgets and recharge estimates by block.
Wildlife thermal stress and mortality	Current evidence is uneven; impacts can be missed until populations decline.	Standardised carcass/morbidity reporting, waterhole monitoring, camera traps and ecological covariates.
Causal evaluation of Heat Action Plans	Coverage does not prove mortality or illness reductions.	Quasi-experimental evaluation, pre-registered indicators, hospital and excess-mortality series.
Compound risk in informal settlements and workplaces	Indoor heat, water access and occupational exposure are under-represented in broad averages.	Neighborhood-level temperature/humidity, housing surveys, WBGT, worker time-use and health outcomes.

Conclusion with Five most important insights

1. 2026 is exceptionally warm, but a "warmest year" label is premature. The latest verified ranking covers only part of the year; month-level records are not the same as a final annual ranking.
2. The strongest India-specific observed signal is the weak 2026 monsoon. About 759.4 mm of rainfall was recorded against 868.6 mm normal, with severe regional disparities and a lower reservoir buffer than recent benchmarks.
3. El Niño elevates risk but does not determine every local outcome. IOD, MJO, monsoon depressions, land-atmosphere feedbacks and local water management can offset or amplify impacts at different times and places.

4. Compound heat and water stress can cascade across vegetation, crops, livestock, wildlife and people. A single national temperature average is inadequate: crop stage, night heat, soil moisture, reservoir storage and exposure conditions matter.
5. Prepare around robust actions and evaluate outcomes. District-specific early warning, heat-health services, water allocation, crop advisories, wildlife monitoring and transparent indicators are more useful than treating forecasts as certainties.

The defensible conclusion is not that 2026 has already become the warmest year or that all of India will experience uniform drought or heat. It is that exceptionally warm global conditions, a rapidly strengthening El Niño and a deficient Indian monsoon have combined to raise the odds of high-impact hot and water-stressed conditions. Uncertainty about specific regional outcomes strengthens the case for adaptive monitoring and no-regret preparation; it does not justify waiting for certainty.

References

1. Dalal Parag, "Airborne Exposure Dynamics and Epidemiological Impacts in the Malwa Region especially Indore and Ujjain", https://doi.org/10.56975/jetnr.v4i10.235765 JETNR - JOURNAL OF EMERGING TRENDS AND NOVEL RESEARCH (www.JETNR.org), ISSN:2984-9276, Vol.4, Issue 10, page no.a511-a522, October-2026, https://rjpn.org/JETNR/papers/JETNR2610059.pdf
2. Dalal Parag, “Multi-Hazards in Urban Air Quality, Road Dust Contamination and Indoor Radon Risk in Ujjain, Madhya Pradesh, India”, https://doi.org/10.56975/ijrti.v11i10.300965 International Journal for Research Trends and Innovation Vol 11 (10), October-2026, c-227 – c232 https://ijrti.org/papers/IJRTI2610232.pdf
3. Dalal Parag, "Framework for Quantum Sensing, in Riverine, Air-Quality, and Mass-Gathering Management of Holy Ujjain City, India", https://doi.org/10.56975/ijedr.v14i3.309450 IJEDR - INTERNATIONAL JOURNAL OF ENGINEERING DEVELOPMENT AND RESEARCH, ISSN:2321-9939, Vol.14, Issue 3, page no.517-526, September-2026, Available :https://rjwave.org/IJEDR/papers/IJEDR2603486.pdf
4. Dalal Parag, Oxidation vs. Ozonation in Drinking Water Treatment: A Comparative Analysis at Holy City Ujjain https://doi.org/10.36948/ijfmr.2026.v08i04.83442 International Journal For Multidisciplinary Research Volume 8(4) 2026, 07-26 https://www.ijfmr.com/papers/2026/4/83442.pdf E-ISSN: 2582-2160 Refereed & IndexedIF – 9.24
5. Dalal Parag, Trees vs. Oceans: Earth's Better Oxygen Producer https://doi.org/10.63363/aijfr.2026.v07i04.6822 Advanced International Journal for Research https://www.aijfr.com/papers/2026/4/6822.pdf Volume 7, Issue 4, July-August 2026 E-ISSN: 3048-7641 Refereed & Indexed IF – 9.11
6. Dalal Parag, Food wastage: Understanding the global challenge and finding solutions. J Curr Res Food Sci 2026; 7(4):14-18. DOI: https://10.22271/foodsci.2026.v7.i4a.346
7. Dalal Parag, The Power of Pots: How Small Plants Transform Your Home Environment https://doi.org/10.56975/jaafr.v4i3.504844 Journal Of Advance And Future Research JAAFR-2026 Vol 4(3), 921-929 https://rjwave.org/jaafr/papers/JAAFR2603328 ISSN: 2984-889X Refereed & Indexed IF – 9.87
8. Dalal Parag, Mastering and Modeling the Hydraulic Design of Sumps and Collection Chambers https://doi.org/10.63363/aijfr.2026.v07i02.4018 Advanced International Journal for Research 2026 Vol 7(2), 01-12 https://www.aijfr.com/papers/2026/2/4018.pdf ISSN: 3048-7641 Refereed & Indexed IF – 9.11
9. Dalal Parag, Utility Boiler Sources, Impacts, and Innovative ways to cut PM2.5 https://doi.org/10.56975/ijcrt.v14i3.302142 International Journal of Creative Research Thoughts - IJCRT 2026 Volume 14(3), a764-a774 http://www.ijcrt.org/viewfull.php?&p_id=IJCRT2603095 ISSN: 2320-2882 Refereed & Indexed IF – 7.97
10. Dalal Parag, Modeling the Neighborhood Air with AQI Management in City of Temples Ujjain https://doi.org/10.36948/ijfmr.2025.v07i06.60004 International Journal for Multidisciplinary Research (IJFMR)-2025 Vol 7(6), 01-09 https://www.ijfmr.com/research-paper.php?id=60004 ISSN: 2582-2160 Refereed & Indexed IF – 9.24
11. Dalal Parag, Sulphur Pollution in Air: Health Risks, Environmental Damage, and Proven Solutions https://doi.org10.56975.IJCSP25C1055 INTERNATIONAL JOURNAL OF CURRENT SCIENCE – IJCSPUB – Vol 15(3) 510-516, https://rjpn.org/ijcspub/viewpaperforall?paper=IJCSP25C1055 2025 ISSN: 2250-1770 Refereed & Indexed IF – 8.17
12. Dalal Parag, Microplastics Analysis and Removal Techniques Proposal for Different Samples DOI: https://doi.org/10.56975/tijer.v12i5.158160 TIJER – Technix International Journal for Engineering Research – 2025 Vol.12(5) b594-b599 ISSN:2349-9249 Refereed & Indexed IF – 8.57
13. Dalal Parag, Shipra River Pollution Amendment from Large Sewers of Alakhdham Nagar and Nearby Area DOI: http://doi.one/10.1729/Journal.44545 Journal of Emerging Trends and Novel Research – 2025 Vol 3(3) a227-a232 https://rjpn.org/jetnr/viewpaperforall?paper=JETNR2503024 ISSN: 2984-9276 Refereed & Indexed IF – 8.27
14. Dalal Parag, Sustainable Urban Drainage System Monitoring for River Shipra https://www.doi.org/10.21275/SR241208213703 International Journal of Science and Research (IJSR) – 2024 Vol 13(12) 728-730 https://www.ijsr.net/getabstract.php?paperid=SR241208213703 ISSN: 2319-7064 Refereed & Indexed IF – 7.942

15. Dalal Parag, Groundwater Mathematical Modeling and its Physico-Chemical Parameters Analysis in Ujjain https://www.doi.org/10.21275/SR24927141804 International Journal of Science and Research IJSR – 2024 Vol 13(10) 6-9 https://www.ijsr.net/getabstract.php?paperid=SR24927141804 ISSN: 2319-7064 Refereed & Indexed IF – 7.942

16. Dalal Parag, Environment Management Plan for Shipra River Purification by Pollution abatement of Kanh River http://doi.one/10.1729/Journal.39265 Journal of Emerging Technologies and Innovative Research 2024 Vol 11(5) c513- 518 https://www.jetir.org/papers/JETIR2405263.pdf ISSN: 2349- 5162 Refereed & Indexed IF – 7.95

17. Dalal Parag, Sensitive Cyanide Investigation and Abolishment for Harmless Drinking Water http://doi.org/10.53550/PR.2024.v43i01-02.024 Pollution Research Journal 2024 Vol. 43, (1-2) 134-136 https://www.envirobiotechjournals.com/PR/Vol43issue1-2-2024/Poll%20Res-24.pdf ISSN: 0257-8050 Refereed & Indexed IF – 5.10

18. Dalal Parag, Studies on Heavy Metal Exile through Natural Products Immobility in Water https://dx.doi.org/10.21275/SR24109102333 International Journal of Science and Research IJSR – 2024 Vol 13(1) 620-623 https://www.ijsr.net/getabstract.php?paperid=SR24109102333 ISSN: 2319-7064 Refereed & Indexed IF – 7.942

19. Dalal Parag, Artificial Photosynthesis Future of Green Energy http://doi.one/10.1729/Journal.37446 Journal of Emerging Technologies and Innovative Research 2024 Vol 11(1) b-168 – b171 http://www.jetir.org/papers/JETIR2401119.pdf ISSN: 2349- 5162 Refereed & Indexed IF – 7.95

20. Dalal Parag, Cost Effective Filter Cake Buster In Baghouse http://doi.one10.26540/ijgsr.v10.i2.2023.244 International Journal of Global Science Research 2023 Vol 10(2) 2110-2112 https://www.ijgsr.com/webadmin/uploads/10.26540ijgsr.v10.i2.2023.244.pdf ISSN: 2348- 8344 Refereed & Indexed NAAS Score 2.77

21. Dalal Parag, Environment Management Plan For Big Sewers of Somwariya And Chakratirth In Ujjain http://doi.one/10.1729/Journal.36149 International Journal of Current Science IJCSPUB 2023 Vol 13(3) 879-883 https://rjpn.org/ijcspub/papers/IJCSP23C1100.pdf ISSN: 2250- 1770 Refereed & Indexed IF – 8.17

22. Dalal Parag, Proposals To Rectify Bag House Problems For Zero Discharge System http://doi.one/10.1729/Journal.35344 Journal of Emerging Technologies and Innovative Research 2023 Vol 10(7) h329-h331 http://www.jetir.org/papers/JETIR2307739.pdf ISSN: 2349- 5162 Refereed & Indexed IF – 7.95

23. Dalal Parag, Reusing Energy Of Electrostatic Precipitator From Thermal Combustion By Using Dilution Method https://www.doi.org/10.21275/SR23624221932 International Journal of Science and Research 2023 Vol 12(7) 937-940 https://www.ijsr.net/getabstract.php?paperid=SR23624221932 ISSN: 2319- 7064 Refereed & Indexed IF – 7.924

24. Dalal Parag, Modeling Of Screens And Grits For The Big Conduit Of Nanakheda In Ujjain https://www.doi.org/10.21275/SR23511101814 International Journal of Science and Research 2023 Vol 12(5) 937-940 https://www.ijsr.net/archive/v12i5/SR23511101814.pdf ISSN: 2319- 7064 Refereed & Indexed IF – 7.924

25. Dalal Parag, Nurdels {Micro Plastics} Sources, Problems And Remedies https://www.doi.org/10.36948/ijfmr.2023.v05i03.2948 International Journal for Multidisciplinary Research 2023 Vol 5(3) 01-04 https://www.ijfmr.com/papers/2023/3/2948.pdf ISSN: 2582- 2160 Refereed & Indexed IF – 9.24

26. Dalal Parag, Disambiguation Of Municipal Solid Waste To Syngas In Ujjain District By Plasma Gasification Technique http://doi.one/10.1729/Journal.33660 International Journal of Novel Research and Development 2023 Vol 8(4) 359-364 https://ijnrd.org/viewpaperforall?paper=IJNRD2304139 ISSN: 2456- 4184 Refereed & Indexed IF – 8.76

27. Dalal Parag, Physico-Chemical Parameters Of Municipal Solid Waste Analysis And Disposal Techniques At Ujjain City http://doi.one/10.1729/Journal.33563 International Journal of Engineering Development and Research 2023 Vol 11(1) 67-72 https://rjwave.org/IJEDR/viewpaperforall?paper=IJEDR2301009 ISSN: 2321-9939 Refereed & Indexed IF – 7.37

28. Dalal Parag, Direct Sludge Blanket Treatment Of Cluster Industries In A Common Effluent Treatment Plant http://doi.one/10.1729/Journal.33337 Journal of Emerging Technologies and Innovative Research 2023 Vol 10(3) 401-404 http://www.jetir.org/papers/JETIR2303349.pdf ISSN : 2349-5162 Refereed & Indexed IF – 7.95

29. Dalal Parag, Stop Plastic Bottle Pollution With Homemade Edible Water http://doi.one/10.1729/Journal.31001 International Journal Of Current Science IJCSPUB 2022 Vol 12(4), 01-04 https://rjpn.org/IJCSPUB/papers/IJCSP22D1001.pdf ISSN: 2250-1770Refereed & Indexed IF – 8.17

30. Dalal Parag, Green Cleaning Of Garbage To Compost By Eisenia Fetida https://ijirt.org/Article?manuscript=156506 International Journal Of Innovative Research In Technology 2022 Vol 9(4), 17-20 https://ijirt.org/publishedpaper/IJIRT156506_PAPER.pdf ISSN: 2349-6002 Refereed & Indexed IF – 7.376

31. Dalal Parag, Low Cost Disposal Of EPS & XPS With Acetone https://doi.org/10.55948/IJERSTE.2022.0807 International Journal of Enhanced Research in Science, Technology & Engineering 2022 Vol. 11(8), 49-52 https://erpublications.com/uploaded_files/download/dr-parag-dalal_mWcVD.pdf ISSN: 2319-7463 Refereed & Indexed IF – 7.957

32. Dalal Parag, Drinking Water Characteristics Of Ujjain, India @2022 https://eduzonejournal.com/index.php/eiprmj/article/view/100 Eduzone: International Peer Reviewed/Refereed Multidisciplinary Journal, 2022 Vol 11(2), 112–117 https://eduzonejournal.com/index.php/eiprmj/article/download/100/84/95 ISSN: 2319-5045 Refereed & Indexed IF – 7.687

33. Dalal Parag, Strong Biomedical Waste Management In Ujjain, India Under COVID-19 Pandemic: Challenges And Arrangements With Crowd https://doi.org/10.53346/wjapmr.2022.2.1.0022 World Journal of Advanced Pharmaceutical and Medical Research, 2022, Vol 02(01) 008–014 https://zealjournals.com/wjapmr/sites/default/files/WJAPMR-2022-0022.pdf ISSN: 1053-3460 Refereed & Indexed IF – 6.84

34. Dalal Parag, Pollution Abetment Of Holy River Shipra Through Big Conduits Of Nanakheda And Neelganga Journal of Indian Water Works Association 2021 Vol LIII(3) 206-208 ISSN: 0970- 275X Refereed & Indexed IF – 5.43

35. Dalal Parag, Adsorptive Stripping And Voltammetric Assurance Of Fabric Colors International Journal of Chemical Science 2021 Vol 5(4), 04-10 https://www.chemicaljournals.com/archives/2021/vol5/issue4/5-3-11 ISSN: 2523-2843 Refereed & Indexed IF – 5.22

36. Dalal Parag, Study On Colorant Industry Wastewater Treatment Process By Alum And Charcoal World Journal Of Advance Healthcare Research 2021 Vol 5 (2) 223-225 https://www.wjahr.com/admin/assets/article_issue/26022021/1617174999.pdf ISSN: 2457 0400 Refereed & Indexed IF – 5.464

37. Dalal Parag, Assessing The Air Quality In Ujjain By Artificial Neural Network International Journal for science and Advance Research in Technology 2020 Vol 6(11) 44–54 https://ijsart.com/public/storage/paper/pdf/IJSARTV6I1141645.pdf ISSN 2395–1052 Refereed & Indexed IF – 6.22456

38. Dalal Parag, Assessment Of Water Quality In River Khan For Domestic Use In Sanwer Township, Madhya Pradesh, India World Journal Of Advance Healthcare Research 2020 Vol 4 (5) 193–198 https://www.wjahr.com/admin/assets/article_issue/23092020/1601462265.pdf ISSN: 2457 0400 Refereed & Indexed IF – 5.464

39. Dalal Parag, Ground Water Abuse In Last Decade In Ujjain District, India International Journal for Science and Advance Research in Technology 2020 Vol 6 (9) 428–432 https://ijsart.com/public/storage/paper/pdf/IJSARTV6I940452.pdf ISSN: 2395– 1052 Refereed & Indexed IF – 6.224

40. Dalal Parag, Low Cost Energy Efficient Water Saving Irrigation Techniques Journal of Global Biosciences 2020 Vol 9(7) 7695–7708 https://www.mutagens.co.in/jgb/vol.09/07/090705.pdf ISSN: 2320 1355 Refereed & Indexed IF – 3.028

41. Dalal Parag, Hydro Distillation Method Extraction Of Eucalyptus Oil & Lemongrass Oil SOCIALSCI JOURNAL 2019 VOL 4 36–44 https://www.purkh.com/articles/hydro--distillation-method--extraction-of-eucalyptus-oil--lemongrass-oil.pdf ISSN: 2581–6624 Refereed & Indexed SCI journal

42. Dalal Parag, Assessment Of Water Quality In River Shipra In Scare Water Conditions Of 2019 https://doi.org/10.20959/wjpps20197-14149 World Journal Of Pharmacy And Pharmaceutical Sciences 2019 Vol 8(7) 1017–1027 https://storage.googleapis.com/innctech/wjpps/article_issue/1561811359.pdf ISSN 2278 – 4357 Refereed & Indexed IF – 7.421

43. Dalal Parag, A Case Study: Effect Of Industrial Effluent Contaminated Water Disposed In Chambal River On Irrigation Land International Research Journal of Engineering and Technology (IRJET) 2018 Vol: 05(03) 2120–2123 https://www.irjet.net/archives/V5/i3/IRJET-V5I3490.pdf ISSN: 2395–0072 Refereed & Indexed IF – 6.171

44. Dalal Parag, Drinking Water Purification With Ozonation Process https://doi.org/10.53555/hsn.v3i5.2056 Journal Of Health Sciences And Nursing 2018 Vol –3(5) 61–67 https://www.ijrdo.org/index.php/hsn/article/view/2056/1842 ISSN: 2456–298X Refereed & Indexed IF – 2.380

45. Dalal Parag, Proposal For Live Turbidity Measurement Technique In Flowing Water https://doi.org/10.20959/wjpps20185-11635 World Journal Of Pharmacy And Pharmaceutical Sciences 2018 Vol – 7(5) 1628–1630 https://storage.googleapis.com/innctech/wjpps/article_issue/1525343498.pdf ISSN 2278 – 4357 Refereed & Indexed IF – 7.421

46. Dalal Parag, Dye Industry Wastewater Treatment By Coagulation Process: Review Paper Imperial Journal of Interdisciplinary Research (I.J.I.R.) 2017 Vol–3(8) 260–267 https://www.scribd.com/document/431715254/Jurnal-TBI ISSN: 2454–1362 Refereed & Indexed IF – 3.75

47. Dalal Parag, Bio-Medical Waste Management Of Ujjain City By On-Site Treatment Of Bio-Degradable Infectious Waste By Low Cost Technology International Journal of Chemical Studies 2017 Vol 5(4) 01-06 https://www.chemijournal.com/archives/2017/vol5issue4/PartA/5-3-165-201.pdf ISSN: 2349–8528 Refereed & Indexed IF – 4.86

48. Dalal Parag, Drinking Water Purification With Ozone Process Of Ujjain City https://doi.org/10.53555/as.v3i6.1299 Journal of Applied Science I.J.R.D.O. 2017 Vol. 3(06) 20–24 https://www.ijrdo.org/index.php/as/article/view/1299/1227 ISSN: 2455–6653 Refereed & Indexed IF – 3.54

49. Dalal Parag, Municipal Solid Waste Management Of Ujjain City By On Site Vermicomposting Technique: A Review International Journal of Applied Research 2017 Vol 3(6) 106–111 https://www.allresearchjournal.com/archives/2017/vol3issue6/PartB/3-5-119-256.pdf ISSN 2394–5869 Refereed & Indexed IF – 5.2

50. Dalal Parag, Biomedical Waste Management In Hospitals – A Review http://dx.doi.org/10.21013/jte.v7.n2.p1 IRA–International Journal of Technology & Engineering 2017 Vol 07(02) 10–16 https://research-advances.org/index.php/IRAJTE/article/view/824/768 ISSN 2455–4480 Refereed & Indexed IF – 3.462

51. Dalal Parag, Solid Waste Management : A Review International Journal of Applied Research 2017 Vol 3(5) 35–39 https://www.allresearchjournal.com/archives/2017/vol3issue5/PartA/3-4-168-573.pdf ISSN 2394–5869 Refereed & Indexed IF – 5.2

52. Dalal Parag, Study On Dye Industry Wastewater Treatment Process By Alum And Natural Charcoal https://goo.gl/3bkzwv International Journal of Innovative Science and Research Technology 2017 Vol 2(12) 160–164 https://ijisrt.com/wp-content/uploads/2017/12/Study-On-Dye-Industry-Wastewater-Treatment-Process-By-Alum-And-Natural-Charcoal.pdf ISSN: 2456 –2165 Refereed & Indexed IF – 3.585

53. Dalal Parag, Hospital Waste Characterization And Proposal Of Management Technique For Onsite Disposal In Ujjain City International Journal of Current Research in Multidisciplinary 2017 Vol. 2(8) 08–15 https://www.ijcrm.com/publish_article/edition_15/IJCRM_2815.pdf ISSN: 2456–0979 Refereed & Indexed IF – 3.525

54. Dalal Parag, Study On Dye Industry Wastewater Treatment By Coagulation Process International Journal Of Innovative Research In Technology 2017 Vol 4 (6) 45–48 https://ijirt.org/publishedpaper/IJIRT144901_PAPER.pdf ISSN : 2349 – 6002 Refereed & Indexed IF – 5.8

55. Dalal Parag, Low Cost Dust Collector Model For Calcareous Shale Industry At Mandsaur Of Madhya Pradesh, India International Journal for science and Advance Research in Technology 2017 Vol 3(8) 436–441 https://ijsart.com/public/storage/paper/pdf/IJSARTV3I817296.pdf ISSN 2395–1052 Refereed & Indexed IF – 4.284

56. Dalal Parag, Vermi–Digestion Of Municipal Solid Waste By Red Wigglers To Organic Fertilizer http://dx.doi.org/10.21013/jte.v8.n1.p1 IRA–International Journal of Technology & Engineering 2017 Vol 08(01) 01–04 https://research-advances.org/index.php/IRAJTE/article/download/997/900 ISSN 2455–4480 Refereed & Indexed IF – 3.525

57. Dalal Parag, Dye Wastewater Treatment By Natural Activated Carbon From Millet Carbon International Journal for science and Advance Research in Technology 2017 Vol 3(8) 263–264 https://ijsart.com/public/storage/paper/pdf/IJSARTV3I817251.pdf ISSN 2395–1052 Refereed & Indexed IF – 4.284

58. Dalal Parag, Proposal Of Multi–Hazardous Wastes For On–Site Disambiguation Management In Ujjain, India http://dx.doi.org/10.21276/ijabpt International Journal of Applied Biology and Pharmaceutical Technology 2017 Vol 8(3) 29–35 https://www.fortunejournals.com/ijabpt/pdf/8005-Dr.%20Parag%20Dalal.pdf ISSN 0976–4550 Refereed & Indexed IF – 1.45

59. Dalal Parag, Carbon Cycle Analysis And Proposal Of Techniques For Estimation Of Interrelations Between Sources And Sinks International Journal of Current Research Vol. 9(06) 2017 52497–52499 https://www.journalcra.com/sites/default/files/issue-pdf/23744.pdf ISSN: 0975–833X Refereed & Indexed IF – 7.08

60. Dalal Parag, Bio–Medical Waste Management Of Ujjain City By On–Site Treatment Of Bio–Degradable Infectious Waste By Low Cost Technology International Journal of Chemical Studies 2017 Vol 5(4) 01–06 https://www.chemijournal.com/archives/2017/vol5issue4/PartA/5-3-165-201.pdf ISSN 2321– 4902 Refereed & Indexed IF – 4.86

61. Dalal Parag, Systematic Approach To Integrated Solid Waste Management System By Green Cleaning Of All Municipal Area Of City Ujjain, India International Journal of Development Research 2017 Vol. 07(05) 12752–12753 https://www.journalijdr.com/systematic-approach-integrated-solid-waste-management-system-green-cleaning-all-municipal-area-city ISSN 2230–9926 Refereed & Indexed IF – 4.753

62. Dalal Parag, Proposal Of On–Site Composting Of MUNICIPAL SOLID WASTE In Ujjain City International Journal of Chemical Studies 2017 Vol 5(3) 89–92 https://www.chemijournal.com/archives/2017/vol5issue3/PartB/5-2-113-934.pdf ISSN 2321– 4902 Refereed & Indexed IF – 5.31

63. Dalal Parag, Development Of Safety Module For Crowd Management In Simhastha 2016 In Ujjain https://www.doi.org/10.21275/ART20172419 International Journal of Science and research 2017 Vol 6(2) 568–571 https://www.ijsr.net/archive/v6i4/ART20172419.pdf ISSN 2319–7064 Refereed & Indexed IF – 6.39

64. Dalal Parag, Seasonal Variations In Water Quality Of Shipra River In Ujjain, India http://dx.doi.org/10.21013/jte.v3.n3.p13 IRA–International Journal of Technology & Engineering 2016 Vol 3(3) 236–246 https://research-advances.org/index.php/IRAJTE/article/view/275/285 ISSN 2455–4480 Refereed & Indexed IF – 3.525

65. Dalal Parag, Pollution Prevention Management Of Holy Sapth Sagars In Ujjain City Journal of Environmental Science, Computer Science and Engineering & Technology 2016 Vol. 5(3) 470–481 https://www.jecet.org/download_frontend.php?id=297&table=Env%20Science ISSN: 2278–1790 Refereed & Indexed IF – 5.05

66. Dalal Parag, Sweet Air Flux In Indian Savanna International Journal of Research 2016 Vol 2(4) 34–39 https://gnpublication.org/index.php/bp/article/download/136/128/ ISSN 2455–6114 Refereed & Indexed IF – 0.78

67. Dalal Parag, Impact Of Water Quality On Crop Production In Ujjain District African Journal of Agricultural Science and Technology 2015 Vol 3(9) 392–397 ISSN 2311–5882 Refereed & Indexed IF – 2.91

68. Dalal Parag, Modeling And Environmental Impact Assessment Implementation By Noise And Air Pollution Reduction Of Indian Heavy Diesel Trucks On Highways International Journal of Plant Animal and Environmental Sciences 2014 Vol. 4(1) 370–375 https://www.fortunejournals.com/ijpaes/admin/php/uploads/468_pdf.pdf ISSN 2231–4490 Refereed & Indexed IF – 1.03

69. Dalal Parag, Physico–Chemical Characteristics Of Ground Water Near Holy River Shipra International Journal of Plant Animal and Environmental Sciences 2013 Vol. 3(3) 14–19 https://www.fortunejournals.com/ijpaes/admin/php/uploads/373_pdf.pdf ISSN 2231–4490 Refereed & Indexed IF – 1.03

70. Dalal Parag, Drinking Water Quality Of Ujjain District https://www.fortunejournals.com/ijpaes/volume-3-issue-2.php International Journal of Plant Animal and Environmental Sciences 2013 Vol. 3(2) 14–19 https://www.fortunejournals.com/ijpaes/admin/php/uploads/305_pdf.pdf ISSN 2231–4490 Refereed & Indexed IF – 1.03