



International Journal of Research Publication and Reviews

Journal Homepage: www.ijrpr.com ISSN 2582-7421

Female Infertility through a Homeopathic Lens: Understanding the Interplay of Emotional and Reproductive Health

Dr. Mahendra Morkhade MD (Hom.)

Assistant Professor HMM faculty, PHMC Khamgaon. Clinical experience of 19 years in Homeopathy

ABSTRACT-

Female infertility, defined as the inability to conceive after 12 months of regular unprotected intercourse in women under 35, or after 6 months in women aged 35 and above, affects nearly 15% of couples worldwide and represents a significant global health concern. Female factors account for approximately half of all infertility cases, arising from ovulatory dysfunction, tubal or uterine structural abnormalities, endometriosis, genetic disorders, and lifestyle-related influences such as stress, obesity, and environmental exposures. Conventional management includes ovulation induction, assisted reproductive technologies, and surgical correction of anatomical defects, depending on the underlying etiology.

Homeopathy is often sought as a complementary approach, with remedies selected individually based on the patient's overall constitutional picture rather than diagnosis alone. Commonly referenced remedies in homeopathic literature include Sepia (for hormonal imbalance and uterine displacement), Pulsatilla (for irregular menses and emotional sensitivity), Natrum Muriaticum (linked to stress-related hormonal disruption), and Thuja (associated with ovarian cysts). Proponents suggest homeopathy may help address underlying hormonal and emotional factors with minimal side effects, potentially as an adjunct alongside conventional care.

Keywords – Infertility, Homeopathy, Psychodynamics, conflicts, Anovulation

Introduction –

Female infertility is clinically defined as the failure to achieve pregnancy after one year of regular, unprotected intercourse in women under 35, or after six months in those over 35, and it stands as a significant concern in global reproductive health. Research shows that roughly 85% of couples will conceive within their first year of consistent, unprotected intercourse, while about 30% to 40% succeed within just the first three months. This variation in outcomes reflects a range of real-world influences seen across the general population — including maternal age, undiagnosed fertility issues in either partner, lifestyle factors like smoking and excess weight, and subclinical conditions that together reduce overall fertility potential. Data from population-level studies suggest that the average probability of conceiving in any given month falls between 15% and 20%, which translates into a cumulative conception rate of around 30% to 40% by the third month of trying.

Globally, infertility affects an estimated 15% of couples, with female-related factors responsible for roughly half of these cases, male factors accounting for about 40%, and the remaining cases involving a combination of both partners. Beyond its clinical dimensions, female infertility carries substantial psychological, social, and medical consequences, underscoring the need for a thorough and well-rounded approach to its understanding and management.

Etiology –

Female infertility typically arises from multiple, often overlapping causes. Ovulatory dysfunction is a leading category, responsible for 25–40% of cases, with PCOS underlying roughly 70% of anovulatory presentations. Other causes of anovulation include hypothalamic-pituitary disorders (e.g., functional hypothalamic amenorrhea), hyperprolactinemia secondary to pituitary adenoma, and primary ovarian insufficiency.

Tubal disease accounts for 20–35% of cases, usually resulting from tubal obstruction or damage caused by pelvic inflammatory disease, endometriosis, or prior pelvic surgery. Uterine abnormalities — including fibroids, endometrial polyps, Asherman syndrome, and congenital anomalies such as a septate uterus — contribute to 10–15% of cases. Endometriosis, marked by ectopic endometrial implants that trigger inflammation and adhesions, accounts for another 10–15%.

The revised ASRM staging system classifies endometriosis into four grades based on lesion extent, location, depth, and associated adhesions or ovarian involvement: stage I/minimal (1–5 points), stage II/mild (6–15), stage III/moderate (16–40), and stage IV/severe (>40).

Roughly 15–30% of cases remain unexplained even after complete workup. Lifestyle and environmental factors — obesity, smoking, alcohol use, and endocrine-disrupting chemical exposure — also contribute variably to reduced fertility. Genetic and chromosomal causes, such as Turner syndrome, fragile X premutation, and structural translocations, further add to the etiologic picture.

Psychodynamics and Conflicts Related to Infertility

Infertility is not experienced purely as a medical condition — it often carries significant emotional and psychological weight, and psychodynamic theory offers one lens for understanding this experience.

Core emotional conflicts:

Loss of identity and self-worth: For many women, fertility is closely tied to a sense of femininity and life purpose; infertility can trigger feelings of inadequacy, shame, or a fractured sense of self.

Grief without closure:

Unlike other losses, infertility involves grieving a future that was anticipated but never realized — a child who was never conceived — which can be difficult to process since there is no clear “event” to mourn.

Ambivalence and guilt:

Some women experience unconscious ambivalence about motherhood (rooted in career goals, past trauma, or family-of-origin conflicts), which can generate guilt when this ambivalence is perceived as somehow “causing” the infertility, even though there’s no evidence for this.

Relationship strain:

Infertility can expose or intensify underlying tensions in a couple’s relationship, including feelings of blame, inadequacy, or diverging coping styles between partners.

Body as adversary:

Repeated failed attempts to conceive can lead to a sense of betrayal by one’s own body, contributing to anxiety, disconnection from one’s physical self, or diminished self-esteem.

Family-of-origin dynamics:

Unresolved conflicts with one’s own mother, unmet childhood needs, or family expectations around parenthood can resurface and intensify emotional distress during fertility struggles.

Social isolation:

Feelings of being “different” from peers who conceive easily, combined with the sensitive/taboo nature of infertility, often lead to withdrawal and reduced social support at a time when support is most needed.

Stress-fertility interplay:

Chronic psychological stress is thought to influence the hypothalamic-pituitary-ovarian axis, potentially affecting hormonal regulation and ovulatory function — though the exact causal relationship between stress and infertility (versus infertility causing stress) remains an area of ongoing research and some debate.

while this psychodynamic framework is well-established in psychological literature, using it as a basis for selecting homeopathic remedies is a traditional/interpretive practice rather than one with controlled clinical evidence.

Pathophysiology-

Female infertility stems from disruptions at various reproductive stages — ovulation, oocyte transport, fertilization, or implantation — with mechanisms differing by underlying cause.

Ovulatory Dysfunction

In PCOS, hyperandrogenism and insulin resistance impair follicle development, while elevated LH-to-FSH ratios drive anovulation. Hypothalamic amenorrhea disrupts GnRH pulsatility, lowering FSH and LH output. Hyperprolactinemia suppresses GnRH release, accelerating follicular atresia through reduced granulosa cell growth and increased apoptosis, often linked to genetic or autoimmune causes. Hypothyroidism similarly reduces ovulation rates by disrupting gonadotropin control.

Oocyte Transport

Pelvic inflammatory disease damages the fallopian tubes through scarring or hydrosalpinx, impairing ciliary function and oocyte movement — most often triggered by *Chlamydia trachomatis*. Inflammatory cytokines within hydrosalpinx fluid substantially lower implantation success. Untreated chlamydial infection can progress to tubal fibrosis via epithelial-to-mesenchymal transition, driven by TGF- β signaling and related fibrotic pathways, ultimately leading to tubal scarring and blockage.

Tubal Factor Infertility

Endometriosis promotes tubal infertility through adhesion formation, anatomical distortion, and cytokine-driven inflammation. Endometriomas notably reduce ovarian reserve by lowering AMH levels, while associated inflammation also compromises oocyte quality and implantation potential.

Uterine Factors

Submucosal fibroids distort the uterine cavity and reduce endometrial receptivity by impairing blood supply. Asherman syndrome causes intrauterine scarring that significantly lowers pregnancy rates. Septate uterus increases miscarriage risk due to poor vascularization and suboptimal implantation conditions.

Subclinical Abnormalities

Subtle factors — such as diminished ovarian reserve and abnormal integrin expression — account for a meaningful share of unexplained infertility. Age-related fertility decline is driven by rising rates of oocyte chromosomal abnormalities and mitochondrial dysfunction, which together impair embryo development. Oxidative stress and telomere shortening further accelerate oocyte aging. Obesity disrupts the hypothalamic-pituitary-ovarian axis by altering leptin and adiponectin levels, impairing ovulation. Environmental toxins, including phthalates and airborne particulates, also negatively affect oocyte yield and overall fertility.

Symptoms and signs-

Diagnosing infertility typically involves a thorough workup that combines a detailed medical history, physical examination, and targeted diagnostic testing. That said, certain signs and symptoms may point toward an underlying fertility issue, including:

Irregular or absent menstrual cycles

Painful menstruation

Chronic pelvic pain

Trouble conceiving despite regular attempts

A history of recurrent miscarriage

Homeopathic Remedies for Female Infertility-

Sepia: Traditionally used for women experiencing a dragging or bearing-down pelvic sensation, reduced interest in intimacy, and irregular menstrual patterns; often linked to exhaustion from overwork, indifference toward family, or emotional burnout.

Pulsatilla nigricans: Suited to women with mild, shifting symptoms, a strong need for emotional reassurance, and menstrual complaints that worsen in warm environments; frequently associated with grief, being easily hurt, or feeling neglected/abandoned.

Nux vomica: Considered for women with an irritable or impatient temperament, gastrointestinal upset, and cycle irregularities; often tied to work-related stress, overstimulation (excess caffeine, alcohol, or a high-pressure lifestyle), and competitiveness.

Calcarea carbonica: Associated with delayed onset of puberty, tendency toward weight gain, and various menstrual disturbances; often linked to overexertion (physical or mental), anxiety about health, and being overwhelmed by responsibility.

Lycopodium clavatum: Used for women dealing with digestive complaints, abdominal bloating, and infertility linked to uterine issues; commonly associated with performance anxiety, fear of failure, and suppressed self-confidence despite an outwardly capable appearance.

Agnus castus: Applied in cases of diminished libido, irregular cycles, and infertility tied to hormonal disruption; often connected to guilt or anxiety around sexual matters, or exhaustion following excessive sexual activity or emotional strain.

Natrum muriaticum: Indicated for women with emotional sensitivity, menstrual irregularities, and stress-related fertility difficulties; classically linked to suppressed grief, disappointment in love, or long-held emotional hurt that isn't openly expressed.

Phosphoric acid: Used for women presenting with fatigue, physical depletion, and infertility following emotional distress; often associated with prolonged grief, homesickness, or exhaustion from sustained emotional or physical strain.

Aurum metallicum: Associated with profound feelings of hopelessness, dark or self-destructive thoughts, and infertility linked to severe emotional suffering; often connected to a sense of failure, loss of status or self-worth, or intense self-criticism.

Cocculus indicus: Considered for women experiencing nausea, vomiting, and infertility connected to digestive disturbances; frequently linked to exhaustion from caregiving, sleep deprivation, or prolonged worry over a loved one's health.

Bibliography –

1. Adebisi OY, Singh M, Tobler KJ. Female Infertility. In: StatPearls. Treasure Island (FL): StatPearls Publishing; 2026. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK556033/>
2. Laboratory Evaluation of Infertility. StatPearls, Point of Care. Available at: <https://www.statpearls.com/point-of-care/149930>
3. Endometriosis. In: StatPearls. NCBI Bookshelf, NIH. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK567777/>
4. The biology and clinical aspects of female infertility. PubMed. Available at: <https://pubmed.ncbi.nlm.nih.gov/41528185/>
5. Incidence and Causes of Tubal Occlusion in Infertility: A Retrospective Cohort Study. PMC. Available at: <https://pmc.ncbi.nlm.nih.gov/articles/PMC11242127/>
6. Causal Relationship Between Endometriosis, Female Infertility, and Primary Ovarian Failure Through Bidirectional Mendelian Randomization. PMC. Available at: <https://pmc.ncbi.nlm.nih.gov/articles/PMC11639973/>
7. Clusters of women established according to infertility etiology [table]. J Assist Reprod Genet. 2019 Dec 5;37(1):141–148. Doi:10.1007/s10815-019-01608-5
8. De Castro MHM, Mendonça CR, Noll M, Tacon FSA, do Amaral WN. Psychosocial Aspects of Gestational Grief in Women Undergoing Infertility Treatment: A Systematic Review of Qualitative and Quantitative Evidence. Int J Environ Res Public Health. 2021;18(24):13143. Doi:10.3390/ijerph182413143
9. Psychosocial Concomitants of Infertility: A Narrative Review. PMC. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11975149/>
10. Psychodynamic Therapy for Infertility and Pregnancy Loss. Depth Counseling Blog. Available at: <https://depthcounseling.org/blog/psychodynamic-therapy-for-infertility-pregnancy-loss>
11. The Grief of Infertility. Psychology Today. Available at: <https://www.psychologytoday.com/us/blog/meaningful-connections/202503/the-grief-of-infertility>
12. Homeopathy for infertility treatment: A case series. ResearchGate. Available at: https://www.researchgate.net/publication/261999671_Homeopathy_for_infertility_treatment_A_case_series
13. Treating infertility with homeopathy: An update to the Liz Lalor Homoeopathy Fertility Program. ResearchGate. Available at: https://www.researchgate.net/publication/361453883_Treating_infertility_with_homeopathy_An_update_to_the_Liz_Lalor_Homoeopathy_Fertility_Program
14. Mathie RT, et al. Randomised, double-blind, placebo-controlled trials of non-individualised homeopathic treatment: systematic review and meta-analysis. Syst Rev. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5366148/>
15. Schlegel PN, Sigman M, Collura B, et al. Diagnosis and treatment of infertility in men: AUA/ASRM guideline. Fertility and Sterility. 2021;115(1):54–61.
16. Boivin J, Bunting L, Collins JA, Nygren KG. International estimates of infertility prevalence and treatment-seeking. Human Reproduction. 2007;22(6):1506–1512.
17. Mascarenhas MN, Flaxman SR, Boerma T, Vanderpoel S, Stevens GA. National, regional, and global trends in infertility prevalence since 1990. PLoS Medicine. 2012;9(12):e1001356.

18. Inhorn MC, Patrizio P. Infertility around the globe: new thinking on gender, reproductive technologies and global movements. *Human Reproduction Update*. 2015;21(4):411–426.
19. Greil AL, Slauson-Blevins K, McQuillan J. The experience of infertility: a review of recent literature. *Sociology of Health and Illness*. 2010;32(1):140–162.
20. Cousineau TM, Domar AD. Psychological impact of infertility. *Best Practice and Research Clinical Obstetrics and Gynaecology*. 2007;21(2):293–308.
21. Hahnemann S. *Organon of Medicine*. 6th ed. (Translated by Boericke W). New Delhi: B. Jain Publishers.
22. Kent JT. *Repertory of the Homoeopathic Materia Medica*. New Delhi: B. Jain Publishers.
23. Boericke W. *Pocket Manual of Homoeopathic Materia Medica and Repertory*. 9th ed. New Delhi: B. Jain Publishers.
24. Clarke JH. *A Dictionary of Practical Materia Medica*. London: Homoeopathic Publishing Company.