



International Journal of Research Publication and Reviews

Journal Homepage: www.ijrpr.com ISSN 2582-7421

Integration of IoT and Web Technologies for Real-Time Monitoring Systems

Mr. Krishna Yaduvanshi

Assistant Professor, Jagannath University, Jaipur

DOI : <https://doi.org/10.55248/gengpi.07.0926.3114>

ABSTRACT

The rapid evolution of the Internet of Things (IoT) combined with modern web technologies has fundamentally transformed how industrial, environmental, and healthcare systems monitor dynamic environments. Real-time monitoring systems require low-latency communication, scalable data ingestion, robust edge-to-cloud integration, and intuitive user interfaces. This paper explores the architectural integration of IoT hardware protocols (e.g., MQTT, CoAP) with web application frameworks (e.g., WebSocket, HTTP/2, WebRTC) to deliver end-to-end real-time capabilities. We analyze systemic communication bottlenecks, data persistence strategies, and security paradigms, proposing a generalized end-to-end architecture optimized for latency, throughput, and system reliability.

Keywords: Internet of Things (IoT), Web Sockets, MQTT, Real-Time Monitoring, Edge Computing, RESTful APIs, System Architecture, Data Visualization

1. Introduction

Real-time monitoring systems are essential across diverse domains, including smart manufacturing (Industry 4.0), remote patient healthcare, smart grid management, and environmental tracking. Traditional monitoring systems relied on localized, isolated SCADA (Supervisory Control and Data Acquisition) setups that required proprietary hardware and offered limited remote access.


The convergence of IoT and Web Technologies bridges this gap:

- **IoT Hardware Layer:** Captures physical states via sensors and converts them into digital payloads.
- **Web Layer:** Serves as the global conduit for transmission, real-time streaming, aggregation, and human-computer interaction (HCI).

Achieving true "real-time" responsiveness over heterogeneous web networks presents challenges: managing high data throughput, minimizing end-to-end transport latency, preserving battery power on edge node sensors, and protecting sensitive telemetry data in transit and at rest.

2. System Architecture Overview

A modern real-time IoT web-integrated architecture consists of four primary tiers:



2.1 Edge and Sensing Layer

Consists of microcontrollers (e.g., ESP32, STM32, Raspberry Pi) and sensors measuring physical metrics (temperature, vibration, pressure, biometrics). Microcontrollers perform preliminary signal conditioning and analog-to-digital conversion (ADC).



Integrating constrained node protocols with standard web browsers requires bridging mechanisms because web browsers natively support HTTP/HTTPS and WebSockets, but typically lack native, direct raw TCP/UDP socket access required for pure MQTT or CoAP.

Strategy A: MQTT-over-WebSockets (Direct Browser Connection)

MQTT brokers expose a WebSocket listener on a dedicated port (e.g., port 8083 or 8084 for secure WSS). The client web dashboard imports a library like Paho JavaScript or MQTT.js to establish a direct WebSocket connection to the MQTT broker, parsing payloads straight into state models.

Strategy B: Backend Middleware / API Gateway Bridge

IoT nodes publish data to an internal MQTT/CoAP broker. A scalable backend service (e.g., Node.js, Python FastAPI, Go) subscribes to the broker topics. Upon receiving messages, the service processes, sanitizes, and persists the payload into a database (e.g., TimescaleDB, InfluxDB) while broadcasting the data frame over a WebSocket server (Socket.io or native ws) to all connected client web browsers.

5. Security, Scalability, and Latency Optimization

5.1 Security Strategies

- **Transport Layer Security:** TLS 1.3 for MQTT (MQTTS) and HTTPS/WSS for web connections to enforce encryption in transit.
- **Identity and Authentication:** Token-based authentication (JWT or X.509 client certificates) at both the edge-gateway and web-client boundaries.
- **Data Privacy:** Encrypting sensitive payload fields at the edge node before transmission (End-to-End Encryption).

5.2 System Scalability & Persistence

- **Time-Series Databases (TSDB):** Using dedicated TSDBs like InfluxDB, Prometheus, or TimescaleDB optimized for high-write, time-stamped IoT ingestion rather than traditional relational SQL databases.
- **Horizontal Scaling:** Deploying load balancers equipped with sticky sessions or Redis Pub/Sub channels to distribute WebSocket connections across multiple server nodes.

5.3 Latency Optimization

- **Edge Computing:** Shifting threshold detection, data filtering, and anomaly detection to the edge hardware (reducing useless packet transfers).
- **Payload Serialization:** Utilizing compact binary serialization standards like **Protocol Buffers (Protobuf)** or **MessagePack** instead of verbose JSON strings.

6. Real-World Case Studies

1. **Industrial Equipment Health Monitoring:** Continuous monitoring of three-phase electric motor vibration and temperature using ESP32 edge nodes, MQTT, and a React + WebSockets dashboard to predict mechanical failure weeks before occurrence.
2. **Precision Agriculture & Smart Greenhouse Control:** Soil moisture and ambient humidity tracking using battery-powered LoRaWAN nodes bridged to a web interface to automate dynamic irrigation scheduling.

7. Conclusion & Future Directions

The integration of IoT hardware protocols with web technologies creates responsive, intuitive real-time monitoring ecosystems. Future research and development directions will focus on:

- **WebAssembly (Wasm) at the Client Edge:** Running complex machine learning inference models directly inside client web browsers on incoming telemetry streams.
- **5G/6G Networks and Web-NATIVE Protocols:** Leveraging HTTP/3 and WebTransport over QUIC to reduce latency, packet loss impact, and connection setup times for dense IoT node deployments.

References

1. Postolache, O., et al. "IoT and Web Technologies for Environmental Monitoring Systems." *IEEE Transactions on Instrumentation and Measurement*, 2022.

-
2. Lampoltshammer, T. J., et al. "Low-Latency Protocols for IoT-Web Systems: A Comparative Study." *Journal of Network and Computer Applications*, 2023.
 3. Eclipse Foundation. "MQTT Protocol Specification v5.0." *Eclipse IoT Working Group*, 2021.
 4. Fielding, R., & Reschke, J. "Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content." *RFC 7231*, IETF.